

SECTION III
County-specific Cancer Incidence Rates
All Races, Illinois, 2009-2013

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	328,213	475.0	473.4	476.7	164,402	531.6	529.0	534.2	163,811	437.6	435.4	439.7
Oral Cavity and Pharynx	8,355	11.8	11.6	12.1	5,904	18.0	17.5	18.5	2,451	6.5	6.3	6.8
Esophagus	3,585	5.1	4.9	5.3	2,773	8.9	8.6	9.3	812	2.1	1.9	2.2
Stomach	4,921	7.2	7.0	7.4	3,071	10.2	9.8	10.5	1,850	4.8	4.6	5.1
Colon and Rectum	31,321	45.3	44.8	45.9	16,253	53.4	52.6	54.2	15,068	38.9	38.3	39.6
Liver	4,316	6.0	5.9	6.2	3,182	9.7	9.3	10.0	1,134	3.0	2.8	3.2
Pancreas	9,094	13.1	12.9	13.4	4,569	15.0	14.6	15.5	4,525	11.6	11.2	11.9
Lung and Bronchus	46,534	67.9	67.3	68.5	24,276	81.0	79.9	82.0	22,258	58.5	57.7	59.3
Bones and Joints	562	0.9	0.8	0.9	317	1.0	0.9	1.1	245	0.7	0.6	0.8
Melanoma of the Skin	12,208	18.0	17.7	18.3	6,891	22.6	22.0	23.1	5,317	15.0	14.5	15.4
Breast (invasive)	48,028	69.6	68.9	70.2	411	1.3	1.2	1.5	47,617	128.5	127.3	129.7
Cervix									2,634	7.7	7.4	8.0
Corpus and Uterus, NOS									11,107	28.9	28.4	29.5
Ovary									4,424	11.9	11.5	12.2
Prostate					41,862	128.8	127.5	130.1				
Testis					1,783	5.7	5.5	6.0				
Urinary Bladder (includes in situ)	14,840	21.7	21.3	22.0	11,111	38.2	37.5	39.0	3,729	9.5	9.2	9.9
Kidney and Renal Pelvis	12,013	17.4	17.0	17.7	7,345	23.2	22.6	23.7	4,668	12.5	12.1	12.9
Brain and Nervous System	4,306	6.4	6.2	6.6	2,371	7.6	7.3	7.9	1,935	5.4	5.2	5.7
Hodgkin Lymphoma	1,814	2.8	2.7	3.0	987	3.2	3.0	3.4	827	2.5	2.3	2.7
Non-Hodgkin Lymphoma	13,210	19.4	19.0	19.7	7,080	23.5	22.9	24.1	6,130	16.2	15.8	16.6
Myeloma	4,279	6.2	6.0	6.4	2,301	7.6	7.3	7.9	1,978	5.1	4.9	5.3
Leukemia	9,013	13.4	13.1	13.7	5,089	17.1	16.6	17.6	3,924	10.5	10.2	10.8
All Other Sites	38,004	55.9	55.3	56.5	16,826	55.6	54.8	56.5	21,178	57.7	57.0	58.5
Breast in Situ (not in total)									12,494	34.3	33.7	34.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Adams

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,026	464.2	443.6	485.6	1,053	524.1	492.4	557.5	973	423.4	395.9	452.4
Oral Cavity and Pharynx	50	12.1	8.9	16.2	36	18.6	12.9	26.1	14	6.4	3.3	11.3
Esophagus	30	6.4	4.2	9.2	24	11.5	7.4	17.4	6	2.4	0.8	5.6
Stomach	13	2.7	1.4	4.8	7	3.2	1.3	6.8	6	2.4	0.8	5.9
Colon and Rectum	215	48.5	42.0	55.7	109	54.6	44.7	66.2	106	44.1	35.6	54.0
Liver	22	5.0	3.1	7.7	14	7.2	3.9	12.3	8	3.2	1.3	6.6
Pancreas	35	7.2	5.0	10.1	16	7.7	4.4	12.7	19	6.8	4.0	11.1
Lung and Bronchus	339	74.1	66.3	82.7	184	90.2	77.5	104.6	155	61.9	52.3	72.9
Bones and Joints	7	1.9	0.7	4.0	5	3.0	1.0	7.1	2	0.7	0.1	3.2
Melanoma of the Skin	93	22.4	17.9	27.7	61	30.1	22.9	38.9	32	17.3	11.5	24.9
Breast (invasive)	265	62.2	54.7	70.4	4	1.7	0.5	4.9	261	115.5	101.3	131.1
Cervix									11	6.3	3.0	11.5
Corpus and Uterus, NOS									82	34.9	27.5	43.7
Ovary									33	15.7	10.6	22.6
Prostate					243	115.6	101.3	131.4				
Testis					15	10.2	5.6	16.8				
Urinary Bladder (includes in situ)	114	24.3	19.9	29.4	90	44.4	35.6	54.9	24	9.0	5.7	13.8
Kidney and Renal Pelvis	93	23.4	18.7	28.9	54	27.5	20.5	36.2	39	19.9	13.8	27.7
Brain and Nervous System	29	7.7	5.1	11.2	17	10.2	5.8	16.5	12	5.3	2.6	9.7
Hodgkin Lymphoma	6	1.7	0.6	3.8	3	1.4	0.3	4.4	3	2.1	0.4	6.0
Non-Hodgkin Lymphoma	75	16.8	13.1	21.2	41	20.7	14.8	28.4	34	13.7	9.3	19.6
Myeloma	28	6.0	3.9	8.8	14	6.9	3.7	11.8	14	5.0	2.7	8.9
Leukemia	47	11.1	8.1	15.0	31	16.3	11.0	23.4	16	6.7	3.6	11.5
All Other Sites	181	42.8	36.6	49.9	85	43.2	34.3	53.7	96	44.3	35.4	54.7
Breast in Situ (not in total)									63	29.9	22.7	38.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Alexander

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	242	442.2	387.3	503.5	128	506.5	421.0	605.2	114	393.6	322.6	477.4
Oral Cavity and Pharynx	10	16.7	8.0	32.2	8	27.8	12.0	57.8	2	6.3	0.8	28.5
Esophagus	3	5.5	1.1	17.7	3	13.3	2.5	40.8	0			
Stomach	3	5.2	1.1	17.2	3	11.4	2.3	36.2	0			
Colon and Rectum	23	41.9	26.5	64.0	12	46.6	23.8	83.8	11	37.0	18.2	69.7
Liver	3	5.3	1.1	17.5	2	7.3	0.8	30.2	1	3.2	0.1	24.0
Pancreas	2	3.3	0.4	14.3	0				2	6.3	0.8	28.5
Lung and Bronchus	53	93.5	69.9	123.6	30	117.9	79.1	170.5	23	73.7	46.6	113.8
Bones and Joints	1	1.8	0.0	12.2	1	6.0	0.2	30.8	0			
Melanoma of the Skin	6	10.6	3.9	24.6	4	14.9	4.1	41.0	2	5.2	0.6	26.2
Breast (invasive)	32	62.6	41.9	90.4	0				32	121.1	80.8	175.8
Cervix									2	7.5	0.9	31.1
Corpus and Uterus, NOS									7	24.0	9.3	53.6
Ovary									5	15.9	5.1	41.7
Prostate					27	104.3	68.2	154.1				
Testis					2	12.2	1.5	41.8				
Urinary Bladder (includes in situ)	8	14.3	6.1	29.7	7	26.7	10.6	57.6	1	3.2	0.1	24.0
Kidney and Renal Pelvis	8	16.7	7.1	34.0	7	28.4	11.3	60.6	1	3.7	0.1	25.2
Brain and Nervous System	2	3.3	0.4	14.3	1	6.0	0.2	30.8	1	3.0	0.1	23.5
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	11.8	4.3	27.0	4	15.6	4.2	42.7	2	7.1	0.9	30.0
Myeloma	3	5.4	1.1	17.7	1	4.3	0.1	26.0	2	6.3	0.8	28.5
Leukemia	9	16.1	7.2	32.2	5	21.2	6.6	51.7	4	14.6	3.7	41.5
All Other Sites	27	47.7	31.3	70.7	11	42.6	21.0	78.7	16	55.5	31.3	93.4
Breast in Situ (not in total)									4	14.2	3.8	40.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Bond

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	523	486.1	444.7	530.6	276	547.3	483.8	617.2	247	453.3	396.3	516.7
Oral Cavity and Pharynx	16	15.4	8.7	25.4	11	20.5	10.1	37.5	5	9.7	3.1	23.9
Esophagus	7	6.4	2.5	13.9	6	11.1	4.0	25.3	1	1.1	0.0	10.4
Stomach	8	6.6	2.8	13.7	4	7.9	2.1	21.0	4	5.9	1.6	17.5
Colon and Rectum	60	54.4	41.3	70.6	36	71.6	49.9	99.8	24	41.1	25.6	63.4
Liver	9	7.8	3.5	15.4	7	11.9	4.7	25.8	2	3.3	0.4	14.1
Pancreas	13	11.8	6.3	20.7	7	14.2	5.6	29.8	6	10.6	3.8	24.6
Lung and Bronchus	77	70.2	55.3	88.1	48	95.6	70.2	127.5	29	50.1	33.4	73.1
Bones and Joints	2	2.4	0.3	8.6	1	1.8	0.0	11.4	1	3.0	0.1	15.2
Melanoma of the Skin	15	14.9	8.2	25.1	9	17.9	8.1	34.8	6	12.3	4.3	27.9
Breast (invasive)	76	73.7	57.8	92.8	0				76	146.6	114.2	185.6
Cervix									5	12.5	3.7	29.7
Corpus and Uterus, NOS									14	22.2	11.8	39.3
Ovary									4	7.6	1.7	21.5
Prostate					53	104.1	77.6	137.0				
Testis					5	10.3	3.3	24.4				
Urinary Bladder (includes in situ)	31	27.9	18.9	40.1	18	36.2	21.3	57.8	13	20.7	10.9	37.0
Kidney and Renal Pelvis	17	15.3	8.8	25.1	11	20.5	10.0	37.8	6	9.4	3.4	22.5
Brain and Nervous System	13	13.5	7.1	23.5	8	16.2	6.8	32.7	5	11.8	3.6	28.3
Hodgkin Lymphoma	3	3.6	0.7	10.4	3	6.6	1.4	19.5	0			
Non-Hodgkin Lymphoma	31	27.2	18.4	39.1	15	31.4	17.5	52.3	16	27.5	15.6	46.0
Myeloma	5	5.0	1.6	12.0	2	4.1	0.5	15.4	3	5.7	1.2	18.0
Leukemia	18	17.1	10.0	27.5	11	22.7	11.2	41.2	7	12.5	4.7	27.4
All Other Sites	41	39.2	27.9	53.7	21	42.8	26.2	66.1	20	39.9	23.8	63.0
Breast in Situ (not in total)									14	25.3	13.8	43.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Boone

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,245	447.0	422.1	473.0	624	469.1	431.7	508.9	621	428.0	394.6	463.5
Oral Cavity and Pharynx	29	10.1	6.7	14.6	20	13.6	8.1	21.4	9	6.9	3.1	13.2
Esophagus	8	2.7	1.2	5.5	6	4.2	1.5	9.5	2	1.4	0.2	5.2
Stomach	13	4.7	2.5	8.2	6	4.4	1.6	9.8	7	4.7	1.9	9.8
Colon and Rectum	113	41.3	33.9	49.8	59	45.4	34.2	59.1	54	36.8	27.5	48.2
Liver	14	4.5	2.4	7.7	10	7.2	3.3	13.6	4	2.4	0.6	6.5
Pancreas	33	12.0	8.2	16.9	20	14.2	8.6	22.3	13	9.2	4.9	15.8
Lung and Bronchus	182	66.3	56.8	76.8	104	80.7	65.4	98.5	78	53.1	41.8	66.5
Bones and Joints	1	0.4	0.0	2.3	1	1.3	0.0	6.2	0			
Melanoma of the Skin	63	23.0	17.6	29.5	38	28.4	19.9	39.3	25	18.0	11.5	26.7
Breast (invasive)	174	60.5	51.7	70.4	0				174	117.1	100.1	136.1
Cervix									16	11.7	6.6	19.1
Corpus and Uterus, NOS									44	28.9	20.9	39.0
Ovary									19	13.0	7.8	20.5
Prostate					139	97.8	81.7	116.2				
Testis					7	5.8	2.3	11.9				
Urinary Bladder (includes in situ)	54	19.6	14.7	25.7	43	33.7	24.2	45.8	11	7.0	3.5	12.8
Kidney and Renal Pelvis	26	9.0	5.8	13.3	16	10.9	6.2	18.1	10	7.1	3.4	13.2
Brain and Nervous System	8	3.0	1.3	5.9	5	3.7	1.2	8.7	3	2.1	0.4	6.4
Hodgkin Lymphoma	9	3.4	1.5	6.5	6	4.0	1.4	9.0	3	2.6	0.5	7.4
Non-Hodgkin Lymphoma	55	20.8	15.6	27.1	25	20.1	12.8	29.9	30	21.0	14.1	30.2
Myeloma	26	9.6	6.2	14.2	14	11.6	6.1	19.8	12	8.2	4.2	14.5
Leukemia	43	16.0	11.5	21.7	24	18.2	11.5	27.4	19	13.1	7.8	20.6
All Other Sites	169	63.4	54.1	74.0	81	64.0	50.3	80.3	88	63.8	51.0	78.9
Breast in Situ (not in total)									37	25.0	17.5	34.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Brown

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	173	482.4	412.4	561.3	101	577.3	466.2	706.8	72	432.6	335.7	550.8
Oral Cavity and Pharynx	4	11.5	3.1	30.3	2	12.5	1.5	45.4	2	10.2	1.2	45.4
Esophagus	1	3.0	0.1	17.6	1	6.1	0.2	34.8	0			
Stomach	3	7.8	1.6	24.5	1	6.1	0.2	34.8	2	12.7	1.5	50.9
Colon and Rectum	15	42.2	23.5	70.5	9	49.3	21.8	96.4	6	36.9	13.5	84.7
Liver	3	7.3	1.5	23.4	3	11.7	2.4	40.3	0			
Pancreas	5	13.5	4.4	32.8	3	15.1	3.0	47.4	2	14.3	1.2	57.0
Lung and Bronchus	30	81.4	54.8	117.1	20	108.5	65.5	169.9	10	53.5	25.5	104.0
Bones and Joints	1	2.1	0.1	15.4	1	2.6	0.1	26.9	0			
Melanoma of the Skin	13	36.8	19.5	63.8	8	49.0	20.8	97.4	5	37.3	11.5	90.0
Breast (invasive)	20	56.6	34.4	88.1	0				20	119.8	72.0	190.3
Cervix									1	7.2	0.2	43.3
Corpus and Uterus, NOS									5	26.5	8.3	68.8
Ovary									0			
Prostate					24	137.7	87.1	207.2				
Testis					0							
Urinary Bladder (includes in situ)	10	30.6	14.6	56.8	6	42.3	15.5	90.9	4	24.2	6.6	67.0
Kidney and Renal Pelvis	4	10.2	2.8	27.9	3	15.1	2.6	49.1	1	10.6	0.3	52.8
Brain and Nervous System	1	4.9	0.1	23.1	1	10.1	0.3	46.8	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	10	26.2	12.5	49.4	4	18.5	4.2	53.1	6	32.5	11.9	76.7
Myeloma	3	8.1	1.6	25.2	2	7.9	1.0	35.2	1	6.3	0.2	40.9
Leukemia	4	11.3	3.1	29.9	2	14.1	1.7	49.4	2	11.2	1.4	47.5
All Other Sites	16	46.1	25.6	76.5	11	70.8	33.6	129.4	5	29.1	9.0	74.1
Breast in Situ (not in total)									2	13.4	1.5	53.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Bureau

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,146	484.6	456.1	514.6	617	559.0	515.0	606.0	529	428.6	390.9	469.2
Oral Cavity and Pharynx	28	11.6	7.6	17.2	19	17.2	10.3	27.5	9	6.7	2.9	13.8
Esophagus	14	5.6	3.0	9.8	13	11.8	6.2	20.9	1	0.4	0.0	4.9
Stomach	14	5.1	2.8	9.0	9	7.7	3.5	15.3	5	3.0	1.0	8.4
Colon and Rectum	110	47.7	38.9	58.0	56	51.5	38.7	67.5	54	45.3	33.4	60.5
Liver	14	5.6	3.0	9.8	10	8.7	4.1	16.6	4	3.0	0.7	9.0
Pancreas	26	10.4	6.7	15.6	15	13.8	7.7	23.3	11	7.4	3.5	14.5
Lung and Bronchus	171	69.6	59.4	81.2	87	77.2	61.7	95.8	84	64.2	51.0	80.3
Bones and Joints	3	1.7	0.3	5.2	1	0.7	0.0	5.5	2	2.8	0.3	9.7
Melanoma of the Skin	57	25.2	18.8	33.1	27	25.8	16.8	38.2	30	25.7	16.9	37.9
Breast (invasive)	137	58.8	48.9	70.1	0				137	111.9	93.0	133.8
Cervix									7	7.8	3.0	16.4
Corpus and Uterus, NOS									30	22.8	15.2	33.4
Ovary									10	8.1	3.6	16.0
Prostate					177	152.4	130.5	177.2				
Testis					6	7.9	2.9	17.1				
Urinary Bladder (includes in situ)	55	21.3	15.9	28.2	44	38.4	27.7	52.2	11	7.4	3.6	14.4
Kidney and Renal Pelvis	48	20.8	15.2	27.9	34	31.8	21.9	45.0	14	10.7	5.8	18.7
Brain and Nervous System	12	5.6	2.8	10.2	6	6.4	2.3	14.4	6	4.8	1.6	11.4
Hodgkin Lymphoma	7	4.8	1.9	9.7	4	5.6	1.5	13.9	3	3.8	0.7	11.2
Non-Hodgkin Lymphoma	56	24.3	18.2	32.1	31	29.0	19.5	41.8	25	20.5	12.9	31.4
Myeloma	10	4.1	1.9	7.9	4	3.6	1.0	9.9	6	4.2	1.4	10.4
Leukemia	34	15.6	10.6	22.3	22	21.2	13.1	32.7	12	11.0	5.4	20.2
All Other Sites	120	51.1	42.1	61.7	52	48.2	35.8	63.9	68	56.9	43.5	73.4
Breast in Situ (not in total)									28	24.9	16.3	36.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Calhoun

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	173	483.2	410.7	566.1	97	555.9	446.8	685.9	76	416.9	323.6	531.6
Oral Cavity and Pharynx	1	2.2	0.1	18.5	1	4.5	0.1	37.0	0			
Esophagus	3	7.8	1.6	26.7	2	10.6	1.3	46.4	1	4.4	0.1	37.5
Stomach	1	2.3	0.1	18.6	1	4.6	0.1	37.2	0			
Colon and Rectum	25	71.1	44.7	108.9	16	96.2	52.7	163.3	9	43.9	18.7	92.7
Liver	1	2.2	0.1	18.5	1	4.5	0.1	37.0	0			
Pancreas	5	14.3	4.5	36.4	2	13.8	1.6	53.4	3	14.9	3.1	52.6
Lung and Bronchus	30	81.4	54.1	119.5	20	112.0	66.9	179.3	10	52.9	24.9	103.9
Bones and Joints	0				0				0			
Melanoma of the Skin	7	21.2	8.0	46.8	6	32.7	11.7	77.6	1	10.0	0.3	51.6
Breast (invasive)	18	56.1	32.0	92.2	0				18	109.3	61.9	180.7
Cervix									1	4.4	0.1	37.4
Corpus and Uterus, NOS									7	35.1	14.0	79.6
Ovary									0			
Prostate					19	97.2	58.3	157.3				
Testis					2	21.5	2.6	72.2				
Urinary Bladder (includes in situ)	7	19.2	7.6	42.6	3	16.2	3.3	54.6	4	22.4	5.9	64.5
Kidney and Renal Pelvis	9	22.1	10.0	45.3	5	26.4	8.5	68.3	4	20.2	5.3	60.1
Brain and Nervous System	5	15.0	4.5	38.4	2	14.9	1.6	56.8	3	14.1	2.9	50.9
Hodgkin Lymphoma	1	2.6	0.1	19.4	1	5.1	0.1	38.2	0			
Non-Hodgkin Lymphoma	6	19.7	6.7	45.8	3	16.7	3.2	55.9	3	23.9	4.2	73.3
Myeloma	2	5.1	0.6	22.8	1	5.1	0.1	38.2	1	4.4	0.1	37.6
Leukemia	2	4.6	0.6	21.7	1	4.7	0.1	37.3	1	4.4	0.1	37.4
All Other Sites	21	59.0	35.6	93.5	11	69.1	33.9	128.0	10	52.6	23.9	104.8
Breast in Situ (not in total)									11	70.9	33.2	134.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Carroll

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	554	481.9	440.3	526.8	285	500.0	441.8	564.8	269	474.2	414.6	540.9
Oral Cavity and Pharynx	15	15.4	8.2	26.8	7	15.2	5.6	33.5	8	17.0	6.9	35.8
Esophagus	10	7.7	3.7	15.4	9	14.1	6.4	29.4	1	1.3	0.0	12.6
Stomach	8	6.7	2.8	14.6	5	8.7	2.8	22.7	3	5.5	1.0	19.2
Colon and Rectum	55	46.8	34.6	62.5	29	50.6	33.4	75.0	26	42.7	26.5	66.6
Liver	5	4.3	1.3	11.4	4	6.4	1.7	19.5	1	2.1	0.1	14.3
Pancreas	10	8.1	3.9	16.1	3	6.0	1.2	19.6	7	10.3	4.1	24.3
Lung and Bronchus	69	54.0	41.8	69.4	38	61.1	43.0	86.0	31	47.3	31.9	69.5
Bones and Joints	0				0				0			
Melanoma of the Skin	19	14.9	8.9	24.4	10	16.0	7.6	31.9	9	14.2	6.3	29.9
Breast (invasive)	68	65.0	49.3	84.5	1	2.0	0.1	13.8	67	124.3	93.6	162.6
Cervix									2	8.0	1.0	26.5
Corpus and Uterus, NOS									21	43.3	25.6	69.3
Ovary									7	9.7	3.9	23.3
Prostate					74	127.7	99.6	162.6				
Testis					3	8.3	1.5	24.9				
Urinary Bladder (includes in situ)	32	24.2	16.3	35.7	23	36.8	23.2	57.4	9	15.5	6.5	32.8
Kidney and Renal Pelvis	24	20.2	12.6	31.4	11	20.0	9.8	37.8	13	20.8	10.4	39.0
Brain and Nervous System	13	11.6	6.0	21.0	8	15.4	6.4	32.5	5	7.9	2.6	21.5
Hodgkin Lymphoma	4	4.5	1.0	12.8	2	3.3	0.4	15.4	2	5.9	0.5	22.0
Non-Hodgkin Lymphoma	28	23.1	15.0	34.7	16	29.1	16.3	49.5	12	18.1	9.0	34.7
Myeloma	6	5.5	1.9	13.2	1	1.3	0.0	12.2	5	9.2	2.8	24.1
Leukemia	15	15.1	8.0	26.3	8	17.1	6.9	35.9	7	14.2	5.1	32.1
All Other Sites	66	58.4	44.5	75.8	33	60.9	41.4	87.7	33	57.0	38.1	83.4
Breast in Situ (not in total)									7	14.0	5.0	31.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Cass

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	388	466.4	420.5	516.2	211	559.0	485.1	641.2	177	400.5	342.2	466.5
Oral Cavity and Pharynx	11	13.5	6.7	24.6	10	24.5	11.7	46.0	1	3.1	0.1	16.8
Esophagus	3	4.1	0.8	12.3	3	8.0	1.5	24.4	0			
Stomach	3	3.5	0.7	10.8	2	4.8	0.6	18.7	1	2.3	0.1	14.7
Colon and Rectum	50	58.6	43.3	77.9	28	73.7	48.6	107.6	22	43.1	26.8	67.2
Liver	5	6.3	2.0	15.0	4	9.7	2.6	26.1	1	2.6	0.1	15.6
Pancreas	16	17.7	10.1	29.4	8	23.3	10.0	46.1	8	15.9	6.7	33.3
Lung and Bronchus	76	89.7	70.6	112.8	45	120.1	87.2	161.5	31	69.6	47.2	99.9
Bones and Joints	1	1.6	0.0	8.5	0				1	3.3	0.1	17.5
Melanoma of the Skin	18	22.5	13.2	36.2	10	25.6	12.2	47.9	8	22.0	9.1	44.5
Breast (invasive)	49	59.0	43.4	78.5	0				49	112.9	82.9	150.8
Cervix									1	2.2	0.1	14.5
Corpus and Uterus, NOS									12	27.9	14.2	50.1
Ovary									4	10.2	2.6	27.3
Prostate					29	74.2	49.4	107.4				
Testis					5	14.2	4.5	33.5				
Urinary Bladder (includes in situ)	18	20.5	12.1	33.0	14	36.9	20.0	62.7	4	8.9	2.3	24.8
Kidney and Renal Pelvis	21	26.0	15.9	40.3	17	45.3	26.1	73.3	4	8.2	2.1	23.1
Brain and Nervous System	3	4.5	0.9	13.2	3	8.8	1.7	26.1	0			
Hodgkin Lymphoma	3	5.2	1.1	14.6	3	9.8	2.0	28.0	0			
Non-Hodgkin Lymphoma	15	17.8	9.9	29.8	8	21.4	9.2	42.7	7	15.0	5.9	32.8
Myeloma	5	5.2	1.7	13.0	3	8.2	1.6	24.7	2	4.3	0.5	17.7
Leukemia	8	9.0	3.9	18.5	3	7.1	1.4	22.2	5	9.5	2.8	25.1
All Other Sites	32	40.6	27.6	57.9	16	43.5	24.7	71.2	16	39.5	22.0	65.8
Breast in Situ (not in total)									8	21.6	9.1	43.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,909	440.8	426.8	455.1	1,972	490.7	468.7	513.4	1,937	404.0	385.7	422.9
Oral Cavity and Pharynx	93	10.3	8.3	12.7	67	16.0	12.3	20.4	26	5.3	3.4	7.9
Esophagus	45	5.3	3.9	7.2	35	9.3	6.4	13.0	10	2.0	0.9	3.7
Stomach	49	5.7	4.2	7.6	34	8.9	6.1	12.5	15	3.1	1.7	5.2
Colon and Rectum	295	33.7	29.9	37.9	148	38.0	32.0	44.7	147	29.8	25.1	35.2
Liver	43	4.4	3.2	6.0	32	7.1	4.8	10.1	11	2.2	1.1	4.0
Pancreas	98	10.8	8.7	13.2	58	14.0	10.5	18.2	40	8.0	5.6	10.9
Lung and Bronchus	537	62.4	57.2	68.0	279	72.9	64.4	82.2	258	54.2	47.7	61.4
Bones and Joints	5	0.6	0.2	1.4	3	0.8	0.2	2.3	2	0.4	0.0	1.4
Melanoma of the Skin	219	24.9	21.6	28.5	123	31.9	26.4	38.2	96	20.1	16.1	24.7
Breast (invasive)	624	71.2	65.6	77.1	4	0.9	0.2	2.5	620	131.6	121.2	142.7
Cervix									19	4.3	2.5	6.7
Corpus and Uterus, NOS									113	22.8	18.7	27.5
Ovary									55	11.0	8.2	14.5
Prostate					491	116.3	105.9	127.3				
Testis					18	3.1	1.7	5.2				
Urinary Bladder (includes in situ)	170	19.3	16.5	22.5	129	34.3	28.5	40.9	41	8.3	5.9	11.3
Kidney and Renal Pelvis	139	15.8	13.2	18.7	94	23.9	19.2	29.3	45	9.1	6.6	12.2
Brain and Nervous System	50	5.6	4.1	7.4	25	6.5	4.2	9.6	25	5.0	3.2	7.5
Hodgkin Lymphoma	25	2.3	1.4	3.5	14	2.9	1.5	5.1	11	1.8	0.9	3.5
Non-Hodgkin Lymphoma	147	16.5	13.9	19.5	86	20.9	16.6	26.0	61	12.9	9.8	16.7
Myeloma	60	6.6	5.0	8.6	39	9.4	6.6	13.0	21	4.1	2.5	6.4
Leukemia	107	11.7	9.6	14.3	66	16.9	13.0	21.6	41	7.8	5.5	10.7
All Other Sites	507	58.1	53.0	63.5	227	56.7	49.4	64.8	280	60.2	53.2	67.9
Breast in Situ (not in total)									161	34.6	29.4	40.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Christian

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,200	520.7	491.0	551.9	622	587.9	542.1	636.8	578	473.9	434.1	516.6
Oral Cavity and Pharynx	29	12.1	8.0	17.7	21	18.4	11.3	28.6	8	5.5	2.3	12.0
Esophagus	12	5.2	2.7	9.3	11	9.9	4.9	18.2	1	0.8	0.0	5.7
Stomach	12	4.8	2.5	8.7	7	6.1	2.4	13.1	5	3.5	1.1	9.4
Colon and Rectum	137	57.0	47.8	67.7	75	71.2	55.9	89.7	62	44.8	34.1	58.4
Liver	10	4.3	2.0	8.3	7	6.6	2.6	14.1	3	2.0	0.4	7.2
Pancreas	37	15.1	10.6	21.2	21	19.7	12.1	30.5	16	11.6	6.5	19.9
Lung and Bronchus	223	94.1	82.0	107.6	123	116.4	96.6	139.3	100	76.8	62.1	94.3
Bones and Joints	3	2.0	0.4	5.8	1	1.5	0.0	7.3	2	2.6	0.3	9.3
Melanoma of the Skin	46	22.9	16.6	30.9	29	28.6	19.0	41.5	17	18.7	10.6	30.6
Breast (invasive)	154	68.7	58.0	80.9	2	1.8	0.2	7.1	152	130.2	109.3	154.1
Cervix									11	12.4	6.0	22.6
Corpus and Uterus, NOS									32	26.9	18.2	38.7
Ovary									10	9.4	4.4	18.0
Prostate					117	105.3	87.0	126.7				
Testis					6	7.6	2.8	16.4				
Urinary Bladder (includes in situ)	58	23.6	17.8	30.8	43	40.9	29.5	55.5	15	10.1	5.5	17.7
Kidney and Renal Pelvis	67	30.0	23.1	38.6	39	37.3	26.4	51.6	28	23.9	15.5	35.7
Brain and Nervous System	18	7.9	4.6	12.8	8	7.7	3.3	15.7	10	7.8	3.6	15.5
Hodgkin Lymphoma	5	3.2	1.0	7.4	2	2.8	0.3	9.6	3	3.4	0.6	10.4
Non-Hodgkin Lymphoma	48	20.3	14.8	27.2	27	25.4	16.7	37.4	21	16.2	9.8	25.6
Myeloma	11	4.4	2.2	8.2	8	7.5	3.2	15.2	3	2.0	0.4	7.3
Leukemia	20	8.0	4.8	12.6	10	9.4	4.5	17.6	10	6.8	3.2	13.7
All Other Sites	134	59.6	49.6	71.2	65	63.8	49.1	81.8	69	58.4	44.5	75.5
Breast in Situ (not in total)									23	22.7	14.1	35.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Clark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	525	479.7	438.6	523.8	284	577.9	511.5	651.0	241	407.8	355.7	466.1
Oral Cavity and Pharynx	19	17.9	10.5	28.6	15	32.1	17.7	54.1	4	5.4	1.4	16.5
Esophagus	3	3.4	0.6	10.2	1	1.8	0.0	12.4	2	4.9	0.5	18.1
Stomach	3	2.6	0.5	8.4	1	1.6	0.0	11.8	2	2.7	0.3	13.0
Colon and Rectum	54	49.7	37.0	65.6	29	58.6	38.9	85.3	25	42.7	27.0	65.0
Liver	3	3.1	0.6	9.5	2	4.5	0.5	17.1	1	1.8	0.0	11.9
Pancreas	12	10.1	5.2	18.4	4	6.7	1.8	19.1	8	12.5	5.2	26.7
Lung and Bronchus	86	75.5	60.2	93.8	44	89.9	65.0	121.7	42	65.5	46.9	90.1
Bones and Joints	0				0				0			
Melanoma of the Skin	20	19.8	11.9	31.3	13	27.4	14.4	47.8	7	15.0	5.6	32.3
Breast (invasive)	57	53.5	40.2	70.2	0				57	99.2	74.1	130.8
Cervix									3	7.6	1.4	22.6
Corpus and Uterus, NOS									17	27.3	15.7	45.3
Ovary									10	14.4	6.6	29.0
Prostate					67	127.4	98.4	163.1				
Testis					4	9.6	2.5	25.3				
Urinary Bladder (includes in situ)	26	22.4	14.6	33.5	19	37.7	22.6	60.0	7	12.1	4.7	26.6
Kidney and Renal Pelvis	10	9.8	4.6	18.6	5	10.6	3.4	25.8	5	8.8	2.8	22.2
Brain and Nervous System	5	5.9	1.8	14.1	2	5.6	0.7	19.7	3	6.4	1.2	19.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	25	22.7	14.6	34.1	11	21.9	10.8	40.4	14	22.3	12.1	39.0
Myeloma	10	8.2	3.9	15.9	9	17.6	7.9	34.6	1	0.9	0.0	10.2
Leukemia	21	20.8	12.7	32.4	18	39.9	23.4	63.9	3	6.5	1.2	20.2
All Other Sites	70	65.3	50.4	83.4	40	85.0	60.3	116.8	30	51.8	34.0	76.3
Breast in Situ (not in total)									14	24.4	13.0	42.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Clay

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	487	521.1	474.6	571.4	234	551.5	481.9	629.0	253	501.3	438.2	571.6
Oral Cavity and Pharynx	12	13.7	6.9	24.7	8	18.0	7.6	37.1	4	10.1	2.5	27.3
Esophagus	5	5.1	1.6	13.0	5	11.5	3.6	28.5	0			
Stomach	5	5.5	1.6	14.0	3	7.5	1.3	23.8	2	2.4	0.3	13.7
Colon and Rectum	47	46.6	34.2	62.8	26	59.6	38.8	88.6	21	37.8	23.2	59.8
Liver	2	2.2	0.3	8.8	2	4.7	0.5	18.9	0			
Pancreas	11	11.0	5.5	20.5	4	8.6	2.3	24.0	7	12.6	5.0	28.3
Lung and Bronchus	77	79.5	62.5	100.2	34	80.7	55.6	114.1	43	78.9	56.8	108.3
Bones and Joints	0				0				0			
Melanoma of the Skin	18	21.1	12.1	34.4	9	20.6	9.0	41.1	9	21.6	9.2	43.1
Breast (invasive)	66	68.9	52.8	88.8	0				66	126.5	96.3	164.2
Cervix									6	15.4	5.3	35.1
Corpus and Uterus, NOS									10	22.4	10.5	42.8
Ovary									6	11.7	4.1	27.8
Prostate					56	126.0	94.8	165.1				
Testis					2	7.1	0.9	24.4				
Urinary Bladder (includes in situ)	39	38.4	27.2	53.3	30	68.3	45.8	98.9	9	14.8	6.6	30.7
Kidney and Renal Pelvis	34	39.1	26.7	55.6	18	45.9	26.8	73.7	16	33.8	18.8	56.9
Brain and Nervous System	4	4.6	1.2	12.7	3	7.6	1.5	23.7	1	1.7	0.0	13.4
Hodgkin Lymphoma	1	1.7	0.0	9.0	1	3.4	0.1	18.0	0			
Non-Hodgkin Lymphoma	30	33.1	22.0	48.3	11	28.7	14.1	52.6	19	36.2	21.1	59.1
Myeloma	1	0.8	0.0	6.6	0				1	1.2	0.0	12.3
Leukemia	10	10.7	4.9	20.6	8	20.2	8.6	40.9	2	4.5	0.4	18.8
All Other Sites	45	52.3	37.6	71.2	14	33.0	17.9	56.7	31	69.8	45.8	102.1
Breast in Situ (not in total)									8	19.7	7.8	41.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Clinton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,106	492.2	463.2	522.5	540	523.4	479.6	570.1	566	487.0	446.5	530.3
Oral Cavity and Pharynx	23	10.0	6.3	15.3	11	9.8	4.9	18.0	12	10.3	5.2	18.6
Esophagus	13	5.3	2.8	9.3	11	9.4	4.6	17.2	2	1.2	0.1	5.8
Stomach	20	9.0	5.5	14.1	12	11.8	6.0	20.8	8	6.6	2.8	13.5
Colon and Rectum	118	52.1	43.1	62.7	52	50.4	37.4	66.4	66	55.7	42.7	71.7
Liver	10	4.5	2.1	8.5	5	4.6	1.5	11.0	5	4.1	1.3	10.3
Pancreas	29	12.5	8.4	18.1	19	18.7	11.2	29.4	10	7.4	3.5	14.4
Lung and Bronchus	146	63.6	53.7	75.0	86	84.4	67.3	104.5	60	49.0	37.3	63.7
Bones and Joints	2	1.1	0.1	4.0	0				2	2.4	0.2	8.5
Melanoma of the Skin	57	25.8	19.5	33.6	26	24.6	16.0	36.3	31	29.4	19.7	42.4
Breast (invasive)	163	71.4	60.8	83.5	1	0.8	0.0	5.2	162	138.6	117.5	162.5
Cervix									8	8.2	3.4	16.4
Corpus and Uterus, NOS									32	25.3	17.2	36.4
Ovary									17	15.6	8.9	25.7
Prostate					128	120.2	100.0	143.3				
Testis					12	12.5	6.4	21.9				
Urinary Bladder (includes in situ)	48	20.9	15.3	27.8	37	37.4	26.2	51.8	11	8.6	4.3	16.0
Kidney and Renal Pelvis	44	19.9	14.4	27.0	27	25.7	16.8	37.7	17	14.0	8.1	23.0
Brain and Nervous System	13	6.3	3.3	10.8	12	12.4	6.4	21.7	1	0.9	0.0	5.7
Hodgkin Lymphoma	6	2.9	1.0	6.5	3	3.2	0.6	9.3	3	3.2	0.6	9.6
Non-Hodgkin Lymphoma	28	12.5	8.3	18.3	14	13.7	7.4	23.1	14	12.2	6.4	21.3
Myeloma	13	5.6	3.0	9.8	9	9.0	4.1	17.3	4	2.8	0.7	8.2
Leukemia	28	12.6	8.3	18.3	15	16.0	8.9	26.5	13	10.5	5.5	18.7
All Other Sites	148	68.4	57.7	80.6	60	59.0	44.8	76.2	88	80.8	64.4	100.4
Breast in Situ (not in total)									34	31.5	21.5	44.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Coles

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,349	465.7	440.5	492.0	691	520.9	482.1	562.0	658	428.0	394.4	463.7
Oral Cavity and Pharynx	33	11.7	7.9	16.6	25	19.3	12.3	28.9	8	4.8	2.1	10.0
Esophagus	10	3.2	1.5	6.1	8	5.8	2.4	11.7	2	1.0	0.1	4.5
Stomach	10	3.6	1.7	6.9	5	4.5	1.4	10.4	5	2.7	0.8	7.0
Colon and Rectum	135	45.2	37.8	53.8	67	51.5	39.7	65.7	68	40.4	31.0	51.9
Liver	22	6.8	4.3	10.5	18	11.7	6.9	18.9	4	2.3	0.6	6.5
Pancreas	28	9.1	6.0	13.3	13	9.0	4.7	15.8	15	8.3	4.5	14.3
Lung and Bronchus	240	80.4	70.5	91.5	139	103.7	87.0	122.8	101	63.2	51.2	77.3
Bones and Joints	2	0.9	0.1	3.2	2	1.8	0.2	6.4	0			
Melanoma of the Skin	58	20.3	15.3	26.4	37	28.8	20.1	39.9	21	14.6	8.9	22.7
Breast (invasive)	186	67.4	57.7	78.2	2	1.6	0.2	5.9	184	125.1	106.8	145.6
Cervix									10	7.7	3.5	14.5
Corpus and Uterus, NOS									42	31.6	22.4	43.4
Ovary									27	18.4	11.9	27.2
Prostate					134	94.7	79.1	112.6				
Testis					4	4.2	1.1	10.4				
Urinary Bladder (includes in situ)	63	21.5	16.4	27.7	55	42.0	31.5	55.0	8	5.6	2.3	11.5
Kidney and Renal Pelvis	47	16.9	12.2	22.7	27	22.0	14.4	32.3	20	13.2	7.8	21.0
Brain and Nervous System	28	10.2	6.6	15.0	16	12.5	7.0	20.5	12	8.5	4.0	15.6
Hodgkin Lymphoma	8	3.4	1.4	6.9	5	4.2	1.2	10.1	3	2.6	0.5	7.6
Non-Hodgkin Lymphoma	50	16.5	12.1	22.0	27	20.5	13.4	30.1	23	13.3	8.2	20.7
Myeloma	25	8.6	5.5	13.0	16	13.1	7.3	21.5	9	5.0	2.2	10.1
Leukemia	48	16.3	11.9	21.8	25	19.9	12.8	29.6	23	13.9	8.7	21.3
All Other Sites	139	47.5	39.8	56.4	66	50.2	38.6	64.3	73	45.9	35.6	58.5
Breast in Situ (not in total)									34	23.5	16.0	33.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	125,877	468.0	465.4	470.6	61,379	524.5	520.3	528.8	64,498	432.2	428.9	435.6
Oral Cavity and Pharynx	3,188	11.6	11.2	12.0	2,218	17.9	17.1	18.7	970	6.5	6.1	6.9
Esophagus	1,279	4.7	4.5	5.0	920	7.9	7.4	8.4	359	2.3	2.1	2.6
Stomach	2,462	9.2	8.9	9.6	1,483	13.1	12.4	13.8	979	6.4	6.0	6.9
Colon and Rectum	12,587	46.8	45.9	47.6	6,429	55.8	54.4	57.2	6,158	40.0	39.0	41.0
Liver	2,033	7.4	7.1	7.7	1,474	11.9	11.3	12.6	559	3.7	3.4	4.1
Pancreas	3,690	13.9	13.4	14.3	1,751	15.4	14.7	16.2	1,939	12.6	12.0	13.1
Lung and Bronchus	16,799	63.4	62.4	64.4	8,433	74.9	73.3	76.6	8,366	55.4	54.2	56.6
Bones and Joints	223	0.9	0.7	1.0	121	1.0	0.8	1.2	102	0.7	0.6	0.9
Melanoma of the Skin	3,586	13.4	12.9	13.8	2,027	17.5	16.7	18.3	1,559	10.7	10.2	11.2
Breast (invasive)	19,087	71.1	70.1	72.1	179	1.6	1.3	1.8	18,908	128.6	126.7	130.5
Cervix									1,249	8.9	8.4	9.4
Corpus and Uterus, NOS									4,516	29.8	28.9	30.7
Ovary									1,802	12.2	11.6	12.7
Prostate					16,508	135.4	133.3	137.6				
Testis					660	5.0	4.6	5.4				
Urinary Bladder (includes in situ)	5,174	19.6	19.1	20.2	3,732	34.6	33.4	35.7	1,442	9.4	8.9	9.9
Kidney and Renal Pelvis	4,319	16.0	15.5	16.5	2,606	21.6	20.7	22.4	1,713	11.5	10.9	12.1
Brain and Nervous System	1,529	5.8	5.5	6.1	833	6.9	6.4	7.4	696	4.8	4.5	5.2
Hodgkin Lymphoma	747	2.8	2.6	3.0	418	3.4	3.0	3.7	329	2.3	2.1	2.6
Non-Hodgkin Lymphoma	4,970	18.8	18.2	19.3	2,587	22.6	21.7	23.5	2,383	15.9	15.3	16.6
Myeloma	1,870	7.0	6.7	7.3	956	8.4	7.8	8.9	914	6.0	5.6	6.4
Leukemia	3,353	12.7	12.3	13.2	1,857	16.3	15.6	17.1	1,496	10.0	9.5	10.5
All Other Sites	14,246	53.4	52.5	54.3	6,187	53.6	52.2	55.0	8,059	54.5	53.3	55.7
Breast in Situ (not in total)									5,099	35.2	34.2	36.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Crawford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	698	543.6	503.2	586.6	387	653.5	589.1	723.2	311	466.4	413.5	524.7
Oral Cavity and Pharynx	14	11.4	6.1	19.7	14	23.1	12.5	39.7	0			
Esophagus	12	8.6	4.4	15.7	10	16.5	7.8	31.2	2	2.6	0.3	11.8
Stomach	10	8.0	3.7	15.3	10	17.7	8.3	33.1	0			
Colon and Rectum	52	40.3	29.9	53.5	34	59.0	40.6	83.2	18	21.9	12.6	36.6
Liver	5	3.6	1.2	9.1	3	4.6	0.9	14.8	2	2.6	0.3	11.8
Pancreas	20	15.1	9.1	23.8	11	19.2	9.5	35.1	9	13.1	5.6	27.0
Lung and Bronchus	121	89.7	74.4	107.7	69	115.5	89.6	147.0	52	72.5	53.9	96.4
Bones and Joints	2	2.3	0.3	8.0	0				2	5.1	0.6	17.4
Melanoma of the Skin	15	12.0	6.5	20.3	13	23.2	12.2	40.2	2	4.1	0.4	15.7
Breast (invasive)	95	75.4	60.7	92.8	3	4.5	0.9	14.4	92	141.7	112.8	176.2
Cervix									1	1.4	0.0	10.1
Corpus and Uterus, NOS									19	27.3	16.4	43.9
Ovary									8	12.2	4.8	26.1
Prostate					83	136.3	108.2	169.9				
Testis					2	3.6	0.4	13.7				
Urinary Bladder (includes in situ)	40	29.0	20.7	40.0	27	45.7	30.0	67.2	13	16.5	8.7	29.9
Kidney and Renal Pelvis	26	20.5	13.3	30.5	15	24.7	13.7	41.6	11	16.7	8.0	31.7
Brain and Nervous System	11	9.8	4.8	18.0	6	10.1	3.7	22.7	5	9.2	2.7	22.8
Hodgkin Lymphoma	1	1.1	0.0	5.9	1	1.9	0.0	11.0	0			
Non-Hodgkin Lymphoma	21	17.2	10.6	26.7	13	21.8	11.5	38.1	8	12.8	5.4	26.4
Myeloma	6	4.5	1.7	10.4	2	3.3	0.4	13.1	4	5.4	1.5	15.7
Leukemia	26	22.3	14.4	33.1	15	26.0	14.4	43.6	11	20.7	10.0	38.0
All Other Sites	108	87.1	71.1	105.9	56	96.7	72.8	126.4	52	80.5	58.9	107.9
Breast in Situ (not in total)									10	14.2	6.6	27.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Cumberland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	358	514.5	461.3	572.6	207	641.7	555.8	737.6	151	412.9	347.2	488.3
Oral Cavity and Pharynx	16	22.6	12.7	37.7	8	25.5	10.8	51.5	8	20.3	8.6	42.6
Esophagus	7	9.6	3.9	20.8	6	17.9	6.5	40.6	1	2.4	0.1	17.5
Stomach	0				0				0			
Colon and Rectum	42	60.5	43.1	83.0	28	88.4	58.0	129.4	14	37.8	20.1	65.9
Liver	8	10.6	4.5	21.9	6	17.2	6.3	39.3	2	5.4	0.6	22.2
Pancreas	13	19.7	10.3	34.5	9	30.4	13.9	58.2	4	13.3	3.4	35.5
Lung and Bronchus	66	89.1	68.6	114.2	37	112.0	78.5	155.7	29	70.2	46.6	103.3
Bones and Joints	0				0				0			
Melanoma of the Skin	16	23.4	13.2	38.8	11	36.2	17.9	65.6	5	10.8	3.5	28.8
Breast (invasive)	28	41.5	27.2	61.1	0				28	80.6	52.5	119.2
Cervix									3	10.7	2.1	32.1
Corpus and Uterus, NOS									10	26.5	12.7	50.8
Ovary									7	21.4	8.4	45.7
Prostate					35	105.9	73.5	148.6				
Testis					4	16.2	4.3	40.9				
Urinary Bladder (includes in situ)	13	16.7	8.8	29.7	11	32.3	15.9	59.3	2	4.7	0.6	20.7
Kidney and Renal Pelvis	14	19.6	10.4	34.1	8	22.9	9.7	46.9	6	16.3	5.1	39.5
Brain and Nervous System	2	2.3	0.3	10.2	1	2.1	0.1	16.8	1	2.4	0.1	17.5
Hodgkin Lymphoma	4	7.3	1.8	19.4	3	11.7	2.2	34.5	1	2.4	0.1	17.5
Non-Hodgkin Lymphoma	17	24.5	14.1	40.1	11	33.7	16.5	61.9	6	15.8	5.7	36.7
Myeloma	2	2.6	0.3	10.8	0				2	4.5	0.5	20.6
Leukemia	8	11.1	4.7	22.7	5	16.2	5.2	38.8	3	7.5	1.4	25.2
All Other Sites	43	65.0	46.4	88.7	24	73.3	46.4	110.8	19	60.1	35.1	96.2
Breast in Situ (not in total)									7	22.9	8.5	49.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

DeKalb

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,253	493.9	473.4	515.1	1,089	531.4	499.4	564.9	1,164	472.6	445.3	501.0
Oral Cavity and Pharynx	62	13.1	10.0	16.8	36	16.5	11.4	23.0	26	10.1	6.5	15.0
Esophagus	19	4.1	2.5	6.5	12	5.6	2.9	9.9	7	2.8	1.1	5.8
Stomach	25	5.2	3.4	7.8	17	7.9	4.5	12.8	8	2.8	1.2	5.7
Colon and Rectum	199	43.4	37.5	49.9	101	49.1	39.8	60.0	98	37.5	30.3	46.0
Liver	18	3.9	2.3	6.2	14	6.5	3.5	11.0	4	1.6	0.4	4.1
Pancreas	61	13.1	10.0	16.9	29	14.2	9.4	20.5	32	11.9	8.1	17.0
Lung and Bronchus	315	72.8	64.9	81.4	161	84.5	71.7	98.9	154	64.7	54.7	75.9
Bones and Joints	2	0.5	0.1	1.7	2	1.2	0.1	4.0	0			
Melanoma of the Skin	92	20.2	16.2	24.9	40	19.5	13.8	26.7	52	21.4	15.9	28.2
Breast (invasive)	312	66.3	59.1	74.2	3	1.3	0.3	3.9	309	124.9	111.1	139.8
Cervix									17	7.9	4.5	12.6
Corpus and Uterus, NOS									73	29.9	23.4	37.7
Ovary									34	15.0	10.3	21.0
Prostate					295	140.0	124.1	157.4				
Testis					14	6.3	3.4	10.7				
Urinary Bladder (includes in situ)	107	24.1	19.7	29.2	76	38.9	30.5	48.9	31	12.7	8.5	18.1
Kidney and Renal Pelvis	82	17.8	14.1	22.2	47	21.9	16.0	29.3	35	14.5	10.0	20.2
Brain and Nervous System	32	6.8	4.6	9.6	16	7.4	4.1	12.1	16	6.2	3.5	10.3
Hodgkin Lymphoma	13	2.7	1.4	4.7	6	3.1	1.1	6.6	7	2.7	1.0	5.6
Non-Hodgkin Lymphoma	91	19.6	15.7	24.1	52	24.2	17.9	31.9	39	15.7	11.1	21.6
Myeloma	18	3.8	2.2	6.1	10	5.2	2.4	9.5	8	2.8	1.2	5.7
Leukemia	81	17.5	13.8	21.8	48	23.0	16.8	30.8	33	12.9	8.8	18.2
All Other Sites	291	64.1	56.8	72.1	110	55.0	44.9	66.5	181	74.6	63.9	86.5
Breast in Situ (not in total)									71	29.6	23.0	37.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

DeWitt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	565	523.7	480.6	569.9	312	628.4	559.5	703.8	253	446.3	391.1	507.7
Oral Cavity and Pharynx	11	10.0	5.0	18.6	9	17.8	8.0	34.9	2	2.8	0.3	13.0
Esophagus	3	2.7	0.5	8.6	3	5.8	1.2	18.3	0			
Stomach	5	4.3	1.4	10.8	3	5.8	1.2	18.3	2	3.0	0.4	13.5
Colon and Rectum	73	67.7	52.8	85.8	43	86.6	62.3	117.9	30	49.0	32.9	71.4
Liver	6	5.5	2.0	12.7	5	9.5	3.0	23.5	1	1.7	0.0	11.8
Pancreas	12	10.9	5.6	19.5	7	13.4	5.3	28.9	5	8.4	2.7	21.4
Lung and Bronchus	103	94.3	76.8	115.0	53	110.3	82.3	145.2	50	85.2	62.7	114.0
Bones and Joints	1	0.8	0.0	5.8	0				1	1.5	0.0	11.4
Melanoma of the Skin	23	22.2	13.9	33.9	12	25.8	13.1	45.9	11	19.2	9.3	36.1
Breast (invasive)	64	63.4	48.5	81.8	0				64	122.7	93.5	158.7
Cervix									3	5.0	0.9	16.9
Corpus and Uterus, NOS									14	24.2	12.9	42.3
Ovary									3	5.3	1.1	17.3
Prostate					92	175.8	141.2	216.9				
Testis					1	3.1	0.1	15.6				
Urinary Bladder (includes in situ)	32	28.3	19.3	40.6	25	51.1	32.9	76.4	7	11.3	4.5	25.1
Kidney and Renal Pelvis	15	13.9	7.7	23.7	9	18.2	8.2	35.5	6	11.4	3.8	26.8
Brain and Nervous System	5	5.5	1.7	13.1	2	3.9	0.4	15.5	3	7.0	1.4	20.9
Hodgkin Lymphoma	3	3.6	0.7	10.7	2	5.2	0.6	18.6	1	1.9	0.0	12.4
Non-Hodgkin Lymphoma	24	22.7	14.3	34.5	9	19.7	8.9	38.3	15	25.1	13.6	43.3
Myeloma	4	3.4	0.9	9.6	3	6.3	1.3	19.3	1	1.5	0.0	11.5
Leukemia	12	10.8	5.5	19.5	8	15.0	6.4	30.8	4	6.4	1.7	18.5
All Other Sites	56	52.4	39.3	68.9	26	55.2	35.8	81.7	30	53.5	35.3	78.5
Breast in Situ (not in total)									19	35.0	20.8	56.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Douglas

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	583	485.8	446.3	528.0	318	581.3	518.2	650.2	265	420.3	369.2	476.8
Oral Cavity and Pharynx	18	16.1	9.4	25.9	11	20.0	9.7	36.7	7	11.9	4.6	25.4
Esophagus	12	10.0	5.1	17.8	10	18.0	8.5	33.7	2	3.5	0.4	13.5
Stomach	3	2.4	0.5	7.4	2	3.8	0.5	14.2	1	1.3	0.0	9.3
Colon and Rectum	51	41.0	30.4	54.4	31	58.9	39.7	84.2	20	28.0	16.8	44.5
Liver	8	6.6	2.8	13.3	6	10.4	3.8	23.3	2	2.9	0.4	11.9
Pancreas	15	11.6	6.4	19.6	7	12.7	5.1	26.8	8	9.8	4.2	21.0
Lung and Bronchus	84	66.3	52.8	82.4	44	77.9	56.4	105.3	40	58.9	42.0	81.1
Bones and Joints	2	1.9	0.2	7.1	2	4.1	0.5	15.0	0			
Melanoma of the Skin	26	22.9	14.8	34.0	14	25.1	13.6	42.8	12	21.6	10.9	38.4
Breast (invasive)	70	62.1	48.0	79.2	2	4.3	0.5	15.2	68	115.8	88.8	148.5
Cervix									3	7.3	1.5	20.3
Corpus and Uterus, NOS									13	20.1	10.5	35.4
Ovary									7	11.0	4.1	24.0
Prostate					82	144.1	114.2	179.7				
Testis					3	7.2	1.4	20.6				
Urinary Bladder (includes in situ)	28	22.0	14.6	32.1	23	42.2	26.6	63.8	5	6.7	2.1	17.0
Kidney and Renal Pelvis	28	23.9	15.7	34.9	19	35.6	21.2	56.1	9	13.5	5.8	27.1
Brain and Nervous System	9	7.4	3.3	14.4	5	9.5	3.0	22.7	4	4.7	1.2	14.0
Hodgkin Lymphoma	1	0.8	0.0	4.9	1	1.8	0.0	10.8	0			
Non-Hodgkin Lymphoma	28	23.1	15.2	33.9	13	25.2	13.2	43.6	15	23.1	12.6	39.4
Myeloma	5	4.0	1.3	9.8	3	5.6	1.1	16.8	2	3.0	0.4	12.1
Leukemia	15	12.3	6.8	20.7	11	18.7	9.2	34.3	4	6.3	1.6	17.1
All Other Sites	72	62.1	48.2	78.9	29	56.3	37.4	81.4	43	71.0	50.4	97.4
Breast in Situ (not in total)									12	21.2	10.6	38.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	22,731	463.2	457.0	469.4	10,865	498.4	488.7	508.3	11,866	443.7	435.6	452.0
Oral Cavity and Pharynx	561	11.1	10.2	12.1	383	16.4	14.7	18.2	178	6.7	5.7	7.8
Esophagus	261	5.4	4.8	6.1	193	9.0	7.7	10.5	68	2.5	2.0	3.3
Stomach	333	7.0	6.2	7.8	213	9.9	8.5	11.3	120	4.5	3.7	5.4
Colon and Rectum	1,906	39.2	37.4	41.0	951	44.2	41.3	47.2	955	35.1	32.8	37.4
Liver	227	4.5	3.9	5.2	169	7.3	6.2	8.6	58	2.2	1.6	2.8
Pancreas	640	13.2	12.2	14.3	340	16.1	14.4	18.0	300	10.9	9.7	12.2
Lung and Bronchus	2,645	56.1	53.9	58.4	1,382	68.7	65.0	72.6	1,263	47.7	45.0	50.5
Bones and Joints	35	0.8	0.5	1.1	20	0.9	0.6	1.4	15	0.6	0.3	1.0
Melanoma of the Skin	794	16.2	15.1	17.4	452	20.8	18.8	22.9	342	13.1	11.7	14.6
Breast (invasive)	3,937	78.3	75.9	80.9	21	0.9	0.6	1.4	3,916	145.0	140.4	149.7
Cervix									142	5.7	4.8	6.8
Corpus and Uterus, NOS									897	32.4	30.3	34.7
Ovary									325	12.0	10.7	13.5
Prostate					2,919	123.2	118.6	128.0				
Testis					142	6.5	5.5	7.7				
Urinary Bladder (includes in situ)	1,088	23.2	21.8	24.6	822	41.0	38.1	44.0	266	10.0	8.8	11.3
Kidney and Renal Pelvis	745	15.0	13.9	16.2	464	20.5	18.6	22.5	281	10.5	9.2	11.8
Brain and Nervous System	338	7.0	6.2	7.8	185	8.2	7.1	9.6	153	6.0	5.0	7.0
Hodgkin Lymphoma	136	3.0	2.5	3.6	67	3.1	2.4	3.9	69	3.0	2.3	3.8
Non-Hodgkin Lymphoma	976	20.2	18.9	21.5	500	23.1	21.1	25.3	476	18.0	16.4	19.8
Myeloma	255	5.1	4.5	5.8	147	6.9	5.8	8.2	108	3.7	3.0	4.5
Leukemia	643	13.8	12.7	14.9	359	17.5	15.7	19.5	284	10.9	9.6	12.3
All Other Sites	2,786	57.8	55.6	60.0	1,136	54.0	50.8	57.4	1,650	63.2	60.1	66.4
Breast in Situ (not in total)									1,164	43.1	40.6	45.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Edgar

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	594	466.0	427.9	506.8	269	472.1	416.1	534.0	325	477.0	423.3	536.1
Oral Cavity and Pharynx	15	14.3	7.7	24.2	6	10.5	3.6	24.6	9	18.1	7.9	35.5
Esophagus	10	8.0	3.7	15.5	8	14.0	5.8	29.1	2	3.0	0.3	12.7
Stomach	6	4.6	1.6	10.9	3	4.9	1.0	16.1	3	4.2	0.6	15.2
Colon and Rectum	64	51.3	39.1	66.4	30	54.2	36.0	78.7	34	47.7	32.3	68.8
Liver	5	3.8	1.2	9.9	5	8.8	2.8	21.9	0			
Pancreas	14	10.5	5.7	18.3	7	12.4	4.9	26.7	7	8.8	3.4	20.3
Lung and Bronchus	101	76.6	62.1	93.9	53	88.2	65.8	116.7	48	70.5	51.1	95.5
Bones and Joints	1	1.3	0.0	6.7	1	2.6	0.1	13.6	0			
Melanoma of the Skin	29	24.1	15.8	35.6	11	19.6	9.6	36.2	18	30.6	17.3	50.3
Breast (invasive)	78	60.4	47.4	76.2	0				78	111.6	87.2	141.6
Cervix									2	6.3	0.8	20.7
Corpus and Uterus, NOS									24	32.0	20.0	49.6
Ovary									12	15.2	7.8	28.3
Prostate					55	93.7	70.2	123.3				
Testis					4	9.6	2.5	24.8				
Urinary Bladder (includes in situ)	25	17.9	11.5	27.0	18	33.5	19.8	53.7	7	8.6	3.4	20.0
Kidney and Renal Pelvis	20	15.8	9.5	25.1	16	26.3	14.9	44.0	4	7.2	1.7	20.0
Brain and Nervous System	7	5.8	2.3	12.7	4	7.8	2.0	21.0	3	3.6	0.7	13.1
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	26	19.2	12.5	28.8	13	22.7	12.0	40.1	13	17.5	9.2	31.7
Myeloma	4	3.2	0.9	9.0	1	2.1	0.1	12.3	3	4.3	0.9	14.4
Leukemia	17	12.6	7.1	21.1	7	12.5	4.9	26.9	10	13.6	5.8	27.9
All Other Sites	75	61.0	47.4	77.7	27	48.7	31.7	72.3	48	74.2	53.2	101.1
Breast in Situ (not in total)									23	34.6	21.2	54.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Edwards

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	259	557.4	489.9	632.4	137	659.5	551.5	783.8	122	486.8	400.1	588.6
Oral Cavity and Pharynx	5	13.1	4.0	32.1	4	22.1	5.6	59.1	1	3.1	0.1	26.8
Esophagus	8	15.6	6.7	33.0	6	25.2	9.1	59.4	2	6.8	0.8	32.2
Stomach	2	4.0	0.5	17.2	2	8.3	1.0	35.7	0			
Colon and Rectum	26	52.6	34.1	79.1	15	70.3	38.9	119.1	11	43.0	20.4	82.5
Liver	5	11.1	3.5	27.8	2	9.8	1.1	39.3	3	9.6	1.9	35.7
Pancreas	5	10.3	3.3	26.2	4	20.6	5.5	55.3	1	3.5	0.1	27.7
Lung and Bronchus	43	88.7	63.9	121.1	26	126.0	81.8	187.3	17	63.5	36.7	106.0
Bones and Joints	0				0				0			
Melanoma of the Skin	5	10.7	3.4	27.0	2	11.0	1.3	41.7	3	11.5	2.4	39.2
Breast (invasive)	34	71.2	49.1	101.1	0				34	129.5	89.1	184.9
Cervix									1	2.6	0.1	25.8
Corpus and Uterus, NOS									6	26.6	9.0	62.7
Ovary									0			
Prostate					31	137.5	92.7	198.7				
Testis					0							
Urinary Bladder (includes in situ)	13	28.9	15.2	51.0	9	47.3	21.4	91.8	4	16.8	4.1	48.5
Kidney and Renal Pelvis	6	11.5	4.2	27.5	4	17.0	4.6	48.1	2	6.9	0.8	32.4
Brain and Nervous System	2	5.1	0.6	19.8	1	6.0	0.2	34.1	1	3.8	0.1	28.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	11	23.8	11.5	44.9	5	26.5	8.0	64.9	6	21.1	7.7	51.7
Myeloma	5	10.4	3.3	26.5	3	16.5	3.4	50.1	2	8.6	1.0	35.9
Leukemia	6	13.4	4.6	31.4	4	21.0	5.4	56.6	2	5.7	0.7	29.9
All Other Sites	45	108.0	77.6	147.0	19	94.6	56.1	150.9	26	124.3	77.8	188.8
Breast in Situ (not in total)									3	11.0	2.3	38.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Effingham

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,059	509.6	478.8	541.9	565	595.3	546.5	647.4	494	445.1	405.3	488.0
Oral Cavity and Pharynx	21	9.6	5.9	14.9	18	17.6	10.3	28.3	3	2.6	0.5	8.3
Esophagus	12	5.2	2.7	9.4	12	11.5	5.9	20.6	0			
Stomach	13	6.5	3.4	11.3	9	10.4	4.7	19.9	4	3.7	1.0	10.0
Colon and Rectum	118	56.7	46.8	68.1	53	56.1	41.8	73.7	65	57.2	43.8	73.7
Liver	9	4.1	1.9	8.0	6	6.6	2.4	14.6	3	2.5	0.5	8.2
Pancreas	23	10.7	6.7	16.2	12	12.6	6.5	22.4	11	8.8	4.3	16.5
Lung and Bronchus	143	67.5	56.8	79.7	63	65.4	50.1	84.1	80	68.2	53.9	85.4
Bones and Joints	3	1.6	0.3	4.7	2	2.1	0.2	8.0	1	0.9	0.0	5.9
Melanoma of the Skin	44	22.8	16.4	31.0	33	36.1	24.6	51.2	11	11.9	5.6	22.0
Breast (invasive)	127	63.9	52.9	76.5	2	2.1	0.2	7.9	125	119.4	98.4	143.6
Cervix									3	3.2	0.6	9.6
Corpus and Uterus, NOS									31	26.9	18.1	38.7
Ovary									19	17.2	10.1	27.5
Prostate					159	159.6	135.5	187.0				
Testis					6	8.1	2.9	17.5				
Urinary Bladder (includes in situ)	51	23.4	17.4	31.0	43	45.6	32.9	61.8	8	6.4	2.7	13.4
Kidney and Renal Pelvis	55	26.6	19.9	34.8	29	30.0	19.9	43.5	26	23.6	15.3	35.2
Brain and Nervous System	7	3.8	1.5	8.0	4	4.4	1.2	11.6	3	3.0	0.5	9.6
Hodgkin Lymphoma	3	2.1	0.4	6.0	1	0.9	0.0	6.0	2	3.4	0.4	11.1
Non-Hodgkin Lymphoma	45	22.7	16.4	30.7	28	32.4	21.4	47.1	17	15.3	8.7	25.2
Myeloma	11	5.4	2.6	9.9	9	9.8	4.4	18.9	2	1.3	0.2	6.2
Leukemia	36	17.5	12.2	24.4	21	23.4	14.4	36.0	15	12.2	6.6	21.1
All Other Sites	120	57.7	47.7	69.4	55	60.5	45.3	79.1	65	57.4	43.9	74.1
Breast in Situ (not in total)									35	31.5	21.8	44.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Fayette

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	635	465.7	429.6	504.2	333	509.6	455.8	568.2	302	444.7	393.8	500.7
Oral Cavity and Pharynx	25	18.6	11.9	27.8	21	31.8	19.6	49.2	4	5.8	1.5	16.1
Esophagus	9	6.1	2.8	12.1	9	13.9	6.3	26.8	0			
Stomach	7	5.8	2.3	12.2	4	6.5	1.8	16.9	3	5.6	1.0	16.8
Colon and Rectum	60	43.9	33.4	56.9	32	49.3	33.6	70.0	28	40.2	26.5	59.1
Liver	9	6.2	2.8	12.3	7	10.1	4.0	21.5	2	2.0	0.2	9.9
Pancreas	17	11.5	6.7	18.9	8	11.7	5.0	23.6	9	11.0	5.0	22.2
Lung and Bronchus	82	58.0	46.0	72.4	49	75.8	55.9	100.6	33	45.5	31.2	65.0
Bones and Joints	1	1.0	0.0	5.4	0				1	2.1	0.1	11.2
Melanoma of the Skin	26	20.4	13.2	30.3	15	22.8	12.6	38.1	11	18.6	8.9	34.5
Breast (invasive)	73	56.2	43.8	71.1	0				73	112.8	87.3	143.6
Cervix									6	11.1	3.8	25.0
Corpus and Uterus, NOS									25	36.1	22.8	54.7
Ovary									8	10.5	4.4	22.1
Prostate					74	110.0	86.2	138.7				
Testis					1	1.6	0.0	9.3				
Urinary Bladder (includes in situ)	36	25.1	17.6	35.1	27	41.8	27.5	61.1	9	10.7	4.8	21.8
Kidney and Renal Pelvis	34	25.8	17.7	36.5	16	25.1	14.2	41.3	18	26.6	15.4	43.4
Brain and Nervous System	10	9.2	4.3	17.1	6	10.0	3.6	22.1	4	7.6	1.9	19.8
Hodgkin Lymphoma	3	2.8	0.6	8.1	2	3.9	0.5	13.6	1	2.0	0.1	11.1
Non-Hodgkin Lymphoma	19	12.6	7.5	20.0	5	7.2	2.3	17.5	14	17.0	9.2	29.8
Myeloma	10	7.0	3.3	13.2	7	10.4	4.1	22.1	3	3.9	0.8	12.9
Leukemia	20	15.3	9.3	24.0	8	13.1	5.6	26.1	12	17.8	9.0	32.3
All Other Sites	80	58.8	46.4	73.6	42	64.8	46.6	88.1	38	57.9	40.0	81.2
Breast in Situ (not in total)									14	22.0	11.6	38.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Ford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	467	482.4	438.2	530.2	228	528.4	461.3	603.2	239	462.4	401.9	530.3
Oral Cavity and Pharynx	8	7.9	3.2	16.9	7	16.2	6.2	35.0	1	2.0	0.1	14.1
Esophagus	6	6.0	2.1	14.0	5	11.9	3.9	29.1	1	2.0	0.0	14.0
Stomach	5	5.5	1.7	13.7	4	9.4	2.5	25.5	1	2.0	0.1	14.1
Colon and Rectum	49	45.9	33.6	61.9	15	34.0	18.8	57.7	34	52.7	35.7	76.7
Liver	3	3.6	0.7	11.2	1	3.1	0.1	17.0	2	3.3	0.4	15.6
Pancreas	18	17.7	10.2	29.2	12	28.1	14.5	50.2	6	12.7	4.2	30.3
Lung and Bronchus	69	66.8	51.8	85.4	32	72.1	49.2	102.9	37	65.0	45.2	92.0
Bones and Joints	2	2.4	0.3	9.6	0				2	4.8	0.4	19.4
Melanoma of the Skin	19	23.4	13.7	37.6	13	29.4	15.4	51.9	6	19.6	7.0	42.6
Breast (invasive)	77	80.1	62.7	101.2	0				77	149.8	116.7	190.3
Cervix									3	8.0	1.4	24.7
Corpus and Uterus, NOS									13	26.6	13.7	47.7
Ovary									5	11.8	3.6	29.2
Prostate					57	128.3	96.9	167.3				
Testis					2	6.8	0.8	23.6				
Urinary Bladder (includes in situ)	21	19.6	12.0	30.9	19	44.8	26.9	70.9	2	4.0	0.5	16.9
Kidney and Renal Pelvis	18	19.4	11.4	31.4	14	30.5	16.6	52.6	4	9.7	2.4	26.6
Brain and Nervous System	3	5.0	1.0	14.4	3	9.7	1.9	28.3	0			
Hodgkin Lymphoma	2	3.5	0.4	12.1	0				2	7.7	0.9	25.9
Non-Hodgkin Lymphoma	12	11.7	6.0	21.4	8	18.8	8.1	38.2	4	6.7	1.7	20.5
Myeloma	7	7.0	2.8	15.3	6	13.8	5.0	31.4	1	2.0	0.0	14.0
Leukemia	18	19.5	11.3	31.7	10	25.3	12.0	47.5	8	14.6	6.0	31.6
All Other Sites	50	51.7	37.7	69.5	20	46.1	28.0	72.4	30	57.5	37.0	86.2
Breast in Situ (not in total)									15	34.2	18.6	58.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Franklin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,403	523.7	495.8	552.8	750	605.8	562.2	652.0	653	464.8	428.1	504.1
Oral Cavity and Pharynx	40	15.3	10.8	21.1	29	23.5	15.6	34.3	11	8.3	4.1	15.5
Esophagus	18	6.4	3.8	10.4	17	13.5	7.8	22.1	1	0.7	0.0	4.8
Stomach	12	4.0	2.1	7.4	8	6.3	2.7	12.9	4	2.4	0.6	7.1
Colon and Rectum	120	45.3	37.3	54.6	67	56.0	43.0	71.8	53	34.3	25.4	45.7
Liver	16	5.4	3.1	9.1	13	9.5	5.0	16.9	3	1.7	0.4	6.2
Pancreas	40	14.3	10.1	19.7	22	18.9	11.7	29.0	18	10.2	6.0	17.0
Lung and Bronchus	293	103.4	91.8	116.3	163	128.4	109.2	150.3	130	85.6	71.2	102.4
Bones and Joints	0				0				0			
Melanoma of the Skin	64	25.9	19.7	33.4	39	34.5	24.3	47.7	25	19.2	12.0	29.3
Breast (invasive)	184	71.3	61.0	82.9	4	3.4	0.9	9.2	180	132.3	112.7	154.5
Cervix									11	10.2	4.8	18.7
Corpus and Uterus, NOS									42	30.3	21.5	41.9
Ovary									19	15.2	9.0	24.3
Prostate					156	118.1	100.0	138.8				
Testis					4	5.1	1.4	12.6				
Urinary Bladder (includes in situ)	63	22.8	17.4	29.5	51	42.5	31.4	56.4	12	6.8	3.5	12.8
Kidney and Renal Pelvis	55	22.2	16.5	29.2	35	28.8	19.8	40.6	20	15.9	9.5	25.3
Brain and Nervous System	19	9.1	5.4	14.4	13	12.5	6.6	21.8	6	5.8	2.0	12.9
Hodgkin Lymphoma	7	3.8	1.5	7.9	2	2.2	0.3	8.0	5	5.4	1.7	12.7
Non-Hodgkin Lymphoma	49	18.2	13.4	24.4	26	20.6	13.3	30.7	23	16.1	10.0	24.9
Myeloma	12	4.2	2.1	7.6	4	2.8	0.7	8.0	8	5.2	2.2	10.9
Leukemia	38	14.5	10.2	20.3	17	15.3	8.7	24.9	21	13.8	8.3	21.8
All Other Sites	141	52.7	44.1	62.6	80	63.8	50.3	80.0	61	45.4	34.0	59.6
Breast in Situ (not in total)									39	29.8	20.9	41.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Fulton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,227	494.7	466.8	524.1	657	553.1	511.1	597.7	570	465.7	426.1	508.4
Oral Cavity and Pharynx	32	13.1	8.9	18.8	23	19.9	12.5	30.3	9	6.1	2.8	12.6
Esophagus	19	7.8	4.6	12.5	13	10.9	5.7	19.1	6	5.3	1.7	12.5
Stomach	18	7.5	4.4	12.1	12	10.6	5.4	18.8	6	5.4	1.8	12.6
Colon and Rectum	113	45.3	37.1	54.9	60	53.1	40.5	68.7	53	41.5	30.5	55.5
Liver	12	4.9	2.5	8.8	10	8.4	4.0	15.9	2	1.5	0.2	6.6
Pancreas	27	10.1	6.6	15.0	17	14.0	8.1	22.9	10	7.1	3.4	14.0
Lung and Bronchus	189	74.9	64.4	86.7	107	91.3	74.7	110.7	82	61.6	48.6	77.4
Bones and Joints	1	0.3	0.0	2.5	1	0.7	0.0	4.9	0			
Melanoma of the Skin	48	21.1	15.4	28.4	28	23.7	15.7	34.7	20	22.2	13.1	35.2
Breast (invasive)	165	69.8	59.2	81.7	0				165	138.6	117.2	163.0
Cervix									6	6.4	2.2	14.5
Corpus and Uterus, NOS									35	26.7	18.3	38.0
Ovary									17	13.7	7.6	23.0
Prostate					166	133.1	113.4	155.4				
Testis					6	5.7	2.0	12.8				
Urinary Bladder (includes in situ)	76	28.6	22.5	36.1	59	50.2	38.1	65.1	17	12.2	7.1	20.4
Kidney and Renal Pelvis	49	20.3	14.9	27.1	29	24.6	16.3	35.7	20	15.9	9.5	25.4
Brain and Nervous System	15	6.7	3.7	11.4	9	8.0	3.6	15.5	6	5.5	1.8	12.9
Hodgkin Lymphoma	4	2.0	0.5	5.2	1	1.2	0.0	6.4	3	2.7	0.5	8.8
Non-Hodgkin Lymphoma	50	19.4	14.3	25.9	26	21.5	14.0	32.0	24	17.6	11.1	27.2
Myeloma	18	6.8	4.0	11.1	9	7.4	3.4	14.6	9	6.2	2.7	12.8
Leukemia	29	11.6	7.7	17.1	17	14.8	8.5	24.2	12	8.2	4.0	15.7
All Other Sites	132	55.7	46.3	66.5	64	54.0	41.5	69.4	68	61.4	46.7	79.4
Breast in Situ (not in total)									29	24.0	15.6	35.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Gallatin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	197	481.2	413.1	558.6	105	515.8	418.0	632.6	92	461.9	365.8	577.3
Oral Cavity and Pharynx	6	13.3	4.8	32.4	6	31.6	10.7	75.9	0			
Esophagus	1	1.8	0.0	16.4	1	3.7	0.1	33.7	0			
Stomach	2	4.7	0.6	20.9	1	4.7	0.1	35.8	1	4.8	0.1	35.0
Colon and Rectum	25	54.7	35.3	83.4	17	77.9	45.1	130.7	8	32.2	13.9	70.6
Liver	0				0				0			
Pancreas	4	8.6	2.3	26.0	2	9.7	1.1	43.2	2	7.8	0.9	38.5
Lung and Bronchus	39	87.9	62.0	123.1	22	105.3	64.6	166.2	17	75.5	43.1	127.2
Bones and Joints	0				0				0			
Melanoma of the Skin	13	42.1	21.5	74.2	7	46.4	17.7	99.7	6	38.8	13.3	88.4
Breast (invasive)	20	47.9	28.5	77.3	1	3.9	0.1	34.3	19	85.0	49.5	140.0
Cervix									1	6.0	0.2	38.0
Corpus and Uterus, NOS									2	8.3	1.0	39.4
Ovary									2	20.1	2.4	66.9
Prostate					20	90.6	54.9	145.8				
Testis					0							
Urinary Bladder (includes in situ)	10	22.4	10.6	44.5	7	35.8	13.4	81.0	3	14.0	2.7	48.3
Kidney and Renal Pelvis	10	27.7	12.3	54.3	5	23.2	7.4	61.4	5	32.2	9.2	80.1
Brain and Nervous System	2	3.7	0.5	18.9	1	3.9	0.1	34.3	1	3.5	0.1	32.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	13.5	4.9	32.7	2	10.0	1.2	43.7	4	16.8	4.5	50.9
Myeloma	1	2.1	0.1	17.1	1	4.7	0.1	35.8	0			
Leukemia	6	16.0	5.4	38.3	2	19.4	2.3	65.8	4	14.7	4.0	47.1
All Other Sites	27	74.9	47.8	112.7	10	45.0	21.1	90.0	17	102.3	56.6	170.7
Breast in Situ (not in total)									4	15.4	4.2	48.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Greene

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	430	486.2	440.3	535.8	241	565.9	495.6	643.9	189	427.9	366.8	496.7
Oral Cavity and Pharynx	12	12.1	6.2	21.9	9	19.0	8.6	37.7	3	5.7	1.2	19.3
Esophagus	7	7.4	2.9	16.1	6	13.7	5.0	31.1	1	2.1	0.1	14.3
Stomach	3	2.9	0.6	9.7	2	4.9	0.6	18.8	1	1.7	0.0	13.4
Colon and Rectum	65	73.0	56.0	94.0	40	96.9	68.6	133.3	25	51.9	33.2	78.7
Liver	6	6.2	2.3	14.4	5	10.5	3.4	26.4	1	2.1	0.1	14.3
Pancreas	9	9.7	4.4	19.3	4	9.2	2.5	25.0	5	9.7	3.1	24.9
Lung and Bronchus	68	72.7	56.3	92.9	38	88.4	62.3	122.5	30	59.5	40.0	86.6
Bones and Joints	3	3.9	0.8	12.0	3	7.8	1.5	23.8	0			
Melanoma of the Skin	12	16.5	8.3	29.2	7	17.8	6.9	37.8	5	16.0	5.1	37.1
Breast (invasive)	55	67.5	50.4	88.7	0				55	132.4	98.5	174.7
Cervix									2	4.4	0.5	18.4
Corpus and Uterus, NOS									9	21.1	9.3	41.9
Ovary									6	12.8	4.6	29.8
Prostate					53	118.9	88.8	156.7				
Testis					3	10.2	2.1	28.8				
Urinary Bladder (includes in situ)	20	22.3	13.5	35.2	16	38.5	21.9	63.4	4	10.0	2.5	27.2
Kidney and Renal Pelvis	21	25.2	15.4	39.3	13	31.1	16.4	54.3	8	20.2	8.3	41.4
Brain and Nervous System	10	11.1	5.3	21.1	5	12.5	4.0	30.0	5	10.5	3.4	26.3
Hodgkin Lymphoma	3	2.9	0.6	9.6	3	5.8	1.2	19.2	0			
Non-Hodgkin Lymphoma	8	8.7	3.8	17.9	4	9.4	2.6	25.3	4	8.0	2.1	22.9
Myeloma	2	2.1	0.3	8.7	2	4.4	0.5	17.8	0			
Leukemia	14	18.0	9.6	30.9	6	16.1	5.7	35.9	8	19.1	7.8	39.6
All Other Sites	39	44.5	31.3	61.7	22	50.8	31.5	78.2	17	40.6	22.9	67.0
Breast in Situ (not in total)									6	11.5	4.2	27.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Grundy

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,344	538.5	509.5	568.7	708	623.2	576.1	673.0	636	481.7	444.5	521.1
Oral Cavity and Pharynx	44	17.2	12.4	23.2	31	26.0	17.3	37.4	13	9.7	5.1	16.7
Esophagus	20	8.2	4.9	12.7	16	15.9	8.8	26.0	4	3.2	0.8	8.1
Stomach	15	5.6	3.1	9.3	10	7.4	3.4	14.1	5	3.6	1.1	8.7
Colon and Rectum	123	50.3	41.6	60.2	62	57.4	43.4	74.3	61	46.6	35.5	60.1
Liver	15	6.3	3.5	10.4	14	12.7	6.7	21.7	1	1.0	0.0	5.0
Pancreas	32	13.3	9.0	18.8	14	14.6	7.7	24.6	18	13.5	8.0	21.6
Lung and Bronchus	224	90.0	78.4	102.8	119	102.9	84.5	124.0	105	79.1	64.5	96.0
Bones and Joints	2	0.7	0.1	2.7	2	1.3	0.2	5.4	0			
Melanoma of the Skin	53	21.6	16.1	28.4	32	28.8	19.3	41.2	21	16.2	10.0	24.9
Breast (invasive)	168	65.9	56.1	76.9	0				168	125.1	106.6	145.8
Cervix									12	9.7	4.9	17.0
Corpus and Uterus, NOS									44	31.6	22.9	42.7
Ovary									20	15.9	9.7	24.7
Prostate					172	142.0	120.7	166.0				
Testis					12	9.8	5.0	17.3				
Urinary Bladder (includes in situ)	62	24.9	19.0	32.1	46	41.3	29.8	55.7	16	11.1	6.3	18.3
Kidney and Renal Pelvis	49	20.0	14.7	26.5	33	28.1	19.1	39.8	16	12.5	7.1	20.4
Brain and Nervous System	21	8.9	5.5	13.7	9	8.1	3.6	15.5	12	10.1	5.2	17.7
Hodgkin Lymphoma	12	4.9	2.5	8.7	9	7.3	3.2	14.1	3	2.7	0.6	7.8
Non-Hodgkin Lymphoma	48	19.6	14.3	26.1	29	27.5	18.1	40.0	19	14.4	8.6	22.7
Myeloma	12	5.2	2.7	9.2	6	5.9	2.1	12.9	6	4.5	1.6	10.1
Leukemia	40	16.1	11.5	22.1	23	20.3	12.7	30.8	17	13.2	7.6	21.2
All Other Sites	144	59.4	49.9	70.1	69	65.8	50.6	84.0	75	57.9	45.5	72.8
Breast in Situ (not in total)									36	27.8	19.4	38.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Hamilton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	316	534.7	475.9	599.6	197	721.9	623.0	833.4	119	381.3	312.5	462.3
Oral Cavity and Pharynx	9	15.8	7.1	31.4	5	17.9	5.8	44.8	4	13.6	3.4	38.9
Esophagus	7	11.4	4.4	25.3	6	21.8	7.8	50.5	1	2.9	0.1	22.3
Stomach	2	3.6	0.4	14.7	1	4.1	0.1	25.4	1	2.6	0.1	21.8
Colon and Rectum	41	69.1	49.0	95.6	20	72.9	43.8	115.7	21	66.4	40.0	105.8
Liver	2	3.0	0.4	13.4	1	3.6	0.1	24.1	1	2.8	0.1	22.2
Pancreas	6	9.6	3.5	22.6	6	21.3	7.7	49.3	0			
Lung and Bronchus	53	85.2	63.5	112.9	32	112.2	76.3	161.0	21	63.7	38.5	101.7
Bones and Joints	2	2.7	0.3	12.9	1	3.2	0.1	23.3	1	1.6	0.0	19.9
Melanoma of the Skin	18	31.2	18.3	50.8	15	54.5	30.2	92.5	3	10.8	2.0	35.2
Breast (invasive)	26	43.1	27.7	64.9	1	2.8	0.1	22.3	25	76.8	48.4	117.8
Cervix									3	11.9	2.1	37.9
Corpus and Uterus, NOS									3	10.2	2.1	33.5
Ovary									3	10.7	2.0	35.1
Prostate					46	167.5	122.3	225.5				
Testis					1	6.0	0.2	30.5				
Urinary Bladder (includes in situ)	15	25.9	14.2	44.2	12	47.0	24.0	84.2	3	8.7	1.6	30.9
Kidney and Renal Pelvis	22	39.7	24.3	62.0	14	54.6	29.3	94.2	8	27.7	11.0	59.2
Brain and Nervous System	1	1.4	0.0	11.1	1	2.8	0.1	22.3	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	15	26.1	14.4	44.5	8	30.0	12.6	62.0	7	21.0	8.4	47.1
Myeloma	4	5.7	1.5	17.1	4	13.8	3.6	39.0	0			
Leukemia	4	7.6	1.9	21.2	2	5.6	0.7	26.2	2	9.6	1.0	35.8
All Other Sites	33	58.1	39.5	83.3	21	80.3	49.2	125.1	12	40.3	20.0	74.4
Breast in Situ (not in total)									7	30.4	11.1	65.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Hancock

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	641	468.3	431.1	508.2	317	481.0	428.3	539.0	324	471.5	417.8	530.8
Oral Cavity and Pharynx	19	14.0	8.2	22.8	14	22.7	12.2	39.5	5	6.5	1.9	17.6
Esophagus	5	3.0	1.0	8.2	5	7.1	2.3	18.4	0			
Stomach	6	4.0	1.5	9.7	2	2.8	0.3	12.4	4	5.1	1.4	15.4
Colon and Rectum	68	46.0	35.6	59.1	36	52.7	36.7	74.1	32	38.5	25.8	56.7
Liver	7	4.7	1.9	10.5	6	8.8	3.2	20.7	1	0.8	0.0	9.2
Pancreas	10	6.4	3.1	12.7	6	8.8	3.2	20.9	4	4.6	1.2	14.6
Lung and Bronchus	105	74.4	60.4	91.1	51	75.5	56.0	100.5	54	76.2	56.1	101.9
Bones and Joints	1	1.1	0.0	6.1	0				1	2.1	0.1	12.2
Melanoma of the Skin	30	24.3	15.8	35.9	10	15.8	7.2	30.9	20	32.7	18.9	52.9
Breast (invasive)	92	72.0	57.3	89.6	2	3.0	0.4	12.8	90	135.4	107.1	169.6
Cervix									3	7.9	1.5	22.7
Corpus and Uterus, NOS									18	25.0	14.6	41.1
Ovary									10	14.7	6.4	29.6
Prostate					75	109.6	85.8	138.8				
Testis					1	2.6	0.1	13.4				
Urinary Bladder (includes in situ)	28	18.2	12.1	27.0	22	31.5	19.7	49.0	6	7.0	2.5	17.7
Kidney and Renal Pelvis	23	16.9	10.4	26.3	16	24.7	13.8	41.6	7	11.0	4.2	24.4
Brain and Nervous System	6	4.5	1.5	10.8	2	4.4	0.4	16.4	4	4.1	1.1	13.6
Hodgkin Lymphoma	5	4.0	1.2	10.0	3	4.8	1.0	15.5	2	3.3	0.3	13.7
Non-Hodgkin Lymphoma	20	14.3	8.4	23.2	9	16.8	7.4	33.1	11	12.9	6.4	25.2
Myeloma	3	2.0	0.4	6.9	1	1.5	0.0	10.5	2	2.5	0.3	11.7
Leukemia	24	18.3	11.4	28.3	14	23.0	12.4	40.0	10	16.2	7.1	32.0
All Other Sites	82	63.6	49.9	80.1	42	65.0	46.4	89.3	40	65.0	45.1	91.2
Breast in Situ (not in total)									17	22.1	12.5	37.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Hardin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	139	416.3	346.6	498.0	72	426.8	329.5	548.5	67	419.4	318.4	546.1
Oral Cavity and Pharynx	1	2.2	0.1	21.7	1	4.4	0.1	43.5	0			
Esophagus	1	2.2	0.1	21.7	1	4.4	0.1	43.5	0			
Stomach	0				0				0			
Colon and Rectum	17	53.7	30.1	90.9	5	29.5	9.3	78.9	12	78.1	37.1	148.6
Liver	1	2.3	0.1	22.0	1	4.5	0.1	43.7	0			
Pancreas	5	14.7	4.7	39.5	2	10.9	1.3	53.0	3	17.4	3.4	62.9
Lung and Bronchus	32	90.3	61.3	131.6	19	105.0	62.2	173.2	13	76.3	40.3	139.1
Bones and Joints	0				0				0			
Melanoma of the Skin	6	23.6	8.1	55.0	2	11.9	1.4	55.1	4	36.0	8.8	97.5
Breast (invasive)	13	37.8	19.6	69.5	0				13	72.8	37.6	134.9
Cervix									2	22.4	2.6	79.6
Corpus and Uterus, NOS									2	12.4	1.4	56.5
Ovary									0			
Prostate					14	85.8	45.4	153.4				
Testis					1	14.1	0.4	68.4				
Urinary Bladder (includes in situ)	4	10.2	2.8	32.5	3	16.9	3.4	61.5	1	4.3	0.1	43.8
Kidney and Renal Pelvis	11	31.7	14.9	62.4	8	49.1	19.7	107.5	3	14.3	2.9	56.8
Brain and Nervous System	1	2.2	0.1	21.7	0				1	4.3	0.1	43.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	13.2	4.3	36.6	3	16.6	3.3	60.9	2	10.3	1.2	52.1
Myeloma	1	2.3	0.1	22.0	1	4.5	0.1	43.7	0			
Leukemia	7	25.2	9.1	57.0	4	22.4	5.9	68.9	3	30.4	5.6	91.4
All Other Sites	15	42.0	23.0	73.9	7	46.7	17.6	105.5	8	40.6	17.4	91.2
Breast in Situ (not in total)									4	19.0	5.2	62.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Henderson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	239	417.1	363.8	477.4	122	417.5	344.7	504.5	117	411.0	335.4	501.1
Oral Cavity and Pharynx	8	13.2	5.7	29.3	7	22.7	9.1	54.1	1	3.2	0.1	27.7
Esophagus	4	6.2	1.7	20.0	4	12.5	3.4	40.7	0			
Stomach	1	1.8	0.0	14.5	1	3.8	0.1	30.0	0			
Colon and Rectum	30	49.6	33.4	73.2	14	48.4	26.3	86.9	16	45.4	25.7	80.2
Liver	3	4.7	1.0	18.1	3	9.5	1.9	36.8	0			
Pancreas	4	7.2	2.0	21.8	3	11.5	2.4	40.5	1	3.3	0.1	27.8
Lung and Bronchus	45	78.2	56.6	107.1	25	80.9	52.1	125.0	20	76.2	45.8	122.7
Bones and Joints	0				0				0			
Melanoma of the Skin	10	15.8	7.6	32.3	4	11.3	3.1	38.6	6	19.2	7.0	48.7
Breast (invasive)	31	59.7	39.6	87.7	0				31	115.9	76.8	170.8
Cervix									0			
Corpus and Uterus, NOS									12	39.1	19.9	74.4
Ovary									5	15.6	5.0	43.8
Prostate					23	74.5	46.8	117.8				
Testis					0							
Urinary Bladder (includes in situ)	13	21.0	11.2	38.8	10	33.0	15.7	67.2	3	8.5	1.7	34.3
Kidney and Renal Pelvis	8	13.7	5.9	30.0	5	18.4	5.9	49.7	3	9.7	2.0	36.3
Brain and Nervous System	5	13.4	3.8	33.8	2	11.9	1.2	45.7	3	14.8	2.0	49.9
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	10	16.4	7.8	33.2	7	22.8	9.1	54.3	3	9.9	2.0	36.8
Myeloma	0				0				0			
Leukemia	10	22.4	9.3	45.5	5	22.9	6.2	60.4	5	21.9	5.1	59.9
All Other Sites	17	30.6	17.3	52.0	9	33.4	15.2	69.0	8	28.4	11.2	63.3
Breast in Situ (not in total)									5	16.4	5.3	45.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Henry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,605	481.1	457.3	505.9	820	520.6	484.8	558.4	785	451.1	418.9	485.3
Oral Cavity and Pharynx	48	14.5	10.6	19.5	35	21.7	15.0	30.6	13	7.8	4.0	13.8
Esophagus	14	4.0	2.2	6.9	13	8.0	4.2	14.0	1	0.4	0.0	3.5
Stomach	19	5.6	3.4	9.0	11	7.4	3.7	13.6	8	4.0	1.7	8.5
Colon and Rectum	153	45.6	38.5	53.6	77	51.1	40.1	64.3	76	40.4	31.7	51.1
Liver	18	5.3	3.1	8.6	12	7.8	3.9	14.0	6	2.9	1.1	7.1
Pancreas	40	11.3	8.1	15.6	21	12.8	7.8	19.9	19	9.5	5.6	15.4
Lung and Bronchus	259	74.9	66.0	84.8	129	81.9	68.2	97.8	130	69.6	58.0	83.2
Bones and Joints	3	0.8	0.2	2.7	3	1.7	0.3	5.5	0			
Melanoma of the Skin	82	25.8	20.4	32.4	55	34.7	25.9	45.7	27	18.4	11.8	27.3
Breast (invasive)	209	63.3	54.8	72.9	2	1.3	0.2	5.2	207	119.3	103.1	137.7
Cervix									13	7.9	4.1	14.0
Corpus and Uterus, NOS									53	30.0	22.3	39.7
Ovary									20	11.9	7.1	19.0
Prostate					186	108.7	93.4	126.0				
Testis					4	3.8	1.0	9.6				
Urinary Bladder (includes in situ)	91	26.0	20.9	32.2	74	47.2	37.0	59.7	17	8.8	5.1	14.6
Kidney and Renal Pelvis	64	20.8	15.9	26.8	37	25.6	17.8	35.7	27	16.3	10.5	24.4
Brain and Nervous System	24	7.7	4.9	11.8	15	10.0	5.5	16.9	9	6.0	2.6	12.0
Hodgkin Lymphoma	11	4.5	2.2	8.2	5	4.5	1.4	10.4	6	4.3	1.5	9.6
Non-Hodgkin Lymphoma	65	20.1	15.4	25.9	37	24.4	17.0	34.1	28	17.0	11.1	25.2
Myeloma	19	5.4	3.2	8.6	11	7.0	3.5	12.9	8	4.1	1.8	8.8
Leukemia	44	13.9	10.0	18.9	22	15.0	9.3	23.1	22	12.8	7.8	20.0
All Other Sites	166	52.3	44.4	61.3	71	45.9	35.7	58.3	95	59.8	47.8	74.2
Breast in Situ (not in total)									58	35.5	26.6	46.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Iroquois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	971	463.6	433.9	495.0	479	506.9	461.6	555.8	492	437.3	397.5	480.4
Oral Cavity and Pharynx	23	10.6	6.7	16.4	14	14.6	7.9	25.3	9	7.1	3.2	14.8
Esophagus	12	5.6	2.9	10.2	10	10.0	4.8	19.3	2	1.5	0.2	7.4
Stomach	6	2.8	1.0	6.5	3	3.3	0.7	10.4	3	2.5	0.5	8.8
Colon and Rectum	119	55.7	45.8	67.2	54	58.6	43.6	77.4	65	51.5	39.4	66.9
Liver	13	5.9	3.1	10.5	8	8.0	3.4	16.7	5	4.1	1.3	10.8
Pancreas	24	10.3	6.5	15.7	12	11.5	5.9	20.9	12	8.6	4.3	16.5
Lung and Bronchus	157	72.0	61.1	84.6	93	94.3	76.0	116.2	64	53.7	41.2	69.5
Bones and Joints	4	1.9	0.5	5.5	2	2.4	0.3	9.4	2	1.5	0.2	7.3
Melanoma of the Skin	38	18.9	13.0	26.6	26	28.1	18.1	42.0	12	12.4	5.9	23.2
Breast (invasive)	140	64.7	54.1	77.0	0				140	120.6	100.6	144.0
Cervix									7	9.6	3.6	20.3
Corpus and Uterus, NOS									37	38.0	26.3	53.5
Ovary									14	13.3	7.2	23.1
Prostate					93	94.2	75.9	116.1				
Testis					4	6.9	1.8	17.2				
Urinary Bladder (includes in situ)	44	20.6	14.8	28.2	33	36.5	25.0	52.0	11	9.6	4.5	18.5
Kidney and Renal Pelvis	33	16.0	10.9	23.0	18	19.7	11.5	32.0	15	12.1	6.6	21.2
Brain and Nervous System	13	7.2	3.6	13.0	9	11.4	4.9	22.6	4	3.2	0.8	9.6
Hodgkin Lymphoma	5	2.9	0.9	7.2	2	3.0	0.3	10.9	3	3.0	0.5	10.0
Non-Hodgkin Lymphoma	44	21.1	15.2	28.9	26	28.7	18.5	42.9	18	15.0	8.8	24.9
Myeloma	10	4.3	2.1	8.5	5	5.1	1.7	12.8	5	4.2	1.4	11.1
Leukemia	24	10.8	6.9	16.6	18	19.1	11.3	30.8	6	5.2	1.9	12.5
All Other Sites	107	54.9	44.5	67.1	49	51.5	37.9	68.9	58	60.4	44.8	79.9
Breast in Situ (not in total)									30	29.3	19.6	42.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Jackson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,316	463.5	438.2	489.9	656	508.1	469.0	549.7	660	437.8	403.9	473.9
Oral Cavity and Pharynx	39	13.8	9.7	19.0	27	20.7	13.5	30.4	12	8.0	3.9	14.6
Esophagus	17	6.0	3.4	9.8	16	12.1	6.8	20.0	1	0.5	0.0	3.6
Stomach	8	3.0	1.3	6.0	4	3.5	0.9	8.8	4	2.6	0.7	6.9
Colon and Rectum	135	48.0	40.0	57.0	76	59.3	46.4	74.6	59	38.8	29.2	50.6
Liver	17	5.4	3.1	8.7	12	7.4	3.8	13.4	5	3.3	1.1	8.0
Pancreas	37	13.1	9.1	18.2	20	16.9	10.3	26.2	17	10.4	5.9	17.2
Lung and Bronchus	203	69.0	59.7	79.4	99	76.3	61.7	93.3	104	65.2	53.0	79.4
Bones and Joints	4	1.4	0.3	3.8	1	0.7	0.0	4.1	3	2.2	0.4	6.9
Melanoma of the Skin	62	22.7	17.2	29.3	40	31.3	22.1	43.1	22	16.1	9.8	24.8
Breast (invasive)	189	65.9	56.6	76.2	5	4.5	1.5	10.4	184	120.6	103.3	140.1
Cervix									8	6.1	2.5	12.3
Corpus and Uterus, NOS									39	25.5	18.0	35.3
Ovary									16	11.3	6.3	18.7
Prostate					129	97.0	80.5	115.8				
Testis					9	7.4	3.3	14.3				
Urinary Bladder (includes in situ)	66	22.7	17.5	29.0	49	37.9	27.8	50.3	17	10.6	6.1	17.3
Kidney and Renal Pelvis	39	14.1	10.0	19.5	21	16.5	10.1	25.4	18	12.4	7.1	20.0
Brain and Nervous System	19	7.6	4.5	12.0	13	11.1	5.8	19.1	6	4.2	1.5	9.2
Hodgkin Lymphoma	9	3.6	1.6	6.9	6	4.3	1.4	9.8	3	2.8	0.6	8.0
Non-Hodgkin Lymphoma	57	20.4	15.3	26.6	37	30.5	21.3	42.2	20	12.3	7.4	19.4
Myeloma	23	8.1	5.1	12.4	12	9.7	4.9	17.2	11	6.9	3.3	12.8
Leukemia	42	15.1	10.8	20.6	22	17.5	10.8	26.7	20	15.0	8.9	23.6
All Other Sites	149	53.2	44.8	62.8	58	43.5	32.7	56.7	91	63.0	50.3	77.9
Breast in Situ (not in total)									41	29.4	20.8	40.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Jasper

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	326	508.2	453.1	568.6	183	587.1	503.8	681.3	143	449.8	376.0	534.6
Oral Cavity and Pharynx	6	10.4	3.7	23.6	4	12.7	3.4	35.0	2	8.3	0.9	30.8
Esophagus	1	1.8	0.0	10.8	1	3.7	0.1	22.3	0			
Stomach	4	5.7	1.6	16.2	3	8.6	1.8	28.6	1	3.0	0.1	20.5
Colon and Rectum	38	57.9	40.7	80.6	22	72.2	44.7	111.5	16	45.8	25.9	76.9
Liver	1	1.4	0.0	9.9	1	2.8	0.1	19.9	0			
Pancreas	8	10.8	4.6	22.8	3	8.9	1.8	29.2	5	11.6	3.6	31.5
Lung and Bronchus	44	67.3	48.6	91.6	24	76.8	48.6	116.6	20	59.2	35.6	94.2
Bones and Joints	0				0				0			
Melanoma of the Skin	11	19.3	9.4	35.6	7	24.0	9.1	52.0	4	15.4	4.0	40.8
Breast (invasive)	37	62.3	43.2	87.3	1	6.0	0.2	28.8	36	116.1	80.0	163.8
Cervix									2	6.9	0.8	27.0
Corpus and Uterus, NOS									12	42.4	21.2	76.3
Ovary									5	15.9	5.1	39.3
Prostate					54	168.8	126.4	222.2				
Testis					0							
Urinary Bladder (includes in situ)	13	18.9	10.0	33.4	9	28.1	12.7	55.4	4	10.8	2.9	31.1
Kidney and Renal Pelvis	13	19.8	10.5	35.0	8	24.6	10.5	50.8	5	15.8	5.1	39.2
Brain and Nervous System	6	9.7	3.4	22.5	5	17.7	5.6	43.2	1	2.9	0.1	20.2
Hodgkin Lymphoma	1	2.5	0.1	12.8	0				1	5.3	0.1	26.8
Non-Hodgkin Lymphoma	17	23.6	13.6	39.0	8	26.8	11.5	54.4	9	22.6	10.1	46.6
Myeloma	2	2.5	0.3	11.4	2	6.0	0.7	25.0	0			
Leukemia	10	14.7	7.0	28.2	8	25.7	11.0	52.6	2	5.7	0.7	24.3
All Other Sites	41	66.1	46.8	91.2	23	73.7	46.6	112.4	18	62.1	35.2	101.9
Breast in Situ (not in total)									7	21.9	8.7	47.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Jefferson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,310	529.1	500.2	559.3	741	646.0	599.3	695.4	569	447.4	409.9	487.7
Oral Cavity and Pharynx	41	16.9	12.1	23.2	31	27.2	18.3	39.1	10	7.0	3.3	13.8
Esophagus	12	5.0	2.6	9.0	12	10.8	5.5	19.2	0			
Stomach	15	5.8	3.2	9.9	10	8.9	4.2	16.7	5	3.4	1.1	8.8
Colon and Rectum	126	50.9	42.3	60.9	57	50.1	37.8	65.3	69	51.1	39.3	65.8
Liver	25	9.9	6.4	15.0	18	15.0	8.7	24.1	7	5.0	1.9	11.1
Pancreas	23	8.4	5.3	13.0	10	9.0	4.3	16.8	13	9.3	4.9	16.7
Lung and Bronchus	230	92.7	80.9	105.8	151	131.0	110.5	154.3	79	62.4	49.1	78.4
Bones and Joints	3	1.7	0.3	4.8	1	1.2	0.0	6.3	2	2.0	0.2	7.5
Melanoma of the Skin	62	25.9	19.7	33.6	31	27.5	18.5	39.4	31	27.2	17.9	39.6
Breast (invasive)	146	59.2	49.8	70.1	0				146	115.2	96.5	136.7
Cervix									8	6.8	2.9	13.9
Corpus and Uterus, NOS									37	32.3	22.4	45.2
Ovary									13	11.1	5.7	19.5
Prostate					198	164.2	141.6	189.4				
Testis					3	2.7	0.5	8.2				
Urinary Bladder (includes in situ)	56	21.3	16.0	27.9	45	39.8	28.9	53.7	11	6.6	3.2	12.8
Kidney and Renal Pelvis	53	21.1	15.7	27.8	32	28.0	18.9	40.0	21	15.1	9.2	23.8
Brain and Nervous System	15	6.9	3.8	11.6	7	6.8	2.7	14.3	8	7.2	3.0	14.8
Hodgkin Lymphoma	3	1.5	0.3	4.4	3	3.0	0.6	9.0	0			
Non-Hodgkin Lymphoma	48	19.0	13.9	25.5	28	24.8	16.4	36.3	20	15.6	9.3	24.9
Myeloma	16	6.6	3.7	10.9	7	6.3	2.5	13.3	9	6.7	3.0	13.3
Leukemia	37	15.4	10.7	21.5	24	22.0	14.0	33.1	13	9.9	5.0	17.9
All Other Sites	140	57.7	48.4	68.4	73	67.6	52.8	85.4	67	53.5	41.0	68.8
Breast in Situ (not in total)									20	18.9	11.2	29.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Jersey

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	641	445.6	411.1	482.4	336	501.3	448.0	559.6	305	399.2	354.8	448.1
Oral Cavity and Pharynx	26	17.8	11.5	26.5	19	26.6	15.9	42.5	7	9.2	3.5	20.1
Esophagus	9	5.8	2.6	11.5	7	9.9	3.9	21.3	2	2.1	0.2	9.6
Stomach	4	3.1	0.8	8.3	2	3.5	0.4	13.2	2	2.6	0.3	10.7
Colon and Rectum	43	29.7	21.4	40.5	23	33.9	21.3	51.7	20	25.9	15.7	40.9
Liver	5	3.2	1.0	8.0	5	6.4	2.0	16.3	0			
Pancreas	12	8.2	4.2	14.6	1	1.5	0.0	9.4	11	14.2	7.1	26.2
Lung and Bronchus	117	78.7	65.0	94.7	58	82.2	62.2	107.2	59	74.5	56.5	96.9
Bones and Joints	0				0				0			
Melanoma of the Skin	38	29.8	20.8	41.5	25	42.8	27.2	64.1	13	18.0	9.5	31.7
Breast (invasive)	77	52.3	41.2	65.8	0				77	100.1	78.7	126.0
Cervix									9	12.7	5.6	25.1
Corpus and Uterus, NOS									22	28.6	17.6	44.4
Ovary									10	14.1	6.7	26.8
Prostate					85	117.1	93.3	145.7				
Testis					2	4.8	0.6	16.1				
Urinary Bladder (includes in situ)	31	21.0	14.2	30.2	23	34.0	21.4	51.9	8	10.0	4.3	20.8
Kidney and Renal Pelvis	21	14.1	8.7	21.9	13	18.6	9.8	32.6	8	10.7	4.6	21.9
Brain and Nervous System	9	6.9	3.1	13.4	6	9.7	3.5	21.8	3	3.8	0.8	12.3
Hodgkin Lymphoma	4	3.7	1.0	9.4	3	6.1	1.2	17.4	1	1.3	0.0	8.6
Non-Hodgkin Lymphoma	19	14.1	8.4	22.5	10	17.0	8.0	31.8	9	11.0	5.0	22.0
Myeloma	2	1.5	0.2	5.7	2	3.0	0.4	11.9	0			
Leukemia	21	14.3	8.8	22.4	10	16.8	8.0	31.4	11	13.4	6.6	24.9
All Other Sites	75	54.8	42.8	69.3	42	67.3	48.2	91.7	33	46.9	31.7	67.1
Breast in Situ (not in total)									23	32.5	20.3	49.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Jo Daviess

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	791	438.7	407.0	472.5	430	483.7	437.4	534.3	361	404.2	360.2	452.7
Oral Cavity and Pharynx	17	9.3	5.2	16.1	10	11.9	5.3	24.0	7	6.6	2.6	16.2
Esophagus	11	5.5	2.8	10.9	9	10.2	4.6	21.0	2	2.0	0.2	10.2
Stomach	7	4.8	1.7	10.8	5	7.4	2.1	18.9	2	2.2	0.3	10.6
Colon and Rectum	78	42.6	33.3	54.2	41	47.7	33.8	66.4	37	38.2	26.4	54.8
Liver	8	4.1	1.8	9.2	5	5.0	1.6	14.0	3	3.3	0.7	12.1
Pancreas	15	7.9	4.4	13.8	8	8.6	3.7	18.9	7	6.9	2.8	16.5
Lung and Bronchus	109	55.9	45.8	68.2	69	73.5	57.0	94.4	40	41.6	29.5	58.4
Bones and Joints	1	1.1	0.0	5.9	1	2.1	0.1	11.3	0			
Melanoma of the Skin	36	23.4	15.8	33.6	18	22.1	12.6	36.8	18	25.0	13.9	41.8
Breast (invasive)	108	62.0	50.0	76.3	2	2.2	0.2	10.3	106	118.6	95.3	146.6
Cervix									2	4.1	0.4	15.2
Corpus and Uterus, NOS									20	18.7	11.4	30.8
Ovary									11	11.7	5.7	23.1
Prostate					118	126.3	104.2	152.8				
Testis					2	4.8	0.6	16.4				
Urinary Bladder (includes in situ)	33	17.1	11.8	24.8	23	24.8	15.6	38.7	10	10.3	4.9	21.0
Kidney and Renal Pelvis	32	17.1	11.6	25.0	18	18.1	10.6	30.3	14	16.2	8.5	29.3
Brain and Nervous System	7	3.6	1.4	8.4	4	4.8	1.3	14.0	3	3.1	0.6	11.7
Hodgkin Lymphoma	4	4.2	1.0	10.8	2	4.4	0.5	15.3	2	3.8	0.3	14.6
Non-Hodgkin Lymphoma	32	17.3	11.7	25.4	21	25.9	15.8	41.2	11	9.9	4.9	20.1
Myeloma	9	4.5	2.0	9.6	6	6.3	2.3	15.8	3	3.0	0.6	11.6
Leukemia	19	12.4	7.1	20.4	10	11.2	5.2	22.4	9	14.2	5.9	28.9
All Other Sites	112	65.0	52.6	79.8	58	66.4	49.8	87.7	54	64.8	46.7	88.0
Breast in Situ (not in total)									27	30.7	19.5	47.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Johnson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	424	501.7	453.8	553.6	243	569.1	497.5	648.7	181	449.6	382.7	525.8
Oral Cavity and Pharynx	11	12.7	6.2	23.7	5	12.0	3.5	30.3	6	14.8	5.2	35.3
Esophagus	4	4.5	1.2	12.9	3	6.6	1.3	21.8	1	1.8	0.0	16.4
Stomach	3	3.2	0.6	10.9	3	6.9	1.3	22.6	0			
Colon and Rectum	53	64.9	48.4	85.8	33	83.8	56.9	119.7	20	46.3	28.0	74.1
Liver	4	3.8	1.0	11.5	3	5.7	1.2	19.8	1	1.9	0.0	16.6
Pancreas	11	15.1	7.2	28.0	8	22.2	9.4	44.9	3	6.2	1.2	22.6
Lung and Bronchus	73	83.6	65.2	106.2	45	106.3	76.7	144.4	28	65.0	42.5	97.1
Bones and Joints	1	1.6	0.0	9.2	1	2.4	0.1	15.7	0			
Melanoma of the Skin	16	20.6	11.5	34.4	7	14.4	5.7	32.1	9	33.1	14.2	64.9
Breast (invasive)	54	63.9	47.6	84.5	0				54	131.4	97.0	175.3
Cervix									1	5.5	0.1	26.3
Corpus and Uterus, NOS									12	26.0	13.2	48.9
Ovary									6	11.6	4.2	29.4
Prostate					45	93.1	67.5	126.6				
Testis					1	2.7	0.1	16.4				
Urinary Bladder (includes in situ)	24	26.6	16.9	40.6	22	48.2	29.6	75.2	2	5.9	0.7	23.9
Kidney and Renal Pelvis	22	28.7	17.7	44.4	16	38.9	21.9	64.8	6	17.2	5.9	40.2
Brain and Nervous System	6	8.1	2.8	18.6	1	2.9	0.1	16.8	5	15.1	4.3	38.2
Hodgkin Lymphoma	2	2.6	0.3	10.4	0				2	6.9	0.6	27.0
Non-Hodgkin Lymphoma	18	20.7	12.0	34.0	13	29.4	15.3	52.3	5	10.2	3.3	27.9
Myeloma	6	6.1	2.2	14.8	4	8.0	2.2	23.2	2	4.0	0.5	19.5
Leukemia	12	13.5	6.9	24.7	8	16.4	7.1	34.6	4	8.8	2.4	26.4
All Other Sites	39	51.6	36.4	71.3	25	69.2	44.1	103.6	14	38.0	19.9	67.0
Breast in Situ (not in total)									12	25.1	12.8	47.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	10,730	446.2	437.6	454.9	5,370	494.7	481.0	508.8	5,360	414.8	403.6	426.3
Oral Cavity and Pharynx	248	9.9	8.7	11.3	172	14.1	12.0	16.4	76	6.1	4.8	7.6
Esophagus	85	3.4	2.7	4.3	70	6.0	4.6	7.7	15	1.2	0.6	1.9
Stomach	162	6.9	5.9	8.1	107	10.2	8.2	12.4	55	4.3	3.2	5.7
Colon and Rectum	884	37.8	35.3	40.5	492	45.9	41.8	50.4	392	30.9	27.9	34.2
Liver	117	4.9	4.1	5.9	87	8.0	6.3	10.0	30	2.5	1.6	3.5
Pancreas	286	12.7	11.2	14.3	164	16.1	13.6	18.8	122	9.9	8.2	11.9
Lung and Bronchus	1,330	58.9	55.7	62.2	676	67.5	62.3	73.0	654	52.6	48.6	56.9
Bones and Joints	17	0.6	0.4	1.0	10	0.8	0.4	1.5	7	0.6	0.2	1.2
Melanoma of the Skin	441	17.9	16.2	19.6	248	22.2	19.4	25.3	193	14.8	12.8	17.1
Breast (invasive)	1,654	66.7	63.4	70.0	16	1.4	0.8	2.4	1,638	124.9	118.8	131.2
Cervix									98	7.5	6.1	9.1
Corpus and Uterus, NOS									390	28.9	26.0	32.0
Ovary									133	10.3	8.6	12.2
Prostate					1,464	128.3	121.5	135.3				
Testis					78	6.4	5.0	8.0				
Urinary Bladder (includes in situ)	468	20.8	18.9	22.9	344	35.2	31.5	39.3	124	9.7	8.0	11.6
Kidney and Renal Pelvis	396	16.2	14.6	18.0	246	21.4	18.7	24.4	150	11.7	9.9	13.7
Brain and Nervous System	185	7.5	6.5	8.7	112	9.8	8.0	11.9	73	5.7	4.4	7.1
Hodgkin Lymphoma	67	2.7	2.1	3.5	36	3.1	2.1	4.3	31	2.4	1.6	3.4
Non-Hodgkin Lymphoma	442	18.8	17.0	20.6	248	23.9	20.9	27.2	194	15.1	13.1	17.5
Myeloma	130	5.3	4.4	6.3	67	5.9	4.5	7.6	63	4.8	3.7	6.2
Leukemia	297	12.5	11.1	14.1	160	15.1	12.7	17.7	137	10.7	8.9	12.7
All Other Sites	1,358	56.1	53.1	59.2	573	53.4	48.9	58.2	785	60.4	56.2	64.8
Breast in Situ (not in total)									389	28.9	26.1	32.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,071	485.6	468.3	503.4	1,637	561.9	534.5	590.4	1,434	425.6	403.4	448.8
Oral Cavity and Pharynx	88	13.4	10.7	16.6	61	19.8	15.1	25.6	27	7.5	4.9	11.1
Esophagus	47	7.4	5.4	9.9	32	11.1	7.5	15.8	15	4.3	2.4	7.2
Stomach	56	8.4	6.3	11.0	35	11.3	7.9	15.9	21	5.7	3.5	8.9
Colon and Rectum	291	46.1	40.9	51.8	152	53.0	44.7	62.3	139	39.4	33.0	46.8
Liver	37	5.7	4.0	8.0	27	8.8	5.8	12.9	10	3.0	1.4	5.6
Pancreas	79	12.1	9.5	15.1	41	14.0	10.0	19.2	38	10.7	7.5	14.8
Lung and Bronchus	468	73.6	67.0	80.7	241	83.4	73.0	94.9	227	65.8	57.4	75.2
Bones and Joints	5	1.0	0.3	2.2	2	0.7	0.1	2.6	3	1.2	0.2	3.3
Melanoma of the Skin	93	15.1	12.2	18.6	52	17.8	13.2	23.4	41	13.3	9.5	18.2
Breast (invasive)	374	60.4	54.3	66.9	3	1.0	0.2	3.0	371	112.1	100.7	124.4
Cervix									23	7.9	4.9	11.9
Corpus and Uterus, NOS									102	29.1	23.6	35.5
Ovary									22	6.9	4.2	10.5
Prostate					414	136.0	122.9	150.1				
Testis					12	4.6	2.4	8.0				
Urinary Bladder (includes in situ)	162	25.2	21.4	29.5	124	44.4	36.8	53.0	38	10.7	7.5	14.8
Kidney and Renal Pelvis	123	19.6	16.2	23.4	79	27.1	21.4	34.0	44	13.1	9.4	17.7
Brain and Nervous System	38	6.2	4.3	8.5	16	5.5	3.1	9.0	22	6.9	4.3	10.5
Hodgkin Lymphoma	18	3.2	1.9	5.0	8	3.1	1.3	6.0	10	3.3	1.6	6.1
Non-Hodgkin Lymphoma	118	18.6	15.3	22.4	78	27.6	21.7	34.6	40	11.4	8.1	15.6
Myeloma	48	7.7	5.7	10.3	26	9.5	6.1	13.9	22	6.3	3.9	9.7
Leukemia	101	16.4	13.3	20.0	58	21.2	16.1	27.6	43	13.0	9.3	17.6
All Other Sites	352	57.1	51.2	63.5	176	62.0	53.1	72.1	176	54.2	46.3	63.1
Breast in Situ (not in total)									69	21.3	16.5	27.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Kendall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,231	491.1	469.9	513.0	1,110	554.6	519.8	591.1	1,121	448.4	421.6	476.4
Oral Cavity and Pharynx	54	10.7	8.0	14.2	37	15.5	10.7	21.9	17	6.6	3.8	10.6
Esophagus	18	4.8	2.7	7.6	17	10.6	5.9	17.1	1	0.3	0.0	2.0
Stomach	39	9.4	6.6	13.0	28	14.5	9.3	21.3	11	5.1	2.5	9.1
Colon and Rectum	195	45.8	39.2	53.1	118	59.4	48.3	72.1	77	34.3	26.8	43.1
Liver	18	4.3	2.4	6.8	16	8.4	4.5	14.0	2	1.0	0.1	3.5
Pancreas	48	11.2	8.1	15.0	19	9.1	5.2	14.5	29	13.1	8.7	18.9
Lung and Bronchus	223	54.6	47.3	62.6	117	64.9	52.9	78.6	106	46.4	37.7	56.4
Bones and Joints	2	0.3	0.0	1.2	0				2	0.6	0.1	2.3
Melanoma of the Skin	102	21.4	17.3	26.2	61	31.5	23.5	41.2	41	14.6	10.4	19.9
Breast (invasive)	342	68.5	61.1	76.5	4	1.5	0.4	4.0	338	128.6	114.9	143.5
Cervix									14	5.0	2.7	8.5
Corpus and Uterus, NOS									86	33.9	26.9	42.1
Ovary									21	10.1	6.2	15.5
Prostate					273	131.9	115.6	149.7				
Testis					19	6.6	4.0	10.5				
Urinary Bladder (includes in situ)	88	22.5	17.9	27.9	63	38.1	28.7	49.3	25	11.3	7.2	16.8
Kidney and Renal Pelvis	87	19.2	15.2	23.8	54	25.2	18.6	33.3	33	13.7	9.2	19.4
Brain and Nervous System	45	8.6	6.1	11.6	27	10.8	6.8	16.3	18	6.7	3.9	10.8
Hodgkin Lymphoma	21	4.4	2.6	6.9	12	5.6	2.7	10.2	9	3.5	1.6	6.8
Non-Hodgkin Lymphoma	91	20.9	16.6	25.9	50	23.4	16.9	31.4	41	18.1	12.8	24.7
Myeloma	31	7.9	5.2	11.3	20	11.1	6.5	17.5	11	5.5	2.7	9.8
Leukemia	73	16.3	12.6	20.7	48	24.0	17.1	32.5	25	9.9	6.3	14.8
All Other Sites	341	70.7	63.0	79.0	127	62.6	51.3	75.6	214	80.0	69.4	91.8
Breast in Situ (not in total)									96	36.6	29.4	45.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Knox

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,660	459.2	436.6	482.7	876	511.8	477.9	547.7	784	425.9	394.8	459.1
Oral Cavity and Pharynx	55	14.8	11.1	19.5	35	20.3	14.1	28.7	20	10.5	6.3	16.8
Esophagus	19	4.6	2.7	7.4	19	10.1	6.1	16.3	0			
Stomach	24	6.3	4.0	9.5	17	9.9	5.7	16.1	7	3.2	1.3	7.4
Colon and Rectum	170	44.9	38.3	52.5	86	48.2	38.5	59.9	84	43.6	34.3	54.9
Liver	13	3.7	1.9	6.6	9	5.3	2.3	10.5	4	2.1	0.5	6.1
Pancreas	48	12.4	9.1	16.7	26	14.8	9.6	22.1	22	10.3	6.4	16.2
Lung and Bronchus	264	69.1	60.9	78.2	149	85.9	72.5	101.2	115	55.4	45.5	67.2
Bones and Joints	3	1.4	0.3	3.9	0				3	2.9	0.6	8.1
Melanoma of the Skin	89	26.2	20.8	32.6	51	30.9	22.8	41.1	38	23.0	15.8	32.6
Breast (invasive)	221	61.4	53.3	70.5	2	1.0	0.1	4.4	219	116.1	100.5	133.7
Cervix									11	10.0	4.8	18.1
Corpus and Uterus, NOS									59	30.4	22.9	40.0
Ovary									13	7.6	3.9	13.8
Prostate					195	108.3	93.4	125.0				
Testis					4	3.3	0.9	8.5				
Urinary Bladder (includes in situ)	81	21.2	16.7	26.5	67	39.7	30.7	50.7	14	6.7	3.6	11.8
Kidney and Renal Pelvis	72	21.1	16.3	26.8	44	26.9	19.4	36.5	28	16.5	10.6	24.5
Brain and Nervous System	29	9.3	6.1	13.7	16	10.9	6.1	18.1	13	7.9	4.0	14.3
Hodgkin Lymphoma	7	2.7	1.1	5.7	7	5.2	2.1	10.8	0			
Non-Hodgkin Lymphoma	75	22.2	17.3	28.2	38	24.7	17.3	34.2	37	20.4	13.9	29.0
Myeloma	11	2.8	1.4	5.3	6	3.5	1.3	8.0	5	2.4	0.8	6.3
Leukemia	38	11.0	7.7	15.4	25	15.8	10.1	23.6	13	6.9	3.5	12.7
All Other Sites	159	47.4	40.0	55.8	80	47.2	37.3	59.1	79	49.9	38.8	63.4
Breast in Situ (not in total)									57	32.8	24.5	43.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,943	459.0	451.7	466.4	7,828	495.2	483.8	506.8	8,115	435.1	425.5	444.9
Oral Cavity and Pharynx	408	11.2	10.1	12.4	283	16.4	14.5	18.5	125	6.7	5.5	8.0
Esophagus	172	4.8	4.1	5.6	136	8.1	6.8	9.7	36	2.0	1.4	2.8
Stomach	245	7.2	6.3	8.1	147	9.4	7.9	11.2	98	5.4	4.4	6.6
Colon and Rectum	1,343	39.3	37.1	41.5	710	45.7	42.2	49.3	633	33.8	31.2	36.6
Liver	168	4.7	4.0	5.5	122	7.3	6.0	8.7	46	2.5	1.8	3.4
Pancreas	476	14.3	13.0	15.7	254	16.6	14.6	18.9	222	12.2	10.6	14.0
Lung and Bronchus	1,894	58.2	55.5	61.0	935	64.3	60.1	68.7	959	53.9	50.5	57.5
Bones and Joints	32	0.9	0.6	1.3	22	1.4	0.8	2.1	10	0.6	0.3	1.0
Melanoma of the Skin	791	22.7	21.1	24.4	451	28.5	25.8	31.4	340	18.6	16.6	20.7
Breast (invasive)	2,627	72.8	70.0	75.8	28	1.9	1.2	2.8	2,599	135.8	130.5	141.2
Cervix									91	4.9	3.9	6.1
Corpus and Uterus, NOS									579	29.7	27.2	32.2
Ovary									199	10.4	9.0	12.0
Prostate					1,932	112.7	107.5	118.1				
Testis					109	6.6	5.4	7.9				
Urinary Bladder (includes in situ)	822	25.1	23.4	26.9	614	43.0	39.6	46.7	208	11.3	9.7	12.9
Kidney and Renal Pelvis	572	16.2	14.8	17.6	393	24.1	21.7	26.7	179	9.6	8.2	11.2
Brain and Nervous System	223	6.4	5.6	7.3	123	7.4	6.1	8.9	100	5.6	4.5	6.8
Hodgkin Lymphoma	80	2.3	1.9	2.9	44	2.6	1.9	3.6	36	2.1	1.5	2.9
Non-Hodgkin Lymphoma	718	21.4	19.8	23.1	389	26.4	23.7	29.2	329	17.8	15.9	19.9
Myeloma	203	5.9	5.1	6.8	102	6.5	5.3	8.0	101	5.4	4.4	6.6
Leukemia	481	14.1	12.8	15.5	272	17.2	15.1	19.5	209	11.6	10.1	13.3
All Other Sites	1,778	51.7	49.3	54.2	762	49.1	45.5	52.8	1,016	55.2	51.8	58.8
Breast in Situ (not in total)									837	42.9	40.0	45.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

LaSalle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,806	528.4	511.4	545.9	2,099	628.1	601.1	656.1	1,707	451.8	429.7	474.8
Oral Cavity and Pharynx	106	14.8	12.0	18.0	84	24.4	19.4	30.4	22	6.1	3.7	9.4
Esophagus	34	4.6	3.1	6.5	29	8.4	5.6	12.2	5	1.2	0.4	3.2
Stomach	37	5.1	3.6	7.1	26	8.4	5.5	12.4	11	2.7	1.3	5.1
Colon and Rectum	369	49.6	44.6	55.1	198	59.4	51.3	68.4	171	41.0	34.9	48.0
Liver	47	6.1	4.5	8.3	33	9.3	6.3	13.1	14	3.4	1.8	6.0
Pancreas	77	10.4	8.2	13.1	36	10.8	7.5	15.1	41	10.1	7.1	14.0
Lung and Bronchus	567	76.4	70.2	83.1	298	88.0	78.1	98.7	269	66.8	58.9	75.5
Bones and Joints	7	1.2	0.4	2.5	4	1.1	0.3	3.0	3	1.4	0.3	3.8
Melanoma of the Skin	175	26.3	22.4	30.7	98	30.4	24.6	37.3	77	23.9	18.6	30.2
Breast (invasive)	435	61.8	56.0	68.1	7	2.1	0.8	4.5	428	116.4	105.2	128.5
Cervix									35	12.5	8.5	17.7
Corpus and Uterus, NOS									105	27.7	22.5	33.8
Ovary									45	13.3	9.6	18.1
Prostate					621	180.1	166.1	195.1				
Testis					13	5.0	2.6	8.5				
Urinary Bladder (includes in situ)	217	28.9	25.2	33.2	164	50.0	42.6	58.4	53	12.1	9.0	16.1
Kidney and Renal Pelvis	134	19.0	15.8	22.6	76	23.3	18.2	29.4	58	14.7	11.0	19.4
Brain and Nervous System	38	5.8	4.0	8.1	19	6.4	3.8	10.1	19	4.9	2.9	8.0
Hodgkin Lymphoma	17	3.4	2.0	5.5	9	3.5	1.6	6.7	8	3.4	1.4	6.7
Non-Hodgkin Lymphoma	145	20.1	16.9	23.7	86	26.4	21.0	32.7	59	14.7	11.1	19.3
Myeloma	47	6.3	4.6	8.5	27	8.1	5.3	11.9	20	5.1	3.1	8.1
Leukemia	94	12.9	10.4	15.9	52	16.1	12.0	21.2	42	10.6	7.5	14.6
All Other Sites	441	62.8	56.9	69.2	219	67.1	58.4	76.8	222	59.8	51.8	68.8
Breast in Situ (not in total)									86	24.2	19.2	30.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Lawrence

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	469	448.4	408.3	491.7	257	531.1	467.7	601.0	212	406.6	351.0	469.1
Oral Cavity and Pharynx	12	11.3	5.8	20.3	7	14.8	5.9	30.9	5	8.3	2.6	22.0
Esophagus	12	11.5	5.9	20.5	11	23.0	11.4	41.7	1	3.2	0.1	16.8
Stomach	3	3.1	0.6	9.7	2	4.0	0.5	15.2	1	1.7	0.0	12.9
Colon and Rectum	50	46.9	34.7	62.2	23	46.7	29.5	70.6	27	47.5	31.0	71.0
Liver	4	3.9	1.1	10.5	2	3.8	0.4	14.7	2	3.8	0.5	16.0
Pancreas	14	13.7	7.4	23.4	6	12.8	4.7	28.4	8	13.1	5.6	28.1
Lung and Bronchus	93	88.2	71.0	108.5	55	111.2	83.6	145.3	38	66.1	46.1	93.1
Bones and Joints	1	0.7	0.0	5.6	1	2.4	0.1	13.1	0			
Melanoma of the Skin	8	7.4	3.2	15.2	7	15.6	6.3	32.3	1	3.4	0.1	17.2
Breast (invasive)	45	44.1	32.1	59.5	2	3.7	0.4	14.6	43	86.3	61.4	118.7
Cervix									2	3.7	0.4	15.8
Corpus and Uterus, NOS									10	19.7	9.2	38.1
Ovary									5	12.0	3.6	29.3
Prostate					61	127.3	97.2	164.0				
Testis					1	1.5	0.0	10.8				
Urinary Bladder (includes in situ)	23	20.5	13.0	31.3	18	37.0	21.9	59.0	5	7.8	2.4	21.0
Kidney and Renal Pelvis	19	18.7	11.2	29.7	11	22.5	11.2	40.8	8	18.3	7.3	38.2
Brain and Nervous System	4	4.0	1.1	10.8	3	6.0	1.2	18.2	1	1.8	0.0	13.0
Hodgkin Lymphoma	4	3.9	1.1	10.5	2	3.1	0.4	13.3	2	3.1	0.4	14.7
Non-Hodgkin Lymphoma	21	20.4	12.5	31.7	7	14.2	5.6	29.9	14	26.8	14.2	47.0
Myeloma	6	5.2	1.9	12.0	5	9.8	3.1	23.6	1	1.8	0.0	13.0
Leukemia	14	14.4	7.7	24.6	9	20.5	9.3	39.1	5	8.3	2.6	21.9
All Other Sites	57	55.5	41.8	72.5	24	51.5	32.8	77.1	33	70.0	46.7	101.2
Breast in Situ (not in total)									10	18.8	8.7	36.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Lee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,114	487.3	458.6	517.5	572	513.7	471.7	558.7	542	473.7	433.2	517.3
Oral Cavity and Pharynx	32	14.0	9.5	20.0	25	22.3	14.3	33.5	7	7.0	2.7	15.1
Esophagus	8	3.1	1.3	6.5	4	3.4	0.9	9.4	4	3.0	0.8	8.7
Stomach	15	6.7	3.7	11.3	11	10.6	5.2	19.2	4	3.2	0.8	9.2
Colon and Rectum	109	47.3	38.7	57.3	50	44.5	32.9	59.3	59	47.3	35.7	62.0
Liver	15	6.3	3.5	10.7	12	9.8	5.0	17.8	3	2.6	0.5	8.4
Pancreas	36	15.4	10.7	21.7	19	16.4	9.7	26.3	17	15.2	8.6	25.2
Lung and Bronchus	154	66.9	56.6	78.6	86	78.7	62.6	97.8	68	58.4	45.2	74.6
Bones and Joints	2	0.7	0.1	3.2	1	0.7	0.0	5.2	1	0.7	0.0	5.5
Melanoma of the Skin	56	25.3	19.0	33.2	26	23.0	14.9	34.1	30	28.8	19.0	42.2
Breast (invasive)	129	56.8	47.2	67.9	3	2.8	0.5	8.7	126	112.0	92.7	134.5
Cervix									8	7.6	3.2	15.5
Corpus and Uterus, NOS									40	32.6	23.1	45.3
Ovary									20	16.5	9.9	26.3
Prostate					140	120.7	101.2	143.1				
Testis					5	5.5	1.7	13.0				
Urinary Bladder (includes in situ)	53	23.3	17.4	30.7	41	38.2	27.2	52.2	12	10.1	5.1	18.3
Kidney and Renal Pelvis	36	15.9	11.0	22.3	19	16.0	9.5	25.6	17	15.3	8.7	25.3
Brain and Nervous System	14	6.2	3.3	10.7	9	7.8	3.5	15.4	5	5.1	1.6	12.6
Hodgkin Lymphoma	7	4.5	1.8	9.2	3	3.1	0.6	9.4	4	6.3	1.7	15.4
Non-Hodgkin Lymphoma	54	23.8	17.8	31.3	30	27.6	18.5	39.8	24	20.9	13.1	32.1
Myeloma	18	8.0	4.7	12.9	11	10.4	5.1	19.0	7	6.2	2.5	13.4
Leukemia	30	13.4	9.0	19.4	17	16.1	9.3	26.2	13	10.2	5.3	18.2
All Other Sites	133	60.0	50.1	71.6	60	56.1	42.6	72.8	73	64.9	50.1	83.0
Breast in Situ (not in total)									24	21.5	13.6	32.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Livingston

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,279	526.8	497.7	557.2	660	593.0	547.9	640.9	619	482.2	443.7	523.5
Oral Cavity and Pharynx	23	8.7	5.5	13.3	15	12.7	7.0	21.3	8	5.9	2.5	12.3
Esophagus	11	4.5	2.2	8.2	7	6.3	2.5	13.3	4	2.9	0.7	8.3
Stomach	16	6.1	3.5	10.3	7	5.9	2.4	12.7	9	6.0	2.7	12.3
Colon and Rectum	123	49.7	41.2	59.7	59	52.4	39.7	68.0	64	47.6	36.1	61.8
Liver	15	5.9	3.2	10.1	14	12.0	6.5	20.6	1	0.4	0.0	4.4
Pancreas	26	10.9	7.1	16.3	16	13.9	7.8	23.0	10	8.1	3.8	15.4
Lung and Bronchus	200	81.6	70.5	94.0	104	93.2	75.9	113.4	96	74.2	59.9	91.2
Bones and Joints	2	1.1	0.1	3.9	1	1.1	0.0	6.1	1	1.2	0.0	6.3
Melanoma of the Skin	59	26.6	20.0	34.7	29	29.0	19.2	42.0	30	26.0	17.1	38.0
Breast (invasive)	163	67.7	57.5	79.3	1	1.0	0.0	5.6	162	126.9	107.5	149.1
Cervix									12	13.2	6.7	23.2
Corpus and Uterus, NOS									41	30.1	21.5	41.5
Ovary									19	16.4	9.7	26.2
Prostate					179	154.6	132.5	179.5				
Testis					7	6.6	2.6	13.9				
Urinary Bladder (includes in situ)	65	25.5	19.6	32.7	51	48.7	36.2	64.2	14	10.7	5.8	18.6
Kidney and Renal Pelvis	48	19.6	14.4	26.3	28	24.3	16.0	35.6	20	15.2	9.2	24.0
Brain and Nervous System	21	9.6	5.8	14.9	13	12.9	6.8	22.3	8	7.0	2.8	14.6
Hodgkin Lymphoma	3	1.6	0.3	4.7	2	2.2	0.3	7.9	1	1.2	0.0	6.2
Non-Hodgkin Lymphoma	50	21.3	15.7	28.3	23	23.4	14.8	35.4	27	19.7	12.9	29.4
Myeloma	17	7.3	4.2	11.8	9	7.9	3.6	15.5	8	6.7	2.9	13.7
Leukemia	47	19.4	14.1	26.1	29	26.6	17.7	38.6	18	12.7	7.3	20.9
All Other Sites	132	53.6	44.7	63.9	66	58.2	44.8	74.5	66	49.9	38.2	64.3
Breast in Situ (not in total)									42	34.1	24.2	46.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Logan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	966	515.2	482.7	549.5	494	587.1	535.8	642.1	472	462.2	420.0	507.8
Oral Cavity and Pharynx	24	13.6	8.6	20.4	20	24.5	14.9	38.1	4	4.0	1.0	11.2
Esophagus	7	3.7	1.5	8.0	4	5.2	1.4	13.5	3	2.6	0.5	8.9
Stomach	3	1.5	0.3	4.8	2	2.4	0.3	9.2	1	0.5	0.0	5.8
Colon and Rectum	118	60.6	50.0	73.0	55	63.7	47.8	83.4	63	56.2	42.6	73.1
Liver	18	9.1	5.4	14.7	17	17.9	10.4	29.3	1	0.9	0.0	6.5
Pancreas	26	13.1	8.5	19.6	15	17.9	10.0	30.0	11	9.0	4.4	17.3
Lung and Bronchus	171	90.7	77.4	105.6	92	110.5	88.8	135.9	79	77.3	60.9	97.1
Bones and Joints	2	1.2	0.2	4.6	1	1.1	0.0	6.9	1	1.5	0.0	7.9
Melanoma of the Skin	32	18.3	12.4	26.1	14	16.3	8.9	27.9	18	22.0	12.8	35.3
Breast (invasive)	128	67.3	56.0	80.4	3	3.5	0.7	10.7	125	123.9	102.6	148.8
Cervix									2	2.4	0.3	9.1
Corpus and Uterus, NOS									25	24.8	15.8	37.5
Ovary									9	8.9	4.0	17.7
Prostate					108	125.3	102.5	151.9				
Testis					4	4.8	1.3	12.6				
Urinary Bladder (includes in situ)	40	20.5	14.5	28.2	30	35.9	24.0	51.6	10	8.2	3.8	16.4
Kidney and Renal Pelvis	37	20.4	14.3	28.4	19	25.1	15.0	39.4	18	17.2	10.1	27.9
Brain and Nervous System	18	10.3	6.0	16.6	10	11.1	5.3	20.9	8	10.5	4.3	21.3
Hodgkin Lymphoma	5	3.0	0.9	7.2	4	5.0	1.3	13.1	1	0.9	0.0	6.5
Non-Hodgkin Lymphoma	40	22.5	16.0	31.0	18	22.3	13.1	35.7	22	21.7	13.4	33.6
Myeloma	13	6.7	3.5	11.7	9	11.6	5.2	22.2	4	3.1	0.8	9.5
Leukemia	23	11.8	7.3	18.2	15	18.6	10.3	31.0	8	7.6	3.0	16.3
All Other Sites	113	61.5	50.4	74.4	54	64.4	48.1	84.5	59	59.2	44.5	77.6
Breast in Situ (not in total)									37	38.2	26.7	53.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,905	554.3	536.6	572.6	2,045	643.4	615.2	672.6	1,860	491.9	468.9	515.9
Oral Cavity and Pharynx	112	15.9	13.0	19.2	81	24.3	19.2	30.5	31	8.3	5.5	12.0
Esophagus	55	7.3	5.5	9.6	49	14.5	10.7	19.4	6	1.3	0.5	3.1
Stomach	41	5.8	4.1	7.9	27	8.4	5.5	12.4	14	3.3	1.8	5.8
Colon and Rectum	367	51.0	45.8	56.7	199	64.3	55.5	74.2	168	41.6	35.4	48.8
Liver	39	5.1	3.6	7.1	30	8.7	5.8	12.7	9	2.0	0.9	4.1
Pancreas	97	13.8	11.1	17.0	43	13.6	9.8	18.6	54	13.6	10.1	18.1
Lung and Bronchus	700	96.6	89.5	104.2	382	120.1	108.1	133.0	318	78.5	69.9	88.0
Bones and Joints	1	0.1	0.0	0.9	1	0.2	0.0	1.8	0			
Melanoma of the Skin	162	24.3	20.5	28.5	92	28.9	23.1	35.7	70	21.6	16.6	27.7
Breast (invasive)	486	70.7	64.3	77.5	1	0.3	0.0	1.9	485	131.4	119.5	144.3
Cervix									26	9.0	5.7	13.3
Corpus and Uterus, NOS									104	26.6	21.6	32.5
Ovary									42	10.4	7.4	14.3
Prostate					489	147.1	134.1	161.0				
Testis					12	5.5	2.8	9.6				
Urinary Bladder (includes in situ)	155	20.8	17.6	24.4	124	39.1	32.5	46.8	31	8.0	5.4	11.6
Kidney and Renal Pelvis	147	20.9	17.6	24.7	80	25.3	19.9	31.6	67	17.4	13.4	22.5
Brain and Nervous System	35	5.4	3.7	7.6	26	8.5	5.4	12.7	9	2.5	1.1	4.8
Hodgkin Lymphoma	19	3.6	2.2	5.6	9	3.8	1.7	7.2	10	3.3	1.6	6.2
Non-Hodgkin Lymphoma	182	26.1	22.3	30.3	99	32.1	26.0	39.3	83	21.8	17.2	27.3
Myeloma	43	5.8	4.2	8.0	21	6.5	4.0	10.2	22	5.3	3.3	8.3
Leukemia	107	15.7	12.8	19.1	57	19.3	14.5	25.1	50	13.4	9.8	18.0
All Other Sites	484	71.7	65.2	78.7	223	72.7	63.3	83.3	261	72.5	63.5	82.5
Breast in Situ (not in total)									139	40.2	33.5	47.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Macoupin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,559	495.2	470.3	521.2	831	567.8	529.2	608.6	728	440.8	408.0	475.7
Oral Cavity and Pharynx	49	15.3	11.2	20.5	31	20.0	13.5	28.9	18	11.1	6.4	18.1
Esophagus	16	4.7	2.7	7.8	15	9.6	5.4	16.3	1	0.3	0.0	3.6
Stomach	13	3.9	2.0	7.0	7	4.8	1.9	10.4	6	3.0	1.0	7.4
Colon and Rectum	166	51.5	43.9	60.3	85	57.5	45.8	71.5	81	46.7	36.7	58.9
Liver	22	7.0	4.3	10.8	16	11.1	6.3	18.4	6	3.3	1.2	7.8
Pancreas	45	13.5	9.8	18.4	22	15.1	9.4	23.3	23	12.6	7.8	19.5
Lung and Bronchus	259	79.5	70.0	90.1	147	98.6	83.1	116.3	112	65.2	53.5	79.1
Bones and Joints	2	0.9	0.1	3.2	2	1.8	0.2	6.5	0			
Melanoma of the Skin	58	20.8	15.6	27.1	31	22.4	15.1	32.1	27	20.5	13.2	30.4
Breast (invasive)	209	67.9	58.7	78.2	3	2.0	0.4	6.4	206	126.0	108.7	145.6
Cervix									8	6.9	2.9	13.8
Corpus and Uterus, NOS									48	30.3	22.1	40.7
Ovary									13	8.4	4.3	14.9
Prostate					201	132.2	114.4	152.3				
Testis					5	5.0	1.6	11.5				
Urinary Bladder (includes in situ)	75	22.0	17.3	27.9	56	38.3	28.8	50.1	19	10.2	6.0	16.6
Kidney and Renal Pelvis	61	19.5	14.8	25.3	35	25.0	17.2	35.2	26	15.3	9.9	22.9
Brain and Nervous System	24	8.8	5.5	13.3	15	11.7	6.5	19.6	9	6.3	2.7	12.6
Hodgkin Lymphoma	3	1.3	0.3	3.8	1	1.0	0.0	5.1	2	1.6	0.2	6.0
Non-Hodgkin Lymphoma	59	19.0	14.3	24.9	37	27.2	18.9	37.9	22	12.0	7.4	18.9
Myeloma	23	7.1	4.4	10.9	17	11.8	6.8	19.4	6	3.1	1.1	7.5
Leukemia	40	13.2	9.4	18.3	24	17.2	10.9	26.0	16	9.2	5.1	15.6
All Other Sites	160	51.6	43.7	60.7	81	55.4	43.7	69.3	79	48.8	38.0	61.8
Breast in Situ (not in total)									59	39.2	29.5	51.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,751	492.8	481.7	504.1	3,976	559.9	542.3	578.0	3,775	447.5	433.0	462.5
Oral Cavity and Pharynx	194	11.7	10.1	13.5	140	18.3	15.3	21.7	54	6.0	4.5	7.9
Esophagus	112	6.9	5.7	8.4	89	12.4	9.9	15.4	23	2.6	1.6	3.9
Stomach	77	5.0	3.9	6.2	48	7.2	5.3	9.6	29	3.3	2.2	4.8
Colon and Rectum	692	43.5	40.3	46.9	348	48.9	43.8	54.5	344	39.3	35.1	43.8
Liver	109	6.7	5.5	8.2	77	10.0	7.9	12.6	32	3.9	2.7	5.6
Pancreas	207	12.9	11.1	14.8	103	14.9	12.1	18.1	104	11.4	9.3	14.0
Lung and Bronchus	1,326	83.5	79.0	88.2	681	97.2	89.9	104.9	645	74.1	68.5	80.2
Bones and Joints	12	0.9	0.5	1.6	10	1.5	0.7	2.8	2	0.3	0.0	1.1
Melanoma of the Skin	317	21.1	18.8	23.6	188	27.0	23.2	31.2	129	17.4	14.4	20.8
Breast (invasive)	1,034	67.2	63.0	71.5	5	0.8	0.3	1.9	1,029	124.7	117.0	132.9
Cervix									61	8.2	6.2	10.6
Corpus and Uterus, NOS									218	24.9	21.7	28.5
Ovary									94	11.7	9.4	14.4
Prostate					914	121.6	113.8	130.0				
Testis					32	4.9	3.3	6.9				
Urinary Bladder (includes in situ)	364	22.8	20.5	25.3	294	42.5	37.7	47.8	70	7.8	6.1	10.0
Kidney and Renal Pelvis	334	21.5	19.2	24.0	196	28.2	24.3	32.5	138	15.7	13.2	18.7
Brain and Nervous System	110	7.3	6.0	8.9	60	8.5	6.4	11.0	50	6.3	4.6	8.4
Hodgkin Lymphoma	42	3.2	2.3	4.4	20	3.0	1.8	4.7	22	3.4	2.1	5.2
Non-Hodgkin Lymphoma	295	18.9	16.8	21.3	171	24.8	21.2	28.9	124	14.3	11.8	17.2
Myeloma	100	6.2	5.0	7.6	43	6.0	4.3	8.1	57	6.4	4.8	8.3
Leukemia	203	13.2	11.4	15.2	123	18.4	15.3	22.0	80	9.4	7.4	11.8
All Other Sites	904	58.8	54.9	62.8	434	63.8	57.9	70.3	470	56.4	51.3	61.9
Breast in Situ (not in total)									261	32.3	28.4	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Marion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,364	536.2	507.3	566.5	712	606.5	562.0	653.9	652	481.3	443.2	521.9
Oral Cavity and Pharynx	35	13.7	9.4	19.4	25	21.5	13.8	32.3	10	6.8	3.0	13.5
Esophagus	20	8.1	4.9	12.8	14	12.9	6.9	22.0	6	3.6	1.3	8.8
Stomach	10	3.8	1.8	7.3	9	7.8	3.6	15.2	1	0.7	0.0	4.8
Colon and Rectum	126	49.1	40.7	58.9	62	53.9	41.1	69.6	64	45.2	34.5	58.5
Liver	20	8.0	4.8	12.5	19	16.4	9.8	26.0	1	0.7	0.0	4.8
Pancreas	55	21.1	15.7	27.8	31	27.0	18.2	38.8	24	15.9	9.9	24.6
Lung and Bronchus	244	91.5	80.3	104.1	130	108.0	90.0	128.7	114	80.1	65.8	97.0
Bones and Joints	2	0.9	0.1	3.4	0				2	1.6	0.1	6.6
Melanoma of the Skin	57	26.3	19.7	34.5	35	31.9	22.0	44.9	22	22.8	14.0	34.8
Breast (invasive)	164	66.7	56.5	78.1	1	0.9	0.0	5.5	163	125.0	105.8	146.8
Cervix									6	6.0	2.1	13.4
Corpus and Uterus, NOS									44	31.8	22.6	43.8
Ovary									21	16.4	9.9	25.8
Prostate					160	128.0	108.7	150.1				
Testis					5	6.2	2.0	14.1				
Urinary Bladder (includes in situ)	71	26.2	20.3	33.4	52	43.7	32.4	57.8	19	11.8	7.0	19.2
Kidney and Renal Pelvis	53	20.6	15.2	27.2	30	25.8	17.3	37.3	23	15.7	9.7	24.5
Brain and Nervous System	21	10.2	6.2	15.8	13	12.9	6.8	22.4	8	7.9	3.2	16.1
Hodgkin Lymphoma	6	3.2	1.1	6.9	2	2.1	0.2	7.5	4	4.4	1.2	11.2
Non-Hodgkin Lymphoma	62	24.5	18.7	31.7	34	30.2	20.7	42.7	28	19.2	12.6	28.5
Myeloma	16	6.0	3.4	10.1	8	6.8	2.9	13.8	8	5.5	2.4	11.6
Leukemia	40	15.2	10.7	21.0	19	15.8	9.4	25.3	21	14.1	8.4	22.7
All Other Sites	126	50.0	41.4	60.0	63	54.7	41.8	70.5	63	46.0	34.7	60.1
Breast in Situ (not in total)									34	26.6	18.1	38.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Marshall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	441	489.7	443.2	540.3	262	603.9	531.0	684.9	179	395.5	335.8	463.7
Oral Cavity and Pharynx	11	14.5	6.9	27.1	10	25.6	11.9	49.3	1	4.6	0.1	22.3
Esophagus	2	2.1	0.3	9.3	1	2.4	0.1	16.5	1	1.7	0.0	14.8
Stomach	7	7.0	2.8	15.8	5	11.0	3.5	28.4	2	4.1	0.5	18.3
Colon and Rectum	46	48.1	34.9	65.3	27	59.6	39.1	88.7	19	38.6	22.6	63.5
Liver	2	1.9	0.2	8.9	1	1.8	0.0	15.1	1	2.0	0.1	15.4
Pancreas	11	10.8	5.3	20.7	6	13.8	5.0	32.5	5	9.4	2.9	25.5
Lung and Bronchus	59	58.5	44.4	76.5	43	92.9	67.0	127.2	16	28.7	16.3	49.6
Bones and Joints	2	1.9	0.2	8.9	0				2	3.6	0.4	17.5
Melanoma of the Skin	20	27.1	15.9	43.3	9	23.2	10.0	46.6	11	30.7	14.2	57.9
Breast (invasive)	57	72.3	53.8	95.5	0				57	140.1	103.7	185.8
Cervix									1	3.2	0.1	18.3
Corpus and Uterus, NOS									10	18.9	8.9	37.9
Ovary									9	23.1	9.7	46.8
Prostate					78	175.6	138.2	221.3				
Testis					0							
Urinary Bladder (includes in situ)	27	28.8	18.8	43.1	25	58.9	37.8	89.0	2	3.4	0.4	17.2
Kidney and Renal Pelvis	21	23.7	14.3	37.6	18	42.3	24.3	69.6	3	5.9	1.2	20.8
Brain and Nervous System	3	3.0	0.6	10.5	2	4.5	0.5	19.6	1	1.9	0.0	15.2
Hodgkin Lymphoma	5	7.0	2.1	17.4	3	8.7	1.6	27.3	2	5.3	0.5	21.6
Non-Hodgkin Lymphoma	13	15.2	7.8	27.4	9	22.9	10.0	46.0	4	7.7	2.1	23.2
Myeloma	7	6.9	2.7	15.8	2	4.8	0.6	20.0	5	9.2	2.9	25.0
Leukemia	7	7.2	2.9	16.3	1	1.9	0.0	15.4	6	11.3	4.1	27.9
All Other Sites	43	48.1	34.1	66.4	22	54.0	33.0	84.6	21	42.1	25.4	67.6
Breast in Situ (not in total)									15	36.6	19.6	63.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Mason

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	523	507.8	463.8	555.3	283	571.3	505.4	644.3	240	457.9	398.9	524.1
Oral Cavity and Pharynx	13	14.3	7.3	25.6	6	13.7	4.8	31.6	7	15.2	5.5	34.0
Esophagus	8	7.6	3.3	16.0	6	12.4	4.5	28.7	2	3.6	0.4	16.0
Stomach	2	1.8	0.2	7.9	2	3.5	0.4	15.9	0			
Colon and Rectum	54	49.9	37.3	65.9	34	69.4	47.9	98.5	20	33.5	20.2	54.2
Liver	6	5.4	2.0	13.0	4	7.8	2.1	22.3	2	3.2	0.4	15.2
Pancreas	11	10.4	5.1	19.7	7	13.1	5.2	29.1	4	8.1	2.1	22.9
Lung and Bronchus	99	92.3	74.7	113.3	55	109.4	82.1	144.1	44	78.4	56.5	107.4
Bones and Joints	2	2.6	0.2	10.2	1	3.8	0.1	18.7	1	1.6	0.0	13.0
Melanoma of the Skin	23	25.6	15.9	39.4	15	31.1	17.3	52.8	8	21.6	8.9	43.8
Breast (invasive)	57	58.9	44.0	77.6	1	2.0	0.1	13.9	56	111.3	82.7	147.5
Cervix									4	9.2	2.1	25.8
Corpus and Uterus, NOS									15	29.0	16.1	49.7
Ovary									6	10.4	3.8	25.1
Prostate					58	108.5	82.1	142.0				
Testis					1	3.5	0.1	18.0				
Urinary Bladder (includes in situ)	32	29.2	19.8	42.2	24	49.0	31.2	74.5	8	12.0	5.1	26.8
Kidney and Renal Pelvis	34	35.2	24.0	50.2	18	34.4	20.3	56.1	16	36.9	20.3	61.9
Brain and Nervous System	7	7.4	2.9	16.2	3	7.2	1.4	22.4	4	6.6	1.7	20.1
Hodgkin Lymphoma	3	4.2	0.8	12.6	2	6.5	0.8	22.7	1	1.4	0.0	12.6
Non-Hodgkin Lymphoma	22	19.4	12.0	30.4	9	17.1	7.7	34.5	13	21.5	11.2	39.4
Myeloma	5	4.7	1.5	12.2	3	6.5	1.3	20.7	2	3.0	0.3	15.0
Leukemia	10	10.7	4.9	20.7	5	10.6	3.3	26.7	5	11.3	3.4	28.3
All Other Sites	51	49.5	36.2	66.6	29	61.7	40.6	90.9	22	40.2	24.3	63.7
Breast in Situ (not in total)									11	23.1	11.1	43.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Massac

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	487	464.8	423.3	509.5	261	538.1	474.0	609.2	226	419.0	363.5	481.1
Oral Cavity and Pharynx	10	10.3	4.9	19.4	8	17.1	7.3	35.0	2	3.8	0.5	15.6
Esophagus	2	1.8	0.2	7.7	2	4.3	0.5	17.1	0			
Stomach	5	4.7	1.5	11.9	3	6.4	1.3	20.2	2	3.4	0.4	14.7
Colon and Rectum	50	45.0	33.2	60.2	24	48.2	30.8	73.0	26	43.3	27.7	65.6
Liver	5	5.2	1.7	12.8	3	7.4	1.5	22.4	2	3.3	0.4	14.5
Pancreas	12	11.0	5.6	20.0	4	7.6	2.0	21.4	8	13.3	5.4	28.4
Lung and Bronchus	110	100.9	82.7	122.4	65	131.7	101.4	169.0	45	79.3	57.1	108.2
Bones and Joints	1	1.0	0.0	6.7	1	2.2	0.1	14.0	0			
Melanoma of the Skin	21	21.1	12.7	33.3	13	27.4	14.3	48.5	8	17.7	7.2	36.5
Breast (invasive)	66	65.0	49.8	83.7	1	2.2	0.1	14.0	65	120.2	91.5	155.8
Cervix									4	7.6	2.0	21.1
Corpus and Uterus, NOS									11	21.0	10.3	39.0
Ovary									1	1.0	0.0	10.7
Prostate					58	113.3	85.8	147.8				
Testis					0							
Urinary Bladder (includes in situ)	24	21.7	13.8	33.2	20	43.9	26.7	68.8	4	6.7	1.8	19.3
Kidney and Renal Pelvis	21	23.2	14.0	36.3	11	24.7	12.0	45.6	10	22.1	10.0	42.3
Brain and Nervous System	3	3.3	0.6	10.5	3	6.9	1.3	21.6	0			
Hodgkin Lymphoma	1	0.9	0.0	6.2	0				1	1.4	0.0	11.5
Non-Hodgkin Lymphoma	14	13.9	7.5	24.1	9	18.6	8.5	36.8	5	10.1	3.0	25.4
Myeloma	2	1.7	0.2	7.5	1	2.5	0.1	14.8	1	1.0	0.0	10.7
Leukemia	11	11.1	5.4	20.7	6	14.2	5.1	32.0	5	8.7	2.8	22.2
All Other Sites	55	56.2	41.9	74.1	29	59.7	39.8	87.1	26	55.1	35.0	82.8
Breast in Situ (not in total)									13	26.3	13.7	46.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

McDonough

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	838	483.9	450.3	519.4	415	531.5	480.3	586.8	423	456.2	410.9	505.4
Oral Cavity and Pharynx	29	16.6	10.8	24.3	22	27.5	17.0	42.5	7	7.8	2.8	17.3
Esophagus	14	9.2	4.8	16.0	11	16.6	8.0	30.3	3	2.2	0.4	8.5
Stomach	4	2.6	0.7	7.0	1	1.6	0.0	8.8	3	3.8	0.7	11.9
Colon and Rectum	89	50.2	40.0	62.4	40	50.9	36.2	70.0	49	51.3	37.1	69.4
Liver	5	2.3	0.7	6.0	2	2.0	0.2	8.6	3	2.4	0.5	8.9
Pancreas	30	16.7	11.1	24.4	16	18.1	10.2	30.1	14	14.9	7.8	26.3
Lung and Bronchus	116	63.1	51.9	76.2	53	69.3	51.7	91.2	63	59.7	45.2	77.9
Bones and Joints	0				0				0			
Melanoma of the Skin	38	23.1	16.0	32.2	20	25.3	15.3	39.8	18	21.6	12.3	35.4
Breast (invasive)	96	58.2	46.7	71.8	1	1.4	0.0	8.1	95	107.5	85.8	133.4
Cervix									5	7.9	2.3	18.8
Corpus and Uterus, NOS									24	27.2	16.9	41.7
Ovary									8	8.2	3.3	17.4
Prostate					92	111.9	89.9	138.0				
Testis					3	2.5	0.3	9.9				
Urinary Bladder (includes in situ)	29	16.2	10.7	23.8	18	23.3	13.5	37.6	11	9.9	4.8	19.1
Kidney and Renal Pelvis	31	19.5	12.9	28.2	18	24.1	14.0	38.7	13	15.4	7.7	27.7
Brain and Nervous System	9	6.4	2.8	12.5	5	6.1	1.9	15.1	4	7.1	1.8	17.8
Hodgkin Lymphoma	8	4.9	1.9	10.3	5	6.9	1.9	17.1	3	3.1	0.6	10.1
Non-Hodgkin Lymphoma	33	18.0	12.3	25.7	14	18.6	10.1	31.6	19	18.6	11.0	30.0
Myeloma	12	6.9	3.6	12.4	5	6.4	2.0	15.4	7	7.8	3.1	16.8
Leukemia	33	19.7	13.3	28.2	20	27.3	16.3	42.9	13	13.2	6.7	23.7
All Other Sites	130	75.4	62.4	90.4	69	91.7	70.9	116.8	61	66.6	49.9	87.4
Breast in Situ (not in total)									21	23.3	14.1	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

McHenry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,216	476.6	465.3	488.2	3,559	517.4	499.5	535.8	3,657	449.3	434.4	464.5
Oral Cavity and Pharynx	162	10.0	8.5	11.8	116	14.6	12.0	17.7	46	5.7	4.1	7.7
Esophagus	58	3.9	2.9	5.1	42	6.3	4.4	8.7	16	1.9	1.1	3.2
Stomach	82	5.6	4.4	7.0	52	8.2	6.0	10.9	30	3.7	2.4	5.3
Colon and Rectum	632	43.6	40.1	47.2	333	50.5	44.9	56.7	299	38.1	33.8	42.7
Liver	73	4.6	3.6	5.9	52	7.1	5.2	9.5	21	2.5	1.5	3.9
Pancreas	201	13.7	11.8	15.8	114	16.3	13.3	19.8	87	11.2	8.9	13.9
Lung and Bronchus	924	65.3	61.0	69.8	449	70.1	63.4	77.4	475	61.8	56.2	67.7
Bones and Joints	10	0.6	0.3	1.2	6	0.7	0.3	1.7	4	0.5	0.1	1.4
Melanoma of the Skin	304	19.9	17.7	22.4	176	24.8	21.1	29.0	128	16.1	13.3	19.2
Breast (invasive)	1,180	73.0	68.7	77.4	5	0.7	0.2	1.6	1,175	138.2	130.2	146.6
Cervix									42	5.2	3.7	7.1
Corpus and Uterus, NOS									254	28.2	24.8	32.0
Ovary									117	14.0	11.5	16.9
Prostate					895	119.1	110.9	127.6				
Testis					57	7.9	5.9	10.2				
Urinary Bladder (includes in situ)	348	24.7	22.1	27.5	273	44.2	38.9	50.1	75	9.6	7.5	12.1
Kidney and Renal Pelvis	284	18.6	16.4	21.0	186	25.4	21.6	29.5	98	12.6	10.1	15.4
Brain and Nervous System	118	7.7	6.3	9.2	66	8.9	6.8	11.4	52	6.5	4.8	8.6
Hodgkin Lymphoma	42	2.9	2.1	3.9	25	3.5	2.3	5.3	17	2.3	1.3	3.7
Non-Hodgkin Lymphoma	298	19.6	17.3	22.0	167	23.8	20.1	28.0	131	16.1	13.4	19.2
Myeloma	82	5.7	4.5	7.2	51	8.0	5.8	10.7	31	4.0	2.7	5.7
Leukemia	166	11.8	10.0	13.8	98	16.0	12.8	19.7	68	8.5	6.6	10.9
All Other Sites	887	60.7	56.6	65.0	396	61.2	54.9	67.9	491	62.5	57.0	68.5
Breast in Situ (not in total)									237	26.8	23.4	30.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

McLean

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,823	485.3	469.7	501.2	2,008	570.6	545.1	596.9	1,815	423.4	403.8	443.8
Oral Cavity and Pharynx	88	10.7	8.5	13.2	60	15.3	11.6	19.8	28	6.6	4.3	9.6
Esophagus	38	4.7	3.3	6.5	35	9.7	6.7	13.7	3	0.5	0.1	1.6
Stomach	42	5.5	3.9	7.5	32	9.7	6.5	13.7	10	2.2	1.0	4.1
Colon and Rectum	323	42.1	37.5	47.0	159	48.0	40.6	56.3	164	37.6	31.9	43.9
Liver	42	5.2	3.7	7.1	33	8.5	5.8	12.0	9	2.3	1.0	4.4
Pancreas	80	10.0	7.9	12.5	40	11.5	8.1	15.7	40	8.7	6.2	12.0
Lung and Bronchus	483	64.1	58.4	70.2	264	78.6	69.1	89.0	219	52.8	45.9	60.5
Bones and Joints	5	0.5	0.2	1.3	2	0.3	0.0	1.5	3	0.6	0.1	1.9
Melanoma of the Skin	240	30.2	26.4	34.4	129	36.8	30.5	43.9	111	25.5	20.9	30.9
Breast (invasive)	569	70.8	65.0	77.0	9	2.5	1.1	4.8	560	131.0	120.1	142.5
Cervix									20	5.2	3.1	8.0
Corpus and Uterus, NOS									101	23.0	18.7	28.0
Ovary									43	9.9	7.1	13.5
Prostate					585	157.0	144.1	170.7				
Testis					31	7.3	4.9	10.6				
Urinary Bladder (includes in situ)	159	20.9	17.7	24.5	117	36.0	29.6	43.4	42	9.8	7.0	13.3
Kidney and Renal Pelvis	138	17.8	14.9	21.1	88	25.1	20.0	31.1	50	12.0	8.8	15.9
Brain and Nervous System	56	7.1	5.3	9.3	27	7.8	5.1	11.4	29	6.7	4.4	9.7
Hodgkin Lymphoma	11	1.3	0.6	2.4	2	0.5	0.1	1.8	9	2.1	1.0	4.1
Non-Hodgkin Lymphoma	149	19.3	16.2	22.7	86	25.0	19.9	31.1	63	14.5	11.1	18.6
Myeloma	29	3.5	2.3	5.1	17	4.9	2.8	8.0	12	2.7	1.4	4.7
Leukemia	116	15.1	12.4	18.1	76	22.7	17.7	28.5	40	9.3	6.6	12.7
All Other Sites	475	60.8	55.3	66.6	216	63.4	55.0	72.6	259	60.5	53.2	68.6
Breast in Situ (not in total)									121	29.2	24.1	34.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Menard

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	406	489.9	441.8	542.2	212	561.8	485.9	646.8	194	433.2	372.0	502.6
Oral Cavity and Pharynx	13	16.4	8.5	29.2	11	30.9	14.7	57.5	2	4.4	0.5	18.7
Esophagus	5	6.0	1.9	15.0	3	7.5	1.5	24.4	2	4.8	0.6	19.6
Stomach	4	4.1	1.1	12.0	0				4	6.7	1.8	21.1
Colon and Rectum	39	46.9	33.0	65.1	19	58.4	34.5	92.7	20	40.6	24.6	64.8
Liver	8	10.1	4.3	20.6	8	22.7	9.6	46.1	0			
Pancreas	16	18.7	10.5	31.3	11	27.2	13.3	50.8	5	10.8	3.5	27.5
Lung and Bronchus	64	75.9	58.1	97.9	36	96.2	66.5	135.2	28	59.9	39.3	88.9
Bones and Joints	0				0				0			
Melanoma of the Skin	17	20.6	11.7	34.2	8	20.4	8.4	42.6	9	20.6	8.8	41.9
Breast (invasive)	60	74.3	56.0	97.0	2	6.2	0.8	23.3	58	134.7	100.7	177.3
Cervix									1	2.0	0.1	15.0
Corpus and Uterus, NOS									10	23.0	10.7	44.4
Ovary									6	13.2	4.8	31.0
Prostate					46	101.3	73.7	137.4				
Testis					3	13.0	2.7	36.1				
Urinary Bladder (includes in situ)	15	17.5	9.7	29.7	12	32.4	16.2	58.5	3	7.2	1.4	23.0
Kidney and Renal Pelvis	16	19.7	10.8	33.3	9	22.1	9.7	44.5	7	17.2	6.3	38.0
Brain and Nervous System	7	8.9	3.3	19.5	3	9.4	1.7	28.8	4	8.0	2.2	23.4
Hodgkin Lymphoma	2	2.8	0.3	10.9	1	2.4	0.1	16.4	1	3.4	0.1	18.5
Non-Hodgkin Lymphoma	13	15.7	8.1	28.0	7	19.4	7.3	42.1	6	12.1	4.4	29.0
Myeloma	7	7.8	3.0	17.3	5	12.7	3.9	31.9	2	3.2	0.4	16.2
Leukemia	12	17.2	8.7	30.7	9	27.0	11.9	52.6	3	10.1	2.0	29.5
All Other Sites	42	52.7	37.6	72.3	19	52.7	31.2	84.0	23	51.4	31.8	79.8
Breast in Situ (not in total)									13	30.1	15.7	53.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Mercer

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	542	482.4	441.2	526.8	265	481.3	423.7	545.3	277	493.8	434.3	559.7
Oral Cavity and Pharynx	15	13.6	7.4	23.3	10	17.5	8.2	34.1	5	10.0	3.0	24.9
Esophagus	7	5.8	2.3	12.8	6	9.9	3.6	23.7	1	1.6	0.0	11.9
Stomach	8	7.7	3.2	16.0	6	12.7	4.4	29.0	2	3.2	0.4	14.1
Colon and Rectum	53	44.6	33.2	59.2	31	56.0	37.8	81.0	22	33.1	20.1	52.6
Liver	6	5.2	1.9	12.2	4	7.9	2.2	21.7	2	3.0	0.3	13.9
Pancreas	8	7.0	3.0	14.7	5	9.2	2.9	23.3	3	4.4	0.8	15.7
Lung and Bronchus	94	76.7	61.8	94.6	43	78.0	56.2	106.5	51	78.9	58.5	105.4
Bones and Joints	0				0				0			
Melanoma of the Skin	27	26.7	17.3	39.7	14	26.0	14.0	45.1	13	28.8	14.8	50.6
Breast (invasive)	80	72.5	57.0	91.4	0				80	139.9	109.7	176.6
Cervix									2	4.7	0.5	17.8
Corpus and Uterus, NOS									19	29.4	17.6	47.6
Ovary									10	17.0	7.8	33.4
Prostate					72	120.2	93.6	153.2				
Testis					1	3.3	0.1	16.7				
Urinary Bladder (includes in situ)	20	17.2	10.3	27.4	19	35.4	20.9	57.0	1	1.9	0.0	12.5
Kidney and Renal Pelvis	15	13.7	7.6	23.3	7	13.8	5.5	29.9	8	14.2	6.1	29.5
Brain and Nervous System	7	6.7	2.5	14.8	2	4.5	0.5	17.3	5	9.7	2.8	24.7
Hodgkin Lymphoma	2	3.2	0.4	10.9	2	6.2	0.7	21.4	0			
Non-Hodgkin Lymphoma	22	20.3	12.5	31.6	13	24.6	12.9	43.5	9	17.4	7.6	34.8
Myeloma	4	3.2	0.8	9.3	3	4.9	0.9	16.9	1	1.6	0.0	11.9
Leukemia	17	18.9	10.8	31.0	7	15.5	5.9	33.4	10	22.7	10.5	42.8
All Other Sites	53	54.0	39.6	71.9	20	35.5	21.3	56.7	33	72.4	48.3	104.2
Breast in Situ (not in total)									17	32.8	18.6	54.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Monroe

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	940	472.4	442.1	504.3	499	537.5	490.3	588.2	441	423.3	383.7	466.0
Oral Cavity and Pharynx	41	19.6	14.0	26.9	35	35.8	24.8	50.4	6	5.5	2.0	12.6
Esophagus	10	4.8	2.3	9.1	10	10.1	4.7	19.2	0			
Stomach	6	2.7	1.0	6.3	6	5.9	2.1	13.6	0			
Colon and Rectum	89	44.1	35.3	54.5	56	63.6	47.8	83.1	33	29.4	20.1	41.9
Liver	9	4.2	1.9	8.3	7	7.6	3.0	16.2	2	1.6	0.2	6.9
Pancreas	25	12.9	8.3	19.3	13	15.0	7.8	26.1	12	10.7	5.5	19.4
Lung and Bronchus	122	60.9	50.4	72.9	65	70.9	54.4	90.9	57	51.9	39.1	67.8
Bones and Joints	3	1.7	0.3	5.1	2	2.7	0.3	9.5	1	0.7	0.0	5.5
Melanoma of the Skin	57	29.6	22.2	38.6	34	35.6	24.4	50.5	23	24.3	15.2	37.0
Breast (invasive)	132	65.9	55.0	78.5	0				132	125.2	104.4	149.3
Cervix									8	9.8	4.1	19.5
Corpus and Uterus, NOS									34	31.0	21.2	44.1
Ovary									10	8.7	4.2	16.7
Prostate					129	130.8	108.7	156.3				
Testis					6	9.2	3.4	19.6				
Urinary Bladder (includes in situ)	46	22.6	16.5	30.5	34	39.3	27.1	55.3	12	11.4	5.9	20.5
Kidney and Renal Pelvis	41	21.2	15.1	29.1	25	25.7	16.4	38.7	16	17.6	9.8	29.1
Brain and Nervous System	12	5.7	2.9	10.3	7	6.7	2.6	14.5	5	5.2	1.6	12.6
Hodgkin Lymphoma	4	2.4	0.6	6.3	1	1.2	0.0	6.8	3	3.9	0.7	11.5
Non-Hodgkin Lymphoma	25	12.7	8.2	19.1	14	14.7	7.8	25.3	11	11.0	5.5	20.1
Myeloma	8	4.0	1.7	8.1	4	4.3	1.1	11.6	4	3.3	0.9	9.4
Leukemia	25	13.4	8.7	20.0	12	14.9	7.6	26.2	13	13.0	6.8	22.7
All Other Sites	98	51.7	41.7	63.4	39	43.6	30.7	60.1	59	59.2	44.5	77.3
Breast in Situ (not in total)									31	29.0	19.6	41.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Montgomery

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,005	505.2	473.8	538.3	549	594.4	545.1	647.1	456	441.9	400.2	487.1
Oral Cavity and Pharynx	40	20.4	14.5	28.1	36	38.1	26.5	53.2	4	3.8	1.0	11.1
Esophagus	10	5.3	2.4	10.1	6	6.5	2.4	14.7	4	5.0	1.1	13.9
Stomach	10	4.7	2.2	9.0	7	7.6	3.0	16.0	3	2.1	0.4	8.3
Colon and Rectum	116	55.6	45.8	67.2	69	74.7	58.0	95.1	47	39.3	28.5	53.6
Liver	13	6.2	3.3	11.0	11	10.8	5.3	20.0	2	1.6	0.2	7.9
Pancreas	22	11.3	7.0	17.5	11	12.0	5.9	22.0	11	10.5	5.2	19.7
Lung and Bronchus	172	86.5	73.8	100.9	95	103.2	83.3	126.6	77	73.6	57.4	93.5
Bones and Joints	3	2.0	0.4	6.0	3	4.0	0.8	11.6	0			
Melanoma of the Skin	37	19.2	13.3	27.0	24	27.7	17.6	41.6	13	13.1	6.6	23.7
Breast (invasive)	137	70.6	59.0	83.9	1	0.9	0.0	6.2	136	136.6	113.6	163.1
Cervix									4	4.1	1.1	11.6
Corpus and Uterus, NOS									31	32.5	21.5	47.4
Ovary									5	4.9	1.4	12.8
Prostate					109	118.2	96.8	143.1				
Testis					6	6.9	2.5	15.3				
Urinary Bladder (includes in situ)	46	20.8	15.1	28.2	39	40.9	29.0	56.4	7	6.4	2.4	14.6
Kidney and Renal Pelvis	45	23.5	17.0	31.7	27	30.0	19.7	44.1	18	18.0	10.5	29.6
Brain and Nervous System	16	9.1	5.1	15.2	10	11.1	5.2	20.9	6	7.6	2.6	17.4
Hodgkin Lymphoma	3	2.1	0.4	6.1	0				3	4.8	0.9	14.0
Non-Hodgkin Lymphoma	39	18.7	13.2	25.9	26	27.9	18.2	41.4	13	11.6	6.1	20.9
Myeloma	11	5.4	2.7	10.0	7	7.4	3.0	15.8	4	3.3	0.9	10.0
Leukemia	25	12.8	8.1	19.4	16	18.5	10.4	30.4	9	7.1	3.0	15.1
All Other Sites	105	51.9	42.2	63.3	46	48.1	35.1	64.6	59	55.7	41.6	73.6
Breast in Situ (not in total)									34	38.8	26.3	55.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Morgan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,129	499.2	469.6	530.2	600	577.8	531.5	627.1	529	446.9	407.8	488.9
Oral Cavity and Pharynx	37	16.3	11.3	22.8	19	18.3	10.8	29.2	18	13.4	7.8	22.1
Esophagus	9	3.9	1.8	7.7	6	6.1	2.2	13.6	3	2.0	0.4	7.1
Stomach	11	5.8	2.8	10.6	7	6.8	2.7	14.6	4	5.2	1.3	13.4
Colon and Rectum	111	48.7	39.9	59.1	60	60.2	45.7	78.1	51	39.3	28.9	52.7
Liver	17	7.5	4.2	12.3	9	8.6	3.8	16.9	8	6.9	2.9	14.3
Pancreas	27	11.6	7.6	17.2	14	13.8	7.5	23.5	13	9.6	5.0	17.4
Lung and Bronchus	179	77.6	66.4	90.2	103	98.2	79.9	119.7	76	63.3	49.5	80.2
Bones and Joints	0				0				0			
Melanoma of the Skin	43	20.0	14.2	27.5	27	25.0	16.2	37.0	16	16.9	9.2	28.5
Breast (invasive)	156	70.5	59.5	83.0	1	1.0	0.0	6.1	155	135.4	113.9	160.0
Cervix									7	6.1	2.4	13.3
Corpus and Uterus, NOS									38	30.2	21.3	42.1
Ovary									14	10.4	5.6	18.4
Prostate					133	122.2	102.0	145.6				
Testis					10	12.1	5.7	22.4				
Urinary Bladder (includes in situ)	55	22.6	17.0	29.7	45	43.1	31.2	58.1	10	6.8	3.2	13.6
Kidney and Renal Pelvis	53	24.0	17.8	31.8	32	31.7	21.4	45.2	21	17.0	10.2	27.1
Brain and Nervous System	17	8.9	5.0	14.6	14	15.2	8.1	25.8	3	3.4	0.6	10.2
Hodgkin Lymphoma	9	5.2	2.3	10.1	4	4.4	1.2	11.6	5	6.1	1.9	14.5
Non-Hodgkin Lymphoma	50	22.4	16.5	29.9	36	36.1	25.1	50.5	14	11.1	6.1	19.3
Myeloma	13	5.8	3.0	10.1	7	6.7	2.6	14.2	6	5.0	1.8	11.7
Leukemia	23	10.3	6.4	15.8	15	14.2	7.9	24.0	8	7.6	3.0	15.8
All Other Sites	117	51.9	42.7	62.7	58	54.0	40.7	70.4	59	51.0	38.2	66.9
Breast in Situ (not in total)									32	30.6	20.5	44.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Moultrie

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	431	448.6	405.7	495.1	213	475.4	412.7	545.4	218	435.5	376.1	502.0
Oral Cavity and Pharynx	13	15.6	8.1	27.3	12	29.6	14.9	53.0	1	2.2	0.1	13.5
Esophagus	6	5.6	2.0	13.0	6	12.1	4.4	28.0	0			
Stomach	5	5.1	1.6	12.6	4	8.7	2.3	23.7	1	1.9	0.0	12.9
Colon and Rectum	41	38.0	27.0	52.4	24	52.7	33.7	79.4	17	26.5	14.8	45.1
Liver	3	3.1	0.6	9.8	1	1.9	0.0	13.3	2	4.2	0.5	16.5
Pancreas	15	15.3	8.5	25.8	8	18.7	8.0	37.7	7	12.4	4.8	27.5
Lung and Bronchus	57	56.9	42.9	74.3	24	51.6	32.9	77.9	33	62.6	42.8	89.4
Bones and Joints	1	1.7	0.0	8.6	1	3.5	0.1	17.5	0			
Melanoma of the Skin	20	23.6	13.9	37.4	9	19.7	8.6	39.2	11	27.2	12.8	50.3
Breast (invasive)	68	72.6	55.7	93.2	0				68	137.3	104.9	177.0
Cervix									3	7.4	1.5	22.2
Corpus and Uterus, NOS									12	23.0	11.8	41.6
Ovary									7	15.0	5.6	32.8
Prostate					45	98.9	72.0	133.4				
Testis					1	4.0	0.1	19.1				
Urinary Bladder (includes in situ)	25	22.7	14.5	34.5	20	43.0	26.2	67.6	5	6.5	1.9	18.8
Kidney and Renal Pelvis	13	16.7	8.7	29.1	7	16.3	6.4	34.6	6	17.1	6.0	37.6
Brain and Nervous System	8	8.8	3.7	17.9	3	7.1	1.4	21.9	5	10.5	3.3	25.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	20	21.3	12.5	34.0	12	26.9	13.7	48.1	8	17.2	6.5	36.5
Myeloma	5	4.5	1.4	11.5	3	5.7	1.2	18.9	2	4.0	0.5	16.1
Leukemia	21	22.3	13.5	35.0	11	25.9	12.8	47.3	10	18.6	8.2	36.9
All Other Sites	42	43.9	31.1	60.5	22	49.0	30.5	75.2	20	42.1	24.4	67.7
Breast in Situ (not in total)									13	26.3	13.5	46.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Ogle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,453	444.9	421.9	468.9	710	455.6	422.1	491.3	743	441.0	409.1	474.9
Oral Cavity and Pharynx	48	14.6	10.7	19.5	33	19.8	13.6	28.2	15	10.0	5.5	16.8
Esophagus	24	7.0	4.5	10.6	19	11.8	7.1	18.8	5	2.8	0.9	7.0
Stomach	15	4.5	2.5	7.6	10	6.6	3.1	12.4	5	2.6	0.8	6.7
Colon and Rectum	133	40.8	34.1	48.6	73	48.8	38.0	61.7	60	33.4	25.3	43.4
Liver	10	3.0	1.4	5.6	8	5.4	2.3	10.9	2	1.1	0.1	4.5
Pancreas	44	12.6	9.1	17.1	23	14.4	9.1	22.0	21	11.6	7.1	18.0
Lung and Bronchus	224	66.7	58.2	76.2	117	74.3	61.2	89.4	107	60.9	49.8	74.0
Bones and Joints	4	1.6	0.4	4.1	3	2.3	0.4	6.8	1	0.9	0.0	4.6
Melanoma of the Skin	84	26.4	21.0	32.9	46	30.9	22.5	41.5	38	23.0	16.1	32.0
Breast (invasive)	202	63.9	55.2	73.6	2	1.2	0.1	4.8	200	122.5	105.7	141.4
Cervix									7	4.7	1.8	10.1
Corpus and Uterus, NOS									48	28.0	20.5	37.5
Ovary									17	9.9	5.7	16.3
Prostate					141	83.1	69.7	98.4				
Testis					9	7.3	3.3	13.9				
Urinary Bladder (includes in situ)	67	19.7	15.2	25.2	47	30.2	22.1	40.5	20	10.9	6.6	17.2
Kidney and Renal Pelvis	50	14.9	11.0	19.8	25	15.2	9.8	22.8	25	14.3	9.2	21.4
Brain and Nervous System	21	7.6	4.6	11.7	5	4.0	1.3	9.3	16	11.2	6.3	18.5
Hodgkin Lymphoma	7	2.8	1.1	5.9	4	3.8	1.0	9.4	3	2.0	0.4	6.3
Non-Hodgkin Lymphoma	45	14.1	10.2	19.1	25	17.2	11.1	25.7	20	11.2	6.7	17.8
Myeloma	22	6.4	4.0	9.9	10	6.6	3.1	12.4	12	6.6	3.4	12.0
Leukemia	49	15.5	11.4	20.7	26	17.1	11.1	25.5	23	13.7	8.6	21.0
All Other Sites	182	57.1	48.9	66.3	84	55.6	44.1	69.3	98	59.5	47.9	73.2
Breast in Situ (not in total)									36	22.5	15.6	31.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,454	512.2	498.4	526.2	2,854	592.9	570.9	615.5	2,600	453.3	435.6	471.6
Oral Cavity and Pharynx	124	11.6	9.6	13.9	88	17.6	14.1	21.8	36	6.2	4.3	8.7
Esophagus	70	6.6	5.1	8.4	56	12.2	9.2	15.9	14	2.1	1.2	3.7
Stomach	59	5.5	4.2	7.2	41	9.0	6.4	12.2	18	2.9	1.7	4.7
Colon and Rectum	508	47.3	43.2	51.7	276	58.1	51.3	65.5	232	39.1	34.1	44.6
Liver	70	6.1	4.7	7.8	53	9.8	7.3	12.9	17	2.9	1.7	4.8
Pancreas	146	13.4	11.3	15.8	87	18.2	14.5	22.6	59	9.5	7.2	12.4
Lung and Bronchus	900	84.0	78.6	89.8	483	102.0	92.9	111.8	417	70.0	63.3	77.2
Bones and Joints	9	0.9	0.4	1.8	4	0.8	0.2	2.2	5	0.9	0.3	2.3
Melanoma of the Skin	243	23.8	20.8	27.0	139	29.8	25.0	35.4	104	19.7	16.0	24.0
Breast (invasive)	770	73.3	68.1	78.8	4	0.9	0.2	2.3	766	135.3	125.6	145.5
Cervix									35	6.6	4.6	9.3
Corpus and Uterus, NOS									160	27.1	23.0	31.8
Ovary									64	11.5	8.8	14.8
Prostate					765	149.6	138.9	160.8				
Testis					23	5.6	3.5	8.4				
Urinary Bladder (includes in situ)	249	23.0	20.2	26.1	195	41.6	35.8	47.9	54	8.9	6.7	11.7
Kidney and Renal Pelvis	215	20.9	18.1	23.9	125	26.4	21.9	31.6	90	16.4	13.1	20.3
Brain and Nervous System	77	7.8	6.1	9.7	45	9.8	7.1	13.2	32	6.4	4.3	9.1
Hodgkin Lymphoma	19	2.0	1.2	3.2	12	2.6	1.3	4.6	7	1.5	0.6	3.1
Non-Hodgkin Lymphoma	213	20.4	17.7	23.5	103	22.2	18.1	27.1	110	19.0	15.5	23.0
Myeloma	62	5.8	4.4	7.4	35	7.3	5.0	10.2	27	4.4	2.9	6.5
Leukemia	125	11.8	9.8	14.1	67	14.5	11.2	18.5	58	10.2	7.7	13.3
All Other Sites	548	53.0	48.5	57.7	253	54.8	48.1	62.1	295	52.6	46.5	59.2
Breast in Situ (not in total)									214	38.5	33.4	44.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Perry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	677	494.7	457.6	534.2	354	552.3	495.4	614.1	323	467.3	415.5	524.1
Oral Cavity and Pharynx	16	11.5	6.5	19.1	12	17.5	9.0	31.2	4	6.7	1.7	18.0
Esophagus	9	6.2	2.8	12.3	8	10.8	4.6	22.2	1	1.5	0.0	9.8
Stomach	7	5.6	2.2	11.9	6	10.7	3.9	23.3	1	0.8	0.0	8.5
Colon and Rectum	76	54.5	42.8	68.5	40	66.6	47.4	91.1	36	45.7	31.7	64.7
Liver	5	3.6	1.1	8.8	4	6.1	1.6	16.2	1	1.2	0.0	9.2
Pancreas	20	14.6	8.9	23.0	11	17.3	8.6	31.5	9	13.0	5.9	25.9
Lung and Bronchus	103	74.4	60.6	90.6	62	95.2	72.7	122.7	41	56.1	39.9	77.4
Bones and Joints	1	0.6	0.0	4.4	1	1.4	0.0	8.8	0			
Melanoma of the Skin	33	26.2	17.9	37.1	18	29.4	17.2	46.9	15	27.6	14.9	46.6
Breast (invasive)	85	62.5	49.7	77.8	0				85	125.0	98.6	156.7
Cervix									4	6.0	1.4	17.1
Corpus and Uterus, NOS									28	41.7	27.2	61.6
Ovary									6	8.0	2.9	18.9
Prostate					73	108.3	84.5	137.0				
Testis					3	4.8	0.9	14.5				
Urinary Bladder (includes in situ)	30	21.7	14.6	31.2	26	41.2	26.8	60.9	4	5.8	1.6	16.1
Kidney and Renal Pelvis	31	23.2	15.6	33.2	20	30.3	18.4	47.4	11	18.1	8.7	33.4
Brain and Nervous System	8	5.8	2.5	11.7	2	2.5	0.3	10.4	6	8.3	3.0	19.4
Hodgkin Lymphoma	1	0.8	0.0	4.9	1	1.9	0.0	10.4	0			
Non-Hodgkin Lymphoma	26	20.3	13.1	30.0	13	21.6	11.4	37.3	13	17.8	9.2	32.1
Myeloma	9	6.8	3.1	13.3	7	10.9	4.3	23.1	2	3.0	0.4	12.1
Leukemia	21	14.9	9.2	23.2	11	17.2	8.5	31.4	10	12.8	6.1	25.0
All Other Sites	82	60.9	48.2	76.2	36	58.6	40.8	81.6	46	68.2	49.0	93.0
Breast in Situ (not in total)									18	27.5	15.8	45.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Piatt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	543	503.3	460.8	549.0	277	540.3	477.1	610.0	266	475.9	418.2	539.9
Oral Cavity and Pharynx	11	10.1	5.0	18.7	7	13.7	5.4	29.5	4	6.9	1.9	19.4
Esophagus	1	1.1	0.0	6.5	1	2.5	0.1	14.0	0			
Stomach	7	6.4	2.5	13.8	5	10.4	3.3	25.2	2	3.1	0.4	14.0
Colon and Rectum	34	30.1	20.7	42.7	20	38.1	23.0	60.3	14	22.0	12.0	38.7
Liver	3	2.5	0.5	8.4	1	1.7	0.0	12.1	2	3.1	0.4	13.9
Pancreas	8	7.1	3.0	14.7	3	6.5	1.3	19.9	5	8.4	2.7	21.4
Lung and Bronchus	90	79.8	64.0	98.7	55	104.3	78.3	137.1	35	58.2	40.3	82.5
Bones and Joints	0				0				0			
Melanoma of the Skin	39	40.3	28.2	56.0	24	49.8	31.4	75.5	15	34.1	18.6	57.5
Breast (invasive)	83	78.4	62.0	98.1	1	2.3	0.1	13.3	82	146.6	115.6	184.1
Cervix									2	6.5	0.8	21.9
Corpus and Uterus, NOS									11	16.7	8.3	31.8
Ovary									13	25.2	12.8	45.2
Prostate					66	118.3	91.1	152.0				
Testis					3	7.3	1.3	22.0				
Urinary Bladder (includes in situ)	23	20.3	12.7	31.2	18	33.1	19.5	53.6	5	9.1	2.7	23.3
Kidney and Renal Pelvis	17	15.3	8.9	25.2	8	16.7	7.1	33.9	9	14.5	6.6	29.3
Brain and Nervous System	4	4.2	1.0	11.5	1	2.0	0.1	12.8	3	6.4	1.0	20.7
Hodgkin Lymphoma	1	1.6	0.0	8.0	1	3.1	0.1	15.8	0			
Non-Hodgkin Lymphoma	19	17.1	10.2	27.3	10	19.9	9.4	37.8	9	14.3	6.5	29.0
Myeloma	11	9.6	4.8	17.9	4	7.7	2.0	21.2	7	10.8	4.3	24.3
Leukemia	17	17.2	9.8	28.4	8	15.4	6.5	31.7	9	19.3	8.1	38.6
All Other Sites	80	77.7	61.1	97.6	41	87.4	62.1	120.0	39	70.6	49.6	98.2
Breast in Situ (not in total)									29	53.6	35.3	78.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Pike

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	517	453.3	413.7	495.9	279	523.7	463.0	590.7	238	399.5	346.8	458.5
Oral Cavity and Pharynx	9	9.4	4.1	18.5	6	11.9	4.3	27.0	3	7.4	1.3	22.5
Esophagus	9	7.0	3.2	14.2	7	11.0	4.4	24.4	2	3.0	0.4	13.7
Stomach	6	5.0	1.8	11.9	4	6.2	1.7	18.0	2	3.5	0.3	15.4
Colon and Rectum	65	57.6	43.8	74.7	42	85.6	60.9	117.2	23	29.9	18.5	47.3
Liver	6	4.9	1.8	11.6	3	4.7	1.0	16.0	3	5.0	1.0	16.8
Pancreas	13	10.2	5.4	18.3	7	13.2	5.3	28.5	6	7.8	2.7	19.9
Lung and Bronchus	83	68.4	54.3	85.6	55	101.2	76.0	132.8	28	41.8	27.5	62.2
Bones and Joints	3	3.9	0.8	11.3	1	2.1	0.1	12.8	2	5.9	0.7	20.4
Melanoma of the Skin	20	18.5	11.1	29.5	10	18.6	8.9	35.4	10	18.9	8.2	37.3
Breast (invasive)	62	57.4	43.5	74.5	1	1.5	0.0	11.3	61	111.0	83.6	145.0
Cervix									4	12.1	3.0	30.7
Corpus and Uterus, NOS									15	25.3	13.7	43.8
Ovary									9	14.9	6.4	30.8
Prostate					56	98.7	74.4	129.4				
Testis					3	8.6	1.8	24.2				
Urinary Bladder (includes in situ)	31	24.7	16.6	35.9	24	45.5	29.0	68.8	7	9.4	3.6	22.2
Kidney and Renal Pelvis	16	14.5	8.2	24.2	9	16.4	7.4	32.4	7	13.1	5.0	28.7
Brain and Nervous System	12	10.0	5.1	18.2	9	16.4	7.4	32.3	3	4.7	1.0	16.3
Hodgkin Lymphoma	1	0.7	0.0	5.7	1	1.5	0.0	11.3	0			
Non-Hodgkin Lymphoma	18	14.4	8.5	23.6	8	15.6	6.7	31.8	10	12.8	5.9	26.4
Myeloma	7	5.8	2.3	12.8	4	7.8	2.1	21.2	3	4.9	1.0	16.5
Leukemia	9	8.7	3.8	17.2	5	9.1	2.9	22.6	4	8.4	1.9	23.4
All Other Sites	60	53.7	40.4	70.4	24	48.1	30.4	72.8	36	59.7	40.1	86.2
Breast in Situ (not in total)									14	24.1	12.6	42.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Pope

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	130	385.7	318.4	465.1	69	396.1	302.5	513.6	61	370.8	278.4	489.7
Oral Cavity and Pharynx	5	13.4	4.3	37.4	2	12.1	1.4	54.8	3	16.5	3.3	64.0
Esophagus	0				0				0			
Stomach	1	2.6	0.1	23.2	1	5.1	0.1	44.3	0			
Colon and Rectum	12	33.5	17.1	63.3	4	27.1	6.7	78.5	8	42.8	18.4	97.1
Liver	0				0				0			
Pancreas	7	21.5	8.3	49.4	4	23.4	5.8	71.3	3	18.2	3.7	67.0
Lung and Bronchus	34	105.5	70.5	154.1	17	103.4	56.3	178.0	17	103.9	57.7	179.4
Bones and Joints	0				0				0			
Melanoma of the Skin	4	10.7	2.8	34.0	3	14.3	2.9	56.1	1	6.8	0.2	52.2
Breast (invasive)	12	33.9	17.3	64.1	0				12	67.9	34.8	129.7
Cervix									1	14.7	0.4	73.3
Corpus and Uterus, NOS									3	16.5	3.3	64.0
Ovary									1	5.3	0.1	49.2
Prostate					16	79.5	45.0	138.8				
Testis					0							
Urinary Bladder (includes in situ)	5	19.8	5.6	51.0	5	37.6	10.4	97.4	0			
Kidney and Renal Pelvis	8	22.1	9.2	49.4	4	22.6	5.5	70.0	4	21.8	5.9	70.7
Brain and Nervous System	2	5.8	0.7	27.9	0				2	11.5	1.3	57.8
Hodgkin Lymphoma	1	2.9	0.1	23.7	1	5.1	0.1	44.4	0			
Non-Hodgkin Lymphoma	6	17.1	6.2	42.6	5	27.3	8.6	74.6	1	5.5	0.1	49.6
Myeloma	1	4.7	0.1	28.1	0				1	9.7	0.2	59.3
Leukemia	1	3.1	0.1	24.1	1	6.6	0.2	47.5	0			
All Other Sites	10	30.5	13.4	62.4	6	31.9	11.6	80.2	4	29.9	6.3	90.2
Breast in Situ (not in total)									3	26.7	4.4	87.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Pulaski

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	235	555.8	485.0	634.9	131	668.6	556.7	798.6	104	455.0	367.8	558.6
Oral Cavity and Pharynx	7	17.9	6.9	39.2	6	32.4	11.5	75.0	1	4.0	0.1	30.5
Esophagus	5	11.1	3.6	28.6	4	20.9	5.4	58.9	1	4.9	0.1	32.6
Stomach	1	2.1	0.1	15.8	0				1	4.1	0.1	30.7
Colon and Rectum	19	46.0	27.1	74.1	12	67.0	33.5	121.6	7	26.9	10.6	61.4
Liver	2	4.1	0.5	18.6	0				2	6.6	0.8	33.4
Pancreas	5	12.7	4.0	31.8	3	17.1	3.4	54.0	2	7.2	0.8	34.5
Lung and Bronchus	49	113.1	83.3	151.5	31	158.4	106.8	228.9	18	77.0	45.1	126.3
Bones and Joints	0				0				0			
Melanoma of the Skin	5	11.3	3.6	29.1	4	19.1	5.1	54.6	1	4.6	0.1	31.9
Breast (invasive)	32	77.1	51.6	112.0	0				32	145.7	97.1	212.1
Cervix									2	12.4	1.1	47.8
Corpus and Uterus, NOS									8	41.2	16.1	87.1
Ovary									2	7.8	0.9	35.9
Prostate					33	159.7	109.6	228.3				
Testis					0							
Urinary Bladder (includes in situ)	5	11.9	3.7	30.5	4	20.5	5.3	57.9	1	3.2	0.1	28.7
Kidney and Renal Pelvis	19	45.9	27.1	74.1	14	73.6	39.5	127.9	5	22.2	6.5	58.1
Brain and Nervous System	1	2.1	0.1	15.8	1	4.3	0.1	33.1	0			
Hodgkin Lymphoma	1	2.5	0.1	16.7	0				1	4.6	0.1	31.9
Non-Hodgkin Lymphoma	6	12.9	4.7	30.9	2	8.5	1.0	39.1	4	16.8	4.5	48.6
Myeloma	3	6.9	1.4	22.9	0				3	11.8	2.4	41.4
Leukemia	5	14.7	4.6	35.7	4	25.2	6.7	67.0	1	4.3	0.1	31.1
All Other Sites	25	56.9	36.6	86.0	13	62.0	32.6	110.8	12	49.7	25.5	91.5
Breast in Situ (not in total)									4	16.2	4.4	47.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Putnam

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	214	492.7	427.0	566.9	113	543.2	445.3	658.7	101	454.9	366.6	561.1
Oral Cavity and Pharynx	5	10.6	3.4	28.3	5	22.0	7.0	57.9	0			
Esophagus	2	7.3	0.8	26.8	2	15.3	1.7	54.9	0			
Stomach	2	3.6	0.4	18.3	2	7.3	0.9	36.5	0			
Colon and Rectum	23	51.3	32.3	79.5	11	55.4	27.1	103.8	12	49.5	25.3	92.9
Liver	2	4.1	0.5	19.2	2	8.2	0.9	38.4	0			
Pancreas	5	11.3	3.5	29.6	1	4.0	0.1	32.2	4	18.7	4.9	54.7
Lung and Bronchus	33	73.5	50.4	105.6	18	95.4	55.9	154.6	15	62.0	34.3	108.5
Bones and Joints	1	2.4	0.1	17.2	1	4.9	0.1	34.4	0			
Melanoma of the Skin	12	32.1	15.5	59.4	5	20.6	6.5	55.3	7	43.0	15.7	94.2
Breast (invasive)	19	43.5	26.0	70.4	0				19	86.0	51.5	139.4
Cervix									1	3.4	0.1	32.0
Corpus and Uterus, NOS									6	22.9	8.3	58.0
Ovary									7	39.2	14.4	86.9
Prostate					35	158.7	109.8	225.3				
Testis					1	3.6	0.1	31.5				
Urinary Bladder (includes in situ)	23	52.3	33.0	80.8	14	72.5	39.0	125.9	9	37.0	16.7	76.9
Kidney and Renal Pelvis	8	19.4	8.3	40.6	4	21.9	5.8	60.1	4	16.1	4.2	49.7
Brain and Nervous System	1	2.4	0.1	17.1	1	4.8	0.1	34.1	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	12.5	4.5	30.8	4	18.1	4.8	52.7	2	6.9	0.8	36.4
Myeloma	2	3.9	0.5	18.8	1	3.6	0.1	31.5	1	3.8	0.1	32.8
Leukemia	6	14.9	4.9	35.8	2	7.6	0.9	36.9	4	19.6	4.3	58.6
All Other Sites	14	33.4	17.8	58.9	4	19.5	5.2	55.5	10	46.9	21.4	93.1
Breast in Situ (not in total)									9	38.2	17.3	78.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Randolph

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,004	475.3	445.9	506.4	549	545.8	500.3	594.5	455	435.4	394.1	480.1
Oral Cavity and Pharynx	33	15.9	10.9	22.7	23	21.3	13.4	32.4	10	9.1	4.1	18.1
Esophagus	10	4.5	2.1	8.6	8	8.0	3.4	16.1	2	1.8	0.2	7.8
Stomach	15	6.8	3.8	11.4	9	9.0	4.0	17.5	6	4.3	1.5	10.9
Colon and Rectum	123	57.9	47.9	69.5	68	68.0	52.5	86.7	55	48.8	36.1	65.0
Liver	14	5.9	3.2	10.3	12	10.7	5.4	19.3	2	1.7	0.2	7.6
Pancreas	26	12.3	8.0	18.3	11	12.5	6.2	22.5	15	13.2	7.3	22.7
Lung and Bronchus	167	78.6	67.0	91.8	99	98.6	79.8	120.7	68	63.1	48.6	81.1
Bones and Joints	0				0				0			
Melanoma of the Skin	44	21.0	15.2	28.5	20	18.8	11.4	29.5	24	25.1	15.5	38.6
Breast (invasive)	102	47.5	38.6	58.1	3	3.1	0.6	9.6	99	97.2	78.0	120.0
Cervix									4	5.9	1.5	15.0
Corpus and Uterus, NOS									29	30.6	19.9	45.2
Ovary									10	8.9	4.1	17.5
Prostate					107	102.1	83.3	124.0				
Testis					6	7.0	2.6	15.3				
Urinary Bladder (includes in situ)	43	20.2	14.5	27.5	34	36.4	25.1	51.2	9	6.7	3.0	14.0
Kidney and Renal Pelvis	45	21.8	15.8	29.5	36	34.2	23.8	48.0	9	9.9	4.3	19.7
Brain and Nervous System	14	6.4	3.5	11.1	8	8.7	3.7	17.4	6	5.0	1.8	12.0
Hodgkin Lymphoma	3	1.6	0.3	4.9	2	2.0	0.2	7.6	1	0.8	0.0	6.3
Non-Hodgkin Lymphoma	45	21.9	15.9	29.7	25	24.6	15.8	36.9	20	20.7	12.3	33.0
Myeloma	11	5.1	2.5	9.5	5	5.4	1.7	12.8	6	5.1	1.7	12.5
Leukemia	35	16.4	11.3	23.2	22	23.0	14.3	35.3	13	12.5	6.4	22.5
All Other Sites	118	57.2	47.2	68.9	51	52.5	38.8	69.5	67	65.0	49.6	84.1
Breast in Situ (not in total)									32	32.9	22.1	47.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Richland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	533	471.5	431.3	514.8	267	508.5	448.6	574.7	266	441.5	387.4	501.7
Oral Cavity and Pharynx	13	13.1	6.7	23.3	8	18.2	7.5	36.9	5	7.4	2.3	19.8
Esophagus	5	5.2	1.6	12.6	4	8.2	2.2	22.2	1	2.5	0.1	14.1
Stomach	5	4.5	1.4	11.1	3	5.3	1.1	17.3	2	3.6	0.4	14.9
Colon and Rectum	58	48.9	37.0	64.0	34	64.2	44.4	90.7	24	35.2	22.0	54.7
Liver	2	1.7	0.2	7.2	1	1.8	0.0	12.2	1	1.6	0.0	11.7
Pancreas	14	12.5	6.8	21.6	7	13.2	5.3	28.4	7	11.9	4.7	26.2
Lung and Bronchus	94	81.6	65.7	100.6	49	89.4	66.1	119.1	45	74.2	53.3	101.4
Bones and Joints	0				0				0			
Melanoma of the Skin	29	26.8	17.7	39.3	16	31.2	17.6	51.9	13	22.9	11.7	41.2
Breast (invasive)	71	63.6	49.3	81.0	0				71	120.3	93.1	153.7
Cervix									0			
Corpus and Uterus, NOS									18	33.3	19.1	54.6
Ovary									3	4.9	1.0	16.5
Prostate					68	127.7	98.9	162.9				
Testis					4	13.0	3.5	32.0				
Urinary Bladder (includes in situ)	29	23.3	15.5	34.2	20	36.9	22.5	58.1	9	12.7	5.7	26.5
Kidney and Renal Pelvis	19	16.2	9.5	26.3	8	14.7	6.3	30.4	11	16.8	7.7	33.0
Brain and Nervous System	9	8.1	3.7	16.1	6	11.3	4.1	25.8	3	5.7	1.1	18.3
Hodgkin Lymphoma	5	5.1	1.5	12.7	3	5.1	1.1	17.0	2	5.2	0.5	19.0
Non-Hodgkin Lymphoma	22	19.3	12.1	29.8	13	23.9	12.7	42.1	9	14.7	6.7	29.6
Myeloma	3	2.2	0.4	7.8	3	5.7	1.2	18.2	0			
Leukemia	12	11.1	5.5	20.4	4	7.7	2.1	21.0	8	14.9	5.7	31.9
All Other Sites	50	43.7	32.0	58.5	16	31.1	17.7	51.4	34	53.6	35.9	77.9
Breast in Situ (not in total)									8	15.3	6.3	31.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,378	471.0	456.8	485.5	2,253	523.2	501.5	545.8	2,125	436.7	417.5	456.5
Oral Cavity and Pharynx	126	13.5	11.2	16.2	97	22.1	17.8	27.1	29	6.2	4.1	9.1
Esophagus	56	6.0	4.5	7.9	45	10.5	7.6	14.1	11	2.4	1.2	4.4
Stomach	61	6.7	5.1	8.7	40	10.0	7.1	13.7	21	4.1	2.4	6.4
Colon and Rectum	416	44.3	40.1	49.0	232	54.5	47.6	62.2	184	36.5	31.2	42.5
Liver	57	6.2	4.6	8.1	50	11.8	8.7	15.6	7	1.4	0.6	3.1
Pancreas	117	12.3	10.2	14.9	61	14.1	10.7	18.2	56	10.5	7.9	13.9
Lung and Bronchus	638	66.9	61.8	72.5	351	82.6	74.1	91.9	287	55.0	48.7	62.0
Bones and Joints	3	0.4	0.1	1.1	1	0.2	0.0	1.3	2	0.6	0.1	2.1
Melanoma of the Skin	229	26.4	23.0	30.2	115	29.0	23.8	34.9	114	26.5	21.6	32.1
Breast (invasive)	579	63.5	58.3	69.1	2	0.4	0.0	1.6	577	119.9	109.9	130.5
Cervix									39	9.7	6.8	13.5
Corpus and Uterus, NOS									155	32.2	27.2	38.0
Ovary									55	10.4	7.8	13.8
Prostate					546	118.3	108.5	128.9				
Testis					24	7.1	4.5	10.6				
Urinary Bladder (includes in situ)	212	21.7	18.8	24.9	154	36.0	30.5	42.3	58	10.6	8.0	13.9
Kidney and Renal Pelvis	133	14.3	11.9	17.0	76	17.4	13.6	21.9	57	11.6	8.7	15.3
Brain and Nervous System	53	6.5	4.8	8.6	22	5.5	3.4	8.5	31	7.5	5.0	10.8
Hodgkin Lymphoma	24	3.0	1.9	4.5	11	2.7	1.3	4.9	13	3.4	1.8	6.0
Non-Hodgkin Lymphoma	166	17.9	15.3	21.0	97	22.6	18.2	27.7	69	13.8	10.7	17.7
Myeloma	55	5.7	4.3	7.5	37	8.3	5.8	11.6	18	3.3	1.9	5.4
Leukemia	107	12.0	9.8	14.7	59	14.8	11.2	19.1	48	10.0	7.2	13.5
All Other Sites	527	57.5	52.5	62.8	233	55.4	48.4	63.2	294	60.8	53.7	68.7
Breast in Situ (not in total)									151	33.6	28.3	39.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Saline

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	813	488.7	454.6	524.7	410	540.9	488.6	597.5	403	454.6	409.1	504.1
Oral Cavity and Pharynx	17	10.8	6.1	17.7	14	18.4	9.8	32.0	3	3.9	0.8	12.1
Esophagus	11	7.1	3.4	13.2	6	9.7	3.4	21.4	5	5.2	1.7	13.5
Stomach	5	2.9	0.9	7.3	2	2.4	0.3	10.0	3	3.2	0.7	10.7
Colon and Rectum	99	57.9	46.8	71.1	46	60.0	43.6	80.9	53	54.8	40.6	73.1
Liver	14	8.6	4.6	14.8	10	12.7	6.0	24.2	4	4.4	1.1	12.7
Pancreas	17	9.4	5.5	15.6	10	13.1	6.2	24.9	7	6.1	2.4	14.2
Lung and Bronchus	163	91.8	78.1	107.5	85	109.0	86.8	135.6	78	83.0	65.2	104.7
Bones and Joints	0				0				0			
Melanoma of the Skin	34	22.7	15.4	32.4	19	26.6	15.7	42.5	15	19.1	10.2	32.8
Breast (invasive)	99	57.4	46.4	70.4	2	2.7	0.3	10.7	97	104.2	83.9	128.5
Cervix									9	15.3	6.8	29.3
Corpus and Uterus, NOS									21	25.5	15.1	40.6
Ovary									4	4.8	1.2	13.6
Prostate					94	118.2	95.2	145.6				
Testis					4	7.3	1.9	18.6				
Urinary Bladder (includes in situ)	28	15.3	10.1	22.5	22	28.3	17.6	43.5	6	5.5	2.0	13.6
Kidney and Renal Pelvis	41	25.7	18.1	35.5	24	31.0	19.6	47.1	17	21.0	11.6	35.1
Brain and Nervous System	12	8.2	4.1	14.8	2	2.3	0.3	9.7	10	14.1	6.4	26.8
Hodgkin Lymphoma	4	3.3	0.9	8.5	3	5.1	1.1	14.8	1	2.0	0.1	10.2
Non-Hodgkin Lymphoma	31	18.0	12.2	26.0	14	18.8	10.2	32.2	17	17.7	10.1	29.5
Myeloma	8	4.4	1.9	9.2	5	6.6	2.1	16.1	3	3.1	0.6	10.4
Leukemia	18	11.9	6.9	19.2	8	12.7	5.4	25.2	10	10.3	4.8	20.3
All Other Sites	80	53.0	41.6	66.7	40	55.8	39.4	77.0	40	51.3	35.7	71.4
Breast in Situ (not in total)									17	24.6	13.8	40.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,929	510.2	497.0	523.7	2,942	576.7	555.5	598.6	2,987	468.3	451.2	486.0
Oral Cavity and Pharynx	152	12.5	10.5	14.7	113	20.1	16.5	24.3	39	6.0	4.3	8.3
Esophagus	74	6.1	4.8	7.8	59	11.1	8.4	14.5	15	2.2	1.2	3.7
Stomach	57	4.9	3.7	6.4	34	6.5	4.4	9.2	23	3.6	2.3	5.6
Colon and Rectum	562	48.5	44.5	52.8	291	59.2	52.4	66.6	271	40.6	35.8	46.0
Liver	96	7.6	6.1	9.3	72	12.6	9.8	16.0	24	3.5	2.2	5.3
Pancreas	172	14.4	12.3	16.8	79	15.5	12.2	19.5	93	13.9	11.1	17.1
Lung and Bronchus	913	77.6	72.5	82.9	471	93.0	84.6	102.0	442	67.1	60.9	73.8
Bones and Joints	9	0.8	0.4	1.6	7	1.4	0.6	2.9	2	0.3	0.0	1.3
Melanoma of the Skin	239	21.8	19.1	24.9	122	24.8	20.5	29.7	117	20.7	17.0	24.9
Breast (invasive)	888	76.7	71.6	82.1	11	2.1	1.0	3.9	877	138.1	128.9	147.9
Cervix									52	9.1	6.7	12.1
Corpus and Uterus, NOS									176	26.7	22.8	31.1
Ovary									85	13.5	10.7	16.9
Prostate					642	119.7	110.4	129.6				
Testis					37	8.3	5.8	11.5				
Urinary Bladder (includes in situ)	288	24.4	21.6	27.5	226	46.0	40.0	52.5	62	9.1	6.9	11.8
Kidney and Renal Pelvis	278	23.9	21.1	27.0	180	34.9	29.8	40.5	98	15.2	12.3	18.7
Brain and Nervous System	69	6.3	4.9	8.0	35	6.6	4.6	9.3	34	5.9	4.1	8.4
Hodgkin Lymphoma	34	3.5	2.4	4.9	13	2.7	1.4	4.7	21	4.3	2.6	6.6
Non-Hodgkin Lymphoma	226	19.7	17.2	22.6	133	26.9	22.4	32.0	93	14.6	11.7	18.1
Myeloma	68	5.7	4.4	7.3	38	7.8	5.4	10.7	30	4.5	3.0	6.5
Leukemia	152	13.4	11.3	15.7	90	18.3	14.6	22.5	62	9.8	7.4	12.7
All Other Sites	660	58.4	53.9	63.2	289	59.4	52.6	66.8	371	59.4	53.3	66.0
Breast in Situ (not in total)									238	38.5	33.6	43.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Schuyler

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	241	463.9	405.8	528.7	134	514.9	429.8	613.5	107	422.0	342.2	516.5
Oral Cavity and Pharynx	5	8.2	2.7	21.6	3	8.9	1.8	32.1	2	7.1	0.9	31.8
Esophagus	2	3.3	0.4	15.0	2	6.3	0.8	28.8	0			
Stomach	1	1.6	0.0	12.5	1	2.9	0.1	24.0	0			
Colon and Rectum	21	42.5	25.8	66.6	11	46.9	23.0	86.4	10	35.2	15.7	71.1
Liver	2	3.4	0.4	15.2	2	6.6	0.8	29.5	0			
Pancreas	7	14.4	5.6	31.4	2	8.9	1.1	34.5	5	20.6	6.0	53.1
Lung and Bronchus	44	82.9	59.9	112.9	23	89.9	56.6	137.8	21	77.1	47.3	121.7
Bones and Joints	0				0				0			
Melanoma of the Skin	5	9.8	3.1	24.7	3	13.2	2.7	40.9	2	6.8	0.8	31.3
Breast (invasive)	32	64.3	43.6	92.3	2	7.6	0.9	31.6	30	124.2	82.5	181.4
Cervix									3	17.2	3.2	51.6
Corpus and Uterus, NOS									5	22.5	6.6	57.0
Ovary									3	14.3	2.9	44.4
Prostate					36	131.0	90.9	184.9				
Testis					1	5.7	0.1	30.8				
Urinary Bladder (includes in situ)	18	32.3	19.0	52.8	12	47.4	24.2	85.7	6	21.1	7.6	51.1
Kidney and Renal Pelvis	7	13.0	5.2	28.7	5	18.3	5.8	46.8	2	8.3	1.0	34.4
Brain and Nervous System	3	5.9	1.1	19.3	1	3.0	0.1	24.0	2	9.4	1.0	37.1
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	10.6	3.8	25.2	3	11.9	2.4	38.3	3	8.4	1.6	32.8
Myeloma	3	5.9	1.1	19.3	3	12.3	2.5	39.0	0			
Leukemia	6	11.3	4.0	26.5	4	15.5	4.0	43.4	2	5.8	0.7	29.4
All Other Sites	31	60.8	40.8	88.2	20	78.6	47.6	124.3	11	43.9	20.5	84.1
Breast in Situ (not in total)									7	28.2	10.9	62.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Scott

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	183	509.4	436.8	591.7	107	635.7	519.1	773.1	76	427.5	332.8	542.5
Oral Cavity and Pharynx	6	15.2	5.6	35.9	6	31.3	11.5	74.2	0			
Esophagus	3	7.6	1.6	25.5	3	16.2	3.3	54.2	0			
Stomach	1	2.4	0.1	18.0	1	5.0	0.1	37.5	0			
Colon and Rectum	22	63.8	39.3	99.1	14	87.8	47.1	151.8	8	49.0	19.4	102.8
Liver	1	3.4	0.1	20.4	0				1	6.4	0.2	39.6
Pancreas	2	5.4	0.6	22.8	2	12.3	1.5	49.7	0			
Lung and Bronchus	32	83.2	56.9	119.4	17	96.7	55.9	159.3	15	72.7	40.5	124.9
Bones and Joints	0				0				0			
Melanoma of the Skin	9	23.7	10.8	47.5	3	17.3	3.5	56.4	6	28.1	10.2	67.6
Breast (invasive)	25	77.6	49.3	116.9	0				25	152.8	97.0	230.3
Cervix									2	9.3	1.1	41.8
Corpus and Uterus, NOS									5	30.6	9.0	76.7
Ovary									1	9.7	0.2	48.7
Prostate					26	151.2	98.1	226.0				
Testis					0							
Urinary Bladder (includes in situ)	7	17.8	7.1	39.4	5	28.1	9.1	71.2	2	8.3	1.0	39.9
Kidney and Renal Pelvis	12	33.1	17.0	59.8	8	45.3	19.5	94.1	4	21.3	5.7	60.0
Brain and Nervous System	3	9.0	1.7	28.9	3	18.3	3.6	58.9	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	9	24.3	11.1	48.5	5	34.3	10.9	83.2	4	19.8	5.2	57.4
Myeloma	1	2.5	0.1	18.2	1	5.9	0.1	39.5	0			
Leukemia	5	13.9	4.5	34.9	4	24.0	6.4	66.5	1	4.9	0.1	35.8
All Other Sites	11	31.7	15.5	59.2	9	61.9	27.6	121.0	2	14.6	1.5	55.2
Breast in Situ (not in total)									4	18.5	5.0	54.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Shelby

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	714	454.3	420.4	490.3	376	507.8	456.6	563.6	338	414.3	369.1	464.2
Oral Cavity and Pharynx	16	10.3	5.7	17.5	9	13.2	5.8	26.3	7	7.5	3.0	17.2
Esophagus	6	3.4	1.2	8.2	5	5.9	1.9	15.2	1	1.0	0.0	8.4
Stomach	6	3.7	1.3	8.7	3	4.3	0.9	13.7	3	2.8	0.6	10.8
Colon and Rectum	79	48.2	38.0	60.8	36	48.4	33.6	68.2	43	46.8	33.6	64.5
Liver	5	2.8	0.9	7.3	4	5.3	1.4	14.8	1	1.0	0.0	8.4
Pancreas	21	12.1	7.4	19.1	10	12.3	5.9	23.9	11	11.1	5.3	21.9
Lung and Bronchus	127	77.1	64.1	92.4	71	95.7	74.4	121.8	56	61.7	46.3	81.4
Bones and Joints	0				0				0			
Melanoma of the Skin	29	20.1	13.1	29.7	13	17.6	9.1	31.3	16	23.1	12.5	39.2
Breast (invasive)	87	59.3	47.1	73.9	1	1.3	0.0	8.9	86	113.4	89.6	141.9
Cervix									5	7.3	2.3	18.1
Corpus and Uterus, NOS									20	22.2	13.5	35.7
Ovary									6	6.6	2.4	16.1
Prostate					81	100.5	79.5	125.9				
Testis					2	5.0	0.6	16.5				
Urinary Bladder (includes in situ)	41	24.3	17.4	33.6	29	38.2	25.4	55.7	12	12.6	6.4	23.6
Kidney and Renal Pelvis	36	22.8	15.7	32.3	26	33.1	21.4	49.8	10	13.6	6.1	26.6
Brain and Nervous System	5	3.8	1.2	9.3	5	7.7	2.4	18.8	0			
Hodgkin Lymphoma	5	6.1	2.0	13.7	4	9.3	2.5	23.0	1	2.7	0.1	12.8
Non-Hodgkin Lymphoma	31	18.8	12.7	27.3	26	35.4	23.0	52.7	5	6.0	1.9	15.5
Myeloma	11	6.7	3.3	12.6	5	6.9	2.2	17.1	6	6.5	2.3	15.9
Leukemia	21	14.4	8.7	22.5	14	20.3	11.0	34.8	7	9.4	3.4	21.3
All Other Sites	74	51.9	40.2	66.2	32	47.4	32.0	68.0	42	59.1	41.5	81.9
Breast in Situ (not in total)									19	26.2	15.2	42.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,033	481.5	470.1	493.0	3,515	542.9	524.6	561.6	3,518	439.2	424.6	454.3
Oral Cavity and Pharynx	192	12.6	10.8	14.5	143	20.4	17.1	24.1	49	6.1	4.5	8.1
Esophagus	101	7.1	5.7	8.6	81	13.0	10.3	16.3	20	2.5	1.5	3.9
Stomach	79	5.4	4.3	6.7	44	6.9	4.9	9.3	35	4.2	2.9	5.9
Colon and Rectum	672	45.9	42.5	49.6	321	49.6	44.2	55.5	351	42.6	38.2	47.4
Liver	77	5.1	4.0	6.4	57	8.0	6.0	10.5	20	2.5	1.5	3.9
Pancreas	186	12.8	11.0	14.8	93	14.9	12.0	18.4	93	11.0	8.9	13.6
Lung and Bronchus	1,097	75.8	71.3	80.5	573	91.8	84.2	99.8	524	64.5	59.1	70.4
Bones and Joints	15	1.1	0.6	1.8	9	1.4	0.7	2.8	6	0.8	0.3	1.7
Melanoma of the Skin	271	19.2	17.0	21.7	163	26.2	22.2	30.6	108	14.6	11.9	17.7
Breast (invasive)	979	67.5	63.3	72.0	6	1.0	0.3	2.1	973	123.0	115.2	131.1
Cervix									60	8.5	6.4	11.0
Corpus and Uterus, NOS									202	24.4	21.1	28.1
Ovary									87	10.7	8.6	13.3
Prostate					870	126.2	117.7	135.1				
Testis					42	6.9	4.9	9.3				
Urinary Bladder (includes in situ)	320	22.2	19.8	24.8	234	39.0	34.1	44.5	86	10.0	8.0	12.4
Kidney and Renal Pelvis	289	19.4	17.2	21.8	176	25.8	22.0	30.0	113	14.1	11.6	17.0
Brain and Nervous System	103	7.3	5.9	8.9	54	8.2	6.1	10.7	49	6.5	4.8	8.6
Hodgkin Lymphoma	39	3.0	2.1	4.1	18	2.8	1.6	4.4	21	3.2	2.0	4.9
Non-Hodgkin Lymphoma	259	18.0	15.8	20.3	147	22.8	19.2	26.9	112	13.8	11.3	16.7
Myeloma	94	6.4	5.2	7.9	50	8.3	6.1	11.0	44	5.3	3.8	7.1
Leukemia	178	12.5	10.7	14.5	100	16.4	13.3	20.0	78	9.7	7.6	12.1
All Other Sites	821	56.7	52.8	60.8	334	53.3	47.6	59.5	487	61.3	55.9	67.1
Breast in Situ (not in total)									264	33.4	29.4	37.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Stark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	193	440.6	377.1	512.7	110	554.7	452.0	675.6	83	359.9	280.3	457.4
Oral Cavity and Pharynx	6	13.8	4.4	34.0	5	27.3	8.0	69.2	1	2.1	0.1	29.1
Esophagus	1	2.1	0.1	16.3	1	4.5	0.1	33.3	0			
Stomach	3	5.9	1.2	21.4	1	5.0	0.1	34.4	2	6.8	0.7	36.2
Colon and Rectum	25	62.4	38.8	95.9	13	70.6	35.9	126.3	12	59.2	28.3	111.1
Liver	1	2.2	0.1	16.5	0				1	3.9	0.1	32.4
Pancreas	4	9.0	2.2	26.7	2	8.3	1.0	38.3	2	9.4	0.7	42.8
Lung and Bronchus	37	77.3	54.1	109.1	21	101.1	62.3	158.5	16	62.6	34.9	108.7
Bones and Joints	0				0				0			
Melanoma of the Skin	4	7.4	2.0	23.3	3	13.3	2.7	45.8	1	3.7	0.1	31.8
Breast (invasive)	23	51.8	31.6	81.3	1	5.4	0.1	35.3	22	95.1	56.6	153.0
Cervix									2	14.0	1.2	53.7
Corpus and Uterus, NOS									5	21.5	6.7	57.3
Ovary									1	4.0	0.1	32.5
Prostate					23	96.1	60.7	149.1				
Testis					1	9.5	0.2	46.9				
Urinary Bladder (includes in situ)	7	13.1	5.2	30.7	5	23.1	7.4	59.6	2	5.8	0.6	34.0
Kidney and Renal Pelvis	7	16.7	6.1	38.1	5	30.7	9.4	74.9	2	7.4	0.9	36.7
Brain and Nervous System	2	5.8	0.6	23.0	2	11.6	1.2	46.1	0			
Hodgkin Lymphoma	3	11.9	2.4	34.0	2	16.9	2.0	58.3	1	7.1	0.2	40.2
Non-Hodgkin Lymphoma	17	39.0	22.2	65.4	11	56.6	27.5	106.0	6	23.7	8.2	59.6
Myeloma	0				0				0			
Leukemia	5	9.5	3.1	26.1	3	13.2	2.7	45.7	2	5.8	0.6	34.0
All Other Sites	16	40.4	22.1	68.9	11	61.6	29.9	114.3	5	27.7	8.1	70.2
Breast in Situ (not in total)									4	19.7	5.2	56.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Stephenson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,401	424.4	401.7	448.2	697	461.7	427.4	498.3	704	399.8	369.1	432.5
Oral Cavity and Pharynx	27	8.5	5.5	12.6	20	13.8	8.3	21.9	7	3.5	1.4	8.1
Esophagus	14	3.8	2.0	6.6	11	6.4	3.2	12.1	3	1.3	0.3	5.0
Stomach	23	6.9	4.3	10.7	18	12.2	7.1	19.7	5	2.3	0.7	6.4
Colon and Rectum	138	39.3	32.8	46.8	60	40.4	30.7	52.5	78	38.7	30.3	49.3
Liver	15	4.5	2.5	7.7	9	5.9	2.7	11.7	6	3.2	1.1	7.7
Pancreas	40	11.7	8.3	16.3	21	13.8	8.5	21.6	19	9.3	5.3	15.6
Lung and Bronchus	215	63.8	55.4	73.3	121	80.4	66.5	96.5	94	51.4	41.3	63.6
Bones and Joints	4	1.7	0.4	4.5	4	3.5	0.9	9.1	0			
Melanoma of the Skin	61	21.4	16.1	27.9	37	26.5	18.3	37.3	24	17.6	11.0	26.9
Breast (invasive)	183	57.6	49.3	67.1	2	1.2	0.1	5.0	181	108.2	92.3	126.2
Cervix									11	9.2	4.4	17.0
Corpus and Uterus, NOS									63	35.1	26.6	45.8
Ovary									26	14.8	9.4	22.5
Prostate					169	104.7	89.4	122.2				
Testis					5	5.8	1.9	13.1				
Urinary Bladder (includes in situ)	55	15.6	11.7	20.5	39	25.8	18.3	35.6	16	7.3	4.1	12.7
Kidney and Renal Pelvis	55	16.3	12.2	21.5	31	19.8	13.3	28.6	24	13.3	8.4	20.4
Brain and Nervous System	19	5.8	3.4	9.4	10	6.5	3.0	12.6	9	5.2	2.2	10.6
Hodgkin Lymphoma	2	1.1	0.1	3.8	2	2.3	0.3	7.8	0			
Non-Hodgkin Lymphoma	59	17.8	13.4	23.3	33	22.3	15.2	31.9	26	13.8	8.8	20.9
Myeloma	21	6.3	3.9	9.8	13	8.3	4.4	14.6	8	4.6	2.0	9.7
Leukemia	43	14.1	10.0	19.4	23	16.3	10.2	25.0	20	12.2	7.0	19.9
All Other Sites	153	46.4	39.0	54.9	69	45.8	35.5	58.5	84	48.6	38.0	61.3
Breast in Situ (not in total)									31	20.1	13.3	29.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Tazewell

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,235	505.7	490.3	521.4	2,233	576.7	552.7	601.5	2,002	455.4	435.1	476.5
Oral Cavity and Pharynx	118	14.2	11.7	17.1	83	21.3	16.9	26.6	35	7.8	5.4	11.1
Esophagus	38	4.4	3.1	6.1	32	8.9	6.0	12.6	6	1.2	0.4	2.8
Stomach	36	4.4	3.1	6.2	21	5.9	3.6	9.1	15	3.3	1.8	5.7
Colon and Rectum	407	48.3	43.7	53.4	231	60.8	53.1	69.3	176	39.3	33.6	45.8
Liver	41	4.7	3.3	6.4	34	8.4	5.8	11.9	7	1.4	0.6	3.1
Pancreas	106	12.2	10.0	14.8	49	12.3	9.1	16.4	57	12.2	9.1	16.0
Lung and Bronchus	755	87.2	81.0	93.8	401	102.3	92.4	113.0	354	75.9	68.0	84.4
Bones and Joints	7	1.0	0.4	2.1	4	1.2	0.3	3.1	3	0.9	0.2	2.6
Melanoma of the Skin	189	24.1	20.7	27.9	103	27.6	22.4	33.6	86	22.1	17.5	27.4
Breast (invasive)	549	67.0	61.4	72.9	3	0.8	0.2	2.4	546	125.9	115.3	137.3
Cervix									24	6.2	3.9	9.4
Corpus and Uterus, NOS									111	24.2	19.8	29.3
Ovary									50	10.7	7.9	14.3
Prostate					564	139.6	128.2	151.9				
Testis					17	5.2	3.0	8.4				
Urinary Bladder (includes in situ)	229	26.2	22.9	29.9	172	44.1	37.7	51.3	57	11.5	8.7	15.1
Kidney and Renal Pelvis	141	17.1	14.4	20.3	89	23.0	18.4	28.5	52	11.8	8.7	15.6
Brain and Nervous System	63	8.3	6.3	10.7	34	9.1	6.2	12.8	29	7.4	4.9	10.8
Hodgkin Lymphoma	15	2.2	1.2	3.7	9	2.7	1.2	5.1	6	1.7	0.6	3.8
Non-Hodgkin Lymphoma	177	20.7	17.7	24.1	89	23.3	18.6	28.8	88	18.6	14.9	23.2
Myeloma	45	5.0	3.6	6.7	25	6.3	4.1	9.4	20	4.1	2.5	6.5
Leukemia	100	12.6	10.2	15.4	61	16.8	12.8	21.6	39	9.4	6.6	13.1
All Other Sites	453	57.3	52.0	63.0	212	57.2	49.6	65.6	241	59.8	52.2	68.2
Breast in Situ (not in total)									152	36.3	30.6	42.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Union

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	609	500.2	460.0	543.3	306	526.6	467.7	591.3	303	480.6	425.6	541.3
Oral Cavity and Pharynx	14	11.5	6.2	20.1	13	22.3	11.6	39.6	1	1.5	0.0	11.1
Esophagus	4	3.6	0.9	10.0	4	7.3	1.9	20.0	0			
Stomach	5	3.7	1.2	9.6	5	7.6	2.4	19.4	0			
Colon and Rectum	63	48.5	37.1	62.7	26	42.4	27.6	63.4	37	52.4	36.5	74.1
Liver	5	4.4	1.4	10.9	4	7.0	1.8	19.3	1	1.8	0.0	11.8
Pancreas	12	9.2	4.7	16.8	4	6.6	1.8	18.4	8	11.5	4.9	24.7
Lung and Bronchus	128	102.7	85.3	122.9	76	131.7	103.2	166.4	52	78.0	57.8	104.0
Bones and Joints	3	3.4	0.7	10.0	2	4.7	0.6	16.8	1	2.5	0.1	13.6
Melanoma of the Skin	25	25.5	16.0	38.5	14	28.6	15.1	49.2	11	22.8	10.8	42.3
Breast (invasive)	78	64.4	50.4	81.4	0				78	124.9	97.7	158.1
Cervix									2	5.3	0.6	18.7
Corpus and Uterus, NOS									19	28.5	16.9	46.2
Ovary									8	10.3	4.4	22.5
Prostate					65	102.9	79.1	132.5				
Testis					1	3.1	0.1	15.2				
Urinary Bladder (includes in situ)	22	17.1	10.6	26.5	16	25.6	14.5	43.0	6	8.7	3.2	20.9
Kidney and Renal Pelvis	24	19.8	12.5	30.2	15	27.0	14.8	46.0	9	13.4	6.0	27.3
Brain and Nervous System	5	5.0	1.5	12.2	3	5.3	1.1	16.8	2	5.3	0.6	18.7
Hodgkin Lymphoma	1	0.7	0.0	5.4	0				1	1.4	0.0	10.9
Non-Hodgkin Lymphoma	30	24.8	16.5	36.1	15	24.4	13.6	41.6	15	24.8	13.4	42.9
Myeloma	6	4.3	1.6	10.2	5	7.9	2.5	20.2	1	1.5	0.0	10.9
Leukemia	17	15.2	8.6	25.2	8	15.3	6.4	31.2	9	15.9	6.8	32.0
All Other Sites	72	62.3	48.2	79.5	30	56.8	37.8	82.4	42	69.8	49.3	96.6
Breast in Situ (not in total)									15	26.9	14.2	46.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,717	532.0	511.7	552.9	1,404	590.5	559.5	622.8	1,313	495.3	467.9	524.1
Oral Cavity and Pharynx	70	13.7	10.6	17.5	48	20.5	15.0	27.5	22	7.5	4.6	11.6
Esophagus	35	6.7	4.6	9.4	26	10.9	7.1	16.2	9	3.0	1.4	6.1
Stomach	39	8.0	5.6	11.1	26	11.2	7.2	16.5	13	5.2	2.7	9.2
Colon and Rectum	278	54.2	47.9	61.1	158	68.6	58.1	80.4	120	41.9	34.5	50.5
Liver	29	5.6	3.7	8.1	22	8.9	5.5	13.7	7	2.8	1.1	6.0
Pancreas	77	14.7	11.5	18.5	38	16.1	11.3	22.3	39	13.5	9.6	18.8
Lung and Bronchus	461	86.4	78.6	94.8	250	102.2	89.7	115.9	211	74.4	64.5	85.5
Bones and Joints	3	0.8	0.1	2.3	1	0.5	0.0	2.8	2	1.0	0.1	3.7
Melanoma of the Skin	97	20.2	16.3	24.9	60	25.8	19.6	33.5	37	16.6	11.4	23.2
Breast (invasive)	342	70.3	62.8	78.5	2	1.0	0.1	3.7	340	133.8	119.4	149.7
Cervix									22	9.7	5.9	15.0
Corpus and Uterus, NOS									82	29.2	23.1	36.6
Ovary									44	16.2	11.7	22.1
Prostate					345	140.6	125.9	156.5				
Testis					9	5.0	2.3	9.5				
Urinary Bladder (includes in situ)	125	23.8	19.8	28.5	97	42.5	34.4	52.0	28	10.4	6.8	15.3
Kidney and Renal Pelvis	97	19.4	15.6	23.8	67	27.5	21.2	35.2	30	12.0	7.9	17.5
Brain and Nervous System	21	4.4	2.7	6.8	8	3.5	1.5	7.1	13	5.1	2.6	9.0
Hodgkin Lymphoma	10	2.5	1.2	4.6	6	3.1	1.1	6.7	4	2.0	0.5	5.2
Non-Hodgkin Lymphoma	119	22.9	18.9	27.6	60	25.6	19.4	33.2	59	20.6	15.6	26.8
Myeloma	35	6.9	4.8	9.7	18	8.0	4.7	12.8	17	5.9	3.4	9.7
Leukemia	72	13.9	10.8	17.6	33	13.9	9.5	19.7	39	14.2	10.0	19.8
All Other Sites	305	62.1	55.1	69.7	130	55.1	45.8	65.7	175	70.3	59.8	82.1
Breast in Situ (not in total)									87	35.2	27.9	44.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Wabash

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	423	532.5	481.2	588.1	227	636.7	554.6	728.0	196	446.9	383.3	518.8
Oral Cavity and Pharynx	14	21.0	11.0	36.4	13	39.6	20.4	69.7	1	4.8	0.1	23.0
Esophagus	7	7.8	3.1	17.3	4	10.5	2.8	28.8	3	5.7	1.1	20.7
Stomach	3	3.1	0.6	10.8	2	5.1	0.6	21.0	1	2.0	0.1	15.6
Colon and Rectum	44	53.4	38.6	72.6	22	58.8	36.7	90.5	22	47.5	29.2	74.7
Liver	8	9.5	4.1	19.8	7	17.7	7.0	38.5	1	2.1	0.1	15.6
Pancreas	15	17.4	9.7	29.7	8	20.2	8.6	41.8	7	15.2	6.0	34.0
Lung and Bronchus	76	91.6	72.0	115.5	49	133.1	98.1	177.3	27	58.5	38.2	87.2
Bones and Joints	1	1.3	0.0	8.6	1	2.7	0.1	17.5	0			
Melanoma of the Skin	7	8.3	3.3	18.1	4	11.8	3.2	31.5	3	6.1	1.2	21.3
Breast (invasive)	47	61.6	44.7	83.3	1	2.0	0.1	15.9	46	114.4	82.3	155.7
Cervix									4	11.7	2.8	31.8
Corpus and Uterus, NOS									10	25.0	11.4	48.5
Ovary									5	15.5	4.4	38.1
Prostate					37	95.8	67.2	133.6				
Testis					4	18.0	4.9	44.3				
Urinary Bladder (includes in situ)	19	21.3	12.7	34.3	14	37.6	20.4	64.7	5	8.7	2.6	24.6
Kidney and Renal Pelvis	17	20.9	11.8	34.8	11	30.0	14.8	55.2	6	14.0	4.4	34.2
Brain and Nervous System	6	9.1	3.3	20.4	3	10.0	2.0	29.7	3	7.9	1.5	25.3
Hodgkin Lymphoma	1	1.8	0.0	9.8	0				1	3.6	0.1	19.6
Non-Hodgkin Lymphoma	22	26.8	16.5	41.9	11	33.6	16.4	61.6	11	20.8	10.1	40.4
Myeloma	6	6.5	2.3	15.5	5	13.2	4.2	32.6	1	1.7	0.0	14.9
Leukemia	11	14.6	7.0	27.2	3	10.6	1.9	31.8	8	16.9	7.1	36.0
All Other Sites	59	76.8	57.8	100.5	28	86.4	56.4	126.7	31	65.0	43.4	95.1
Breast in Situ (not in total)									7	21.1	8.0	45.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Warren

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	549	494.4	452.5	539.3	286	551.8	488.4	621.5	263	463.8	406.1	527.5
Oral Cavity and Pharynx	10	9.4	4.3	17.9	6	11.7	4.0	26.8	4	6.9	1.7	19.2
Esophagus	12	10.6	5.4	19.1	12	23.9	12.2	42.6	0			
Stomach	6	5.5	2.0	12.5	4	7.6	2.0	20.6	2	3.6	0.3	14.8
Colon and Rectum	57	48.2	36.3	63.1	32	64.7	44.0	92.1	25	35.4	22.4	54.2
Liver	5	4.6	1.5	11.4	2	3.6	0.4	14.6	3	5.9	1.2	18.1
Pancreas	12	9.8	5.0	17.8	8	14.3	6.0	29.6	4	5.1	1.4	15.4
Lung and Bronchus	86	74.0	59.0	92.0	52	101.3	75.4	133.7	34	53.5	36.4	76.6
Bones and Joints	0				0				0			
Melanoma of the Skin	25	24.3	15.4	36.5	16	33.2	18.8	54.8	9	17.7	7.5	35.3
Breast (invasive)	88	82.0	65.1	102.0	2	4.5	0.5	16.6	86	151.9	120.0	190.1
Cervix									3	9.5	2.0	25.9
Corpus and Uterus, NOS									22	37.5	23.0	58.3
Ovary									10	20.1	9.1	38.4
Prostate					63	109.4	83.7	141.2				
Testis					5	12.8	4.0	30.1				
Urinary Bladder (includes in situ)	28	23.4	15.4	34.3	25	48.6	31.2	72.7	3	4.3	0.8	14.7
Kidney and Renal Pelvis	15	13.8	7.6	23.3	6	12.4	4.4	27.7	9	15.6	6.9	31.0
Brain and Nervous System	12	12.1	6.1	21.7	7	15.5	6.1	32.6	5	10.0	3.1	24.3
Hodgkin Lymphoma	6	7.4	2.6	16.3	2	4.7	0.5	17.1	4	10.0	2.5	25.7
Non-Hodgkin Lymphoma	23	19.4	12.1	29.8	14	25.3	13.5	43.9	9	13.1	5.9	26.4
Myeloma	4	3.0	0.8	8.7	2	3.1	0.4	13.4	2	3.0	0.4	13.0
Leukemia	12	11.4	5.7	20.6	8	15.5	6.6	31.5	4	9.6	2.4	25.1
All Other Sites	45	44.1	31.7	60.0	20	39.9	24.1	62.7	25	50.9	31.9	76.9
Breast in Situ (not in total)									18	38.6	22.1	62.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Washington

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	499	518.9	473.3	568.0	284	618.2	547.1	696.5	215	441.4	382.4	507.7
Oral Cavity and Pharynx	9	9.2	4.2	18.2	7	14.5	5.8	31.6	2	3.8	0.5	16.3
Esophagus	5	5.0	1.6	12.5	4	8.5	2.3	23.4	1	1.8	0.0	13.3
Stomach	7	7.3	2.9	15.7	7	15.8	6.3	33.7	0			
Colon and Rectum	65	66.2	50.7	85.2	35	72.6	50.2	102.5	30	60.1	39.9	87.9
Liver	3	2.7	0.6	9.2	2	4.4	0.5	17.6	1	1.6	0.0	12.7
Pancreas	12	12.6	6.5	22.6	9	20.6	9.4	40.1	3	5.7	1.2	18.8
Lung and Bronchus	75	74.1	58.1	93.5	43	92.6	66.7	126.0	32	59.8	40.8	86.0
Bones and Joints	1	1.7	0.0	8.6	1	3.2	0.1	16.9	0			
Melanoma of the Skin	21	23.1	14.0	36.3	15	36.8	20.2	61.9	6	12.4	4.3	29.1
Breast (invasive)	52	56.2	41.5	74.8	0				52	110.1	81.2	146.5
Cervix									1	2.7	0.1	15.4
Corpus and Uterus, NOS									17	33.0	18.8	54.8
Ovary									6	11.9	4.3	27.9
Prostate					75	153.6	120.4	194.0				
Testis					0							
Urinary Bladder (includes in situ)	29	29.6	19.7	43.3	24	53.8	34.2	81.3	5	10.5	3.4	26.2
Kidney and Renal Pelvis	20	20.9	12.6	33.1	12	24.7	12.7	44.7	8	18.4	7.6	37.9
Brain and Nervous System	3	3.7	0.6	11.6	3	7.0	1.2	22.4	0			
Hodgkin Lymphoma	4	5.5	1.4	14.4	3	8.9	1.8	26.0	1	1.9	0.0	13.4
Non-Hodgkin Lymphoma	19	19.9	12.0	31.7	12	26.7	13.7	47.8	7	14.0	5.6	30.6
Myeloma	7	6.5	2.6	14.3	5	10.7	3.5	26.5	2	3.1	0.3	14.8
Leukemia	8	8.9	3.8	18.3	4	10.3	2.7	27.0	4	7.2	1.9	21.0
All Other Sites	60	67.5	51.0	87.9	23	53.5	33.6	81.3	37	83.5	57.7	117.2
Breast in Situ (not in total)									13	27.8	14.7	48.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Wayne

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	542	469.7	429.7	512.7	263	490.8	432.1	555.8	279	469.3	413.0	531.7
Oral Cavity and Pharynx	15	13.6	7.4	23.2	9	15.9	7.2	31.5	6	12.5	4.3	28.5
Esophagus	4	3.9	0.9	10.8	4	8.9	2.3	23.6	0			
Stomach	5	3.7	1.2	9.8	2	3.8	0.4	15.3	3	4.1	0.8	14.7
Colon and Rectum	42	34.0	24.4	46.7	18	31.1	18.4	50.4	24	36.2	22.8	55.7
Liver	5	4.0	1.3	10.2	2	3.3	0.4	14.2	3	4.6	0.9	15.6
Pancreas	11	8.7	4.3	16.5	3	5.6	1.1	18.0	8	10.8	4.6	23.5
Lung and Bronchus	111	89.2	73.3	108.0	57	100.6	76.0	131.4	54	83.4	62.3	110.4
Bones and Joints	1	1.5	0.0	7.7	0				1	3.2	0.1	15.7
Melanoma of the Skin	25	23.6	15.0	35.7	14	27.5	14.9	47.3	11	21.5	10.1	40.4
Breast (invasive)	76	67.0	52.3	84.9	0				76	128.7	100.1	163.6
Cervix									1	2.6	0.1	14.0
Corpus and Uterus, NOS									17	27.1	15.4	45.4
Ovary									3	4.4	0.9	15.2
Prostate					70	122.6	95.3	156.2				
Testis					6	18.2	6.6	38.7				
Urinary Bladder (includes in situ)	26	20.2	13.2	30.3	22	40.2	25.1	62.0	4	5.4	1.4	16.4
Kidney and Renal Pelvis	14	11.7	6.4	20.3	7	13.0	5.2	27.9	7	10.9	4.4	24.2
Brain and Nervous System	4	5.0	1.3	13.0	2	6.2	0.7	21.0	2	3.6	0.4	14.7
Hodgkin Lymphoma	2	3.0	0.4	10.1	1	3.0	0.1	15.2	1	3.0	0.1	15.1
Non-Hodgkin Lymphoma	21	19.2	11.6	30.3	12	21.9	11.2	39.5	9	17.4	7.3	35.2
Myeloma	6	5.2	1.9	12.1	2	4.5	0.5	16.8	4	5.9	1.6	17.3
Leukemia	17	16.0	9.1	26.4	8	18.4	7.8	36.9	9	15.1	6.6	30.5
All Other Sites	60	56.4	42.4	73.8	24	46.1	29.3	69.9	36	69.0	46.8	98.3
Breast in Situ (not in total)									7	14.5	5.4	31.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

White

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	543	495.6	453.3	541.3	292	578.3	512.6	651.1	251	436.5	381.2	498.5
Oral Cavity and Pharynx	12	10.8	5.5	19.9	9	17.9	8.1	35.8	3	4.7	0.9	16.8
Esophagus	8	7.5	3.2	15.7	8	15.9	6.8	33.3	0			
Stomach	6	5.4	2.0	12.8	4	7.7	2.1	21.9	2	3.3	0.4	15.0
Colon and Rectum	52	44.3	32.8	59.2	23	43.4	27.4	66.7	29	48.7	32.1	72.3
Liver	5	4.3	1.4	11.3	2	3.7	0.4	16.1	3	4.5	0.9	16.6
Pancreas	19	16.2	9.6	26.3	12	23.6	12.1	43.0	7	9.7	3.8	23.2
Lung and Bronchus	90	81.2	64.9	100.9	58	112.9	85.3	147.6	32	55.6	37.5	80.8
Bones and Joints	2	2.3	0.2	9.0	1	1.8	0.0	13.4	1	2.8	0.1	15.7
Melanoma of the Skin	15	16.0	8.5	27.6	8	16.2	6.8	33.7	7	17.0	6.2	36.8
Breast (invasive)	67	64.8	49.4	84.0	0				67	121.8	92.1	158.7
Cervix									6	11.9	4.1	28.3
Corpus and Uterus, NOS									19	31.8	18.9	51.9
Ovary									1	1.6	0.0	12.7
Prostate					66	125.6	96.8	161.5				
Testis					4	14.0	3.8	34.8				
Urinary Bladder (includes in situ)	35	31.1	21.5	44.2	28	55.1	36.3	81.3	7	11.2	4.4	25.8
Kidney and Renal Pelvis	25	24.0	15.3	36.3	11	21.5	10.6	40.3	14	27.1	14.3	47.6
Brain and Nervous System	4	3.6	1.0	10.4	3	5.7	1.2	19.2	1	1.3	0.0	12.1
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	18	15.4	9.1	25.4	9	16.9	7.7	34.0	9	15.1	6.9	30.9
Myeloma	9	7.0	3.2	14.5	8	14.9	6.4	31.4	1	1.3	0.0	12.1
Leukemia	14	14.0	7.4	24.6	8	17.4	7.3	35.9	6	11.5	3.8	27.6
All Other Sites	66	60.2	46.0	77.9	30	64.2	42.5	93.7	36	55.5	38.3	79.4
Breast in Situ (not in total)									5	11.7	3.3	29.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Whiteside

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,857	479.7	457.5	502.8	975	541.8	507.7	577.8	882	434.8	405.2	466.0
Oral Cavity and Pharynx	46	11.2	8.2	15.1	33	17.6	12.1	25.1	13	5.7	3.0	10.2
Esophagus	24	6.1	3.8	9.2	21	10.9	6.6	17.1	3	1.5	0.3	4.8
Stomach	24	6.1	3.9	9.2	12	6.9	3.5	12.3	12	5.4	2.7	10.0
Colon and Rectum	155	38.1	32.2	44.9	81	44.2	35.0	55.4	74	33.0	25.7	42.0
Liver	29	7.3	4.8	10.6	20	10.4	6.3	16.5	9	4.3	1.9	8.8
Pancreas	41	10.3	7.4	14.2	22	12.5	7.8	19.3	19	9.0	5.4	14.4
Lung and Bronchus	286	71.8	63.6	80.9	167	93.5	79.6	109.2	119	55.4	45.8	66.8
Bones and Joints	4	1.3	0.3	3.4	2	1.3	0.1	4.9	2	1.3	0.1	4.8
Melanoma of the Skin	81	22.3	17.6	28.1	43	24.8	17.9	33.8	38	21.4	14.8	30.0
Breast (invasive)	243	65.1	56.9	74.2	1	0.5	0.0	3.3	242	122.9	107.2	140.4
Cervix									10	5.0	2.3	9.8
Corpus and Uterus, NOS									62	29.1	22.1	37.8
Ovary									29	14.1	9.3	20.8
Prostate					230	120.4	105.1	137.4				
Testis					12	9.8	5.0	17.0				
Urinary Bladder (includes in situ)	105	25.2	20.5	30.7	82	45.0	35.8	56.2	23	9.1	5.7	14.2
Kidney and Renal Pelvis	58	15.2	11.4	19.8	34	18.2	12.6	25.8	24	12.9	8.0	19.7
Brain and Nervous System	17	4.6	2.6	7.6	7	3.6	1.4	7.8	10	5.7	2.6	11.0
Hodgkin Lymphoma	12	3.9	2.0	7.0	5	3.2	1.0	7.7	7	4.7	1.8	10.0
Non-Hodgkin Lymphoma	94	24.7	19.8	30.6	50	29.8	21.9	39.6	44	20.6	14.7	28.4
Myeloma	21	4.9	3.0	7.7	11	5.9	2.9	10.8	10	4.3	2.0	8.5
Leukemia	51	13.2	9.8	17.6	29	16.6	11.0	24.1	22	10.6	6.4	16.7
All Other Sites	223	61.8	53.7	70.9	113	66.8	54.8	80.8	110	58.8	47.7	71.9
Breast in Situ (not in total)									45	24.1	17.3	32.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,268	492.5	484.5	500.7	7,751	556.6	543.6	569.9	7,517	447.8	437.5	458.2
Oral Cavity and Pharynx	343	10.6	9.5	11.8	260	16.9	14.8	19.2	83	4.9	3.9	6.1
Esophagus	159	5.3	4.5	6.2	131	9.8	8.1	11.7	28	1.7	1.1	2.4
Stomach	219	7.3	6.4	8.4	142	10.3	8.6	12.2	77	4.9	3.8	6.1
Colon and Rectum	1,348	45.2	42.7	47.7	764	57.0	52.8	61.5	584	35.8	32.9	38.8
Liver	175	5.4	4.6	6.3	133	8.5	7.1	10.2	42	2.5	1.8	3.4
Pancreas	439	14.9	13.5	16.4	225	16.6	14.4	19.1	214	13.3	11.6	15.3
Lung and Bronchus	2,070	72.0	68.8	75.3	1,104	87.0	81.7	92.6	966	61.2	57.3	65.2
Bones and Joints	34	1.1	0.7	1.5	18	1.2	0.7	1.9	16	1.0	0.6	1.6
Melanoma of the Skin	524	16.4	15.0	17.9	276	19.6	17.2	22.2	248	14.4	12.6	16.3
Breast (invasive)	2,247	68.7	65.8	71.7	9	0.6	0.3	1.2	2,238	129.2	123.8	134.7
Cervix									100	5.7	4.7	7.0
Corpus and Uterus, NOS									498	27.9	25.4	30.5
Ovary									206	12.0	10.4	13.8
Prostate					2,037	134.0	127.9	140.2				
Testis					95	5.9	4.8	7.2				
Urinary Bladder (includes in situ)	691	24.4	22.5	26.3	525	42.7	39.0	46.8	166	10.5	8.9	12.3
Kidney and Renal Pelvis	569	17.8	16.3	19.4	342	22.7	20.2	25.3	227	13.5	11.8	15.4
Brain and Nervous System	221	6.8	5.9	7.8	120	7.7	6.3	9.3	101	6.0	4.8	7.3
Hodgkin Lymphoma	105	3.2	2.6	3.9	55	3.4	2.5	4.5	50	3.0	2.3	4.0
Non-Hodgkin Lymphoma	601	20.2	18.6	21.9	316	23.8	21.1	26.7	285	17.5	15.5	19.7
Myeloma	170	5.7	4.8	6.6	94	6.7	5.4	8.3	76	4.7	3.7	6.0
Leukemia	465	15.3	13.9	16.8	272	19.7	17.3	22.3	193	11.7	10.1	13.5
All Other Sites	1,952	63.1	60.3	66.0	833	62.4	58.0	67.1	1,119	66.4	62.5	70.5
Breast in Situ (not in total)									695	39.2	36.3	42.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Williamson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,130	502.0	480.5	524.3	1,141	586.1	551.9	621.9	989	438.9	411.0	468.2
Oral Cavity and Pharynx	53	12.7	9.4	16.7	37	18.6	13.0	26.0	16	6.8	3.8	11.4
Esophagus	34	7.7	5.3	10.9	27	14.2	9.3	20.9	7	2.9	1.2	6.3
Stomach	16	4.0	2.2	6.6	13	7.6	4.0	13.2	3	1.4	0.3	4.5
Colon and Rectum	235	55.7	48.7	63.5	124	64.7	53.6	77.5	111	46.7	38.2	56.7
Liver	25	5.7	3.7	8.6	23	11.3	7.1	17.3	2	1.0	0.1	3.8
Pancreas	56	12.2	9.2	16.0	31	15.2	10.3	21.9	25	9.6	6.2	14.5
Lung and Bronchus	426	97.5	88.3	107.4	252	128.8	113.1	146.1	174	73.2	62.5	85.3
Bones and Joints	3	0.9	0.2	2.6	0				3	1.8	0.4	5.3
Melanoma of the Skin	93	23.9	19.2	29.5	55	29.3	21.9	38.4	38	19.9	13.8	27.8
Breast (invasive)	233	56.2	49.0	64.2	4	2.1	0.5	5.5	229	104.7	91.1	120.0
Cervix									21	11.4	6.9	17.8
Corpus and Uterus, NOS									55	23.8	17.8	31.3
Ovary									28	12.7	8.3	18.7
Prostate					221	108.6	94.5	124.3				
Testis					9	6.2	2.8	11.7				
Urinary Bladder (includes in situ)	89	20.2	16.1	25.0	73	37.5	29.2	47.5	16	6.8	3.8	11.5
Kidney and Renal Pelvis	87	20.4	16.3	25.3	52	26.4	19.6	35.0	35	14.8	10.2	21.0
Brain and Nervous System	36	9.2	6.3	12.8	23	12.0	7.5	18.2	13	6.5	3.3	11.4
Hodgkin Lymphoma	4	1.3	0.3	3.2	2	1.3	0.2	4.6	2	1.2	0.1	4.5
Non-Hodgkin Lymphoma	72	16.7	13.0	21.3	26	13.8	8.9	20.5	46	19.5	14.2	26.3
Myeloma	25	5.9	3.8	8.8	16	8.5	4.8	14.1	9	3.8	1.7	7.6
Leukemia	66	16.1	12.4	20.6	36	20.4	14.2	28.4	30	12.9	8.6	18.9
All Other Sites	243	58.3	51.0	66.3	117	59.5	49.0	71.7	126	57.5	47.5	69.1
Breast in Situ (not in total)									51	23.4	17.2	31.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,035	476.4	465.9	487.2	4,051	528.3	511.8	545.2	3,984	441.6	427.7	455.9
Oral Cavity and Pharynx	187	10.8	9.3	12.5	133	16.5	13.8	19.7	54	5.9	4.4	7.8
Esophagus	84	4.7	3.8	5.9	64	7.8	6.0	10.1	20	2.1	1.3	3.3
Stomach	103	5.9	4.8	7.2	73	9.3	7.3	11.8	30	3.3	2.2	4.8
Colon and Rectum	716	42.2	39.2	45.5	351	46.3	41.5	51.5	365	38.8	34.9	43.2
Liver	112	6.3	5.2	7.6	88	10.6	8.5	13.2	24	2.4	1.5	3.7
Pancreas	245	14.1	12.3	16.0	117	15.1	12.4	18.2	128	12.9	10.7	15.5
Lung and Bronchus	1,262	74.0	69.9	78.3	661	86.5	79.9	93.6	601	65.0	59.8	70.5
Bones and Joints	12	0.7	0.4	1.3	5	0.6	0.2	1.5	7	0.9	0.3	1.8
Melanoma of the Skin	390	24.3	21.9	26.9	222	30.1	26.2	34.5	168	20.6	17.5	24.1
Breast (invasive)	1,052	63.1	59.3	67.2	9	1.2	0.5	2.3	1,043	117.4	110.2	125.0
Cervix									67	8.6	6.6	11.0
Corpus and Uterus, NOS									270	29.2	25.7	33.0
Ovary									110	11.8	9.7	14.4
Prostate					847	105.2	98.1	112.8				
Testis					38	5.6	3.9	7.7				
Urinary Bladder (includes in situ)	379	22.2	20.0	24.6	285	38.9	34.5	43.8	94	9.5	7.6	11.7
Kidney and Renal Pelvis	302	18.1	16.1	20.3	191	24.9	21.4	28.7	111	12.5	10.2	15.1
Brain and Nervous System	79	4.8	3.8	6.1	47	5.8	4.3	7.8	32	3.7	2.5	5.3
Hodgkin Lymphoma	46	3.1	2.3	4.2	29	3.9	2.6	5.7	17	2.5	1.4	4.0
Non-Hodgkin Lymphoma	350	21.0	18.8	23.3	197	26.7	23.0	30.8	153	16.3	13.8	19.2
Myeloma	109	6.3	5.2	7.7	58	7.5	5.6	9.7	51	5.3	3.9	7.0
Leukemia	263	16.1	14.2	18.2	152	20.8	17.6	24.4	111	12.7	10.4	15.4
All Other Sites	1,012	61.5	57.7	65.5	484	64.7	59.0	70.9	528	60.1	55.0	65.6
Breast in Situ (not in total)									273	32.4	28.6	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Woodford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,087	463.2	435.4	492.5	568	516.6	474.0	562.0	519	423.4	386.5	463.1
Oral Cavity and Pharynx	35	14.3	9.9	20.2	26	23.7	15.4	35.1	9	6.5	2.8	13.2
Esophagus	16	6.4	3.6	10.7	12	10.2	5.2	18.4	4	3.4	0.9	9.1
Stomach	10	4.5	2.1	8.5	9	9.3	4.2	17.8	1	0.4	0.0	4.3
Colon and Rectum	102	42.3	34.4	51.7	54	49.5	37.0	65.0	48	37.3	27.1	50.2
Liver	6	2.4	0.8	5.6	3	2.3	0.5	7.4	3	2.4	0.4	7.9
Pancreas	22	8.8	5.4	13.6	13	12.1	6.4	21.0	9	6.5	2.9	13.1
Lung and Bronchus	146	61.0	51.4	72.1	72	64.7	50.3	82.0	74	56.5	44.0	71.7
Bones and Joints	0				0				0			
Melanoma of the Skin	52	24.0	17.7	31.8	31	29.5	19.7	42.4	21	18.9	11.4	29.6
Breast (invasive)	167	72.8	61.9	85.1	0				167	141.4	120.2	165.4
Cervix									6	5.5	1.9	12.4
Corpus and Uterus, NOS									29	23.7	15.8	34.6
Ovary									18	15.1	8.7	24.6
Prostate					143	119.1	100.0	141.0				
Testis					7	8.8	3.5	18.0				
Urinary Bladder (includes in situ)	62	25.8	19.6	33.3	50	47.5	35.0	63.0	12	9.1	4.6	16.6
Kidney and Renal Pelvis	49	21.1	15.5	28.2	32	28.8	19.5	41.1	17	15.0	8.6	24.4
Brain and Nervous System	11	4.8	2.3	8.8	7	6.8	2.7	14.2	4	2.8	0.7	8.1
Hodgkin Lymphoma	8	4.8	2.0	9.4	6	7.3	2.6	15.7	2	2.4	0.3	8.3
Non-Hodgkin Lymphoma	43	16.8	12.1	23.0	21	18.6	11.4	28.8	22	16.8	10.4	26.0
Myeloma	8	3.2	1.4	6.6	5	4.4	1.4	10.7	3	2.0	0.4	6.8
Leukemia	18	8.2	4.8	13.2	14	14.3	7.7	24.2	4	3.5	0.9	9.3
All Other Sites	129	56.6	47.0	67.7	63	59.8	45.7	77.1	66	54.1	41.3	69.9
Breast in Situ (not in total)									41	37.2	26.4	51.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015